

# Datasheet: MCA1019SBUV400 BATCH NUMBER 100006036

Description:	MOUSE ANTI HUMAN CD38:StarBright UltraViolet 400			
Specificity:	CD38			
Format:	StarBright UltraViolet 400			
Product Type:	Monoclonal Antibody			
Clone:	AT13/5			
Isotype:	lgG1			
Quantity:	100 TESTS/0.5ml			

## **Product Details**

Applications	derived from testing wi communications from t	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies com/protocols				
		Yes No	Not Determined	Suggested Dilution		
	Flow Cytometry	-		Neat		
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG conjugated to StarBright UltraViolet 400 - liquid					
Max Ex/Em	Fluorophore StarBright UltraViolet 400	Excitation Max (n 347	n) Emission Max (nm) 394			
Preparation	Purified IgG prepared by affinity chromatography on Protein A					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20					

Immunogen	Namalwa human B-cell line.
External Database Links	UniProt: <u>P28907</u> <u>Related reagents</u> Entrez Gene: <u>952</u> CD38 <u>Related reagents</u>
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Specificity	<ul> <li>Mouse anti Human CD38 antibody, clone AT13/5 recognizes CD38, also known as ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1, 2'-phospho-ADP-ribosyl cyclase, 2'-phospho-ADP-ribosyl cyclase, ADP-ribosyl cyclase 1, Cyclic ADP-ribose hydrolase 1 or T10. CD38 is a 300 amino acid ~45 kDa single pass type II transmembrane glycoprotein and Mouse anti Human CD38 antibody, clone AT13/5 has a reactivity pattern consistent with other antibodies of the CD38 cluster. CD38 is expressed by plasma cells, monocytes, early lymphoid cells and activated T cells.</li> <li>CD38 is widely used to study the processes of B and T differentiation and activation. CD38 is a multifunctional enzyme involved in calcium signaling and nicotinamide adenine</li> </ul>
	dinucleotide (NAD+) metabolism ( <u>de Oliveira <i>et al.</i> 2018</u> ).
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	<ol> <li>Corcione, A. <i>et al.</i> (2009) CX3CR1 is expressed by human B lymphocytes and mediates [corrected] CX3CL1 driven chemotaxis of tonsil centrocytes. PLoS One. 4: <u>e8485.</u></li> <li>Hovden, A.O. <i>et al.</i> (2011) Maturation of monocyte derived dendritic cells with OK432 boosts IL-12p70 secretion and conveys strong T-cell responses. <u>BMC Immunol. 12: 2.</u></li> <li>Tipping, A.J. <i>et al.</i> (2009) High GATA-2 expression inhibits human hematopoietic stem and progenitor cell function by effects on cell cycle <u>Blood. 113: 2661-72.</u></li> <li>Slyker, J.A. <i>et al.</i> (2012) Acute cytomegalovirus infection is associated with increased frequencies of activated and apoptosis-vulnerable T cells in HIV-1-infected infants. <u>J Virol.</u> <u>86 (20): 11373-9.</u></li> <li>Slyker, J.A. <i>et al.</i> (2012) The impact of HIV-1 infection and exposure on natural killer (NK) cell phenotype in Kenyan infants during the first year of life. <u>Front Immunol. 3: 399.</u></li> </ol>
Further Reading	1. Malavasi, F. <i>et al.</i> (1994) Human CD38: a glycoprotein in search of a function. <u>Immunol</u> <u>Today. 15 (3): 95-7.</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch

Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1019SBUV400 20471
Regulatory	For research purposes only
Related Produce Recommended Use	

#### HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	rad.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

### 'M392293:211029'

#### Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint