

Datasheet: MCA1022R BATCH NUMBER 151501

Description:	MOUSE ANTI RAT CD4 (DOMAINS 3 AND 4)
Specificity:	CD4 (DOMAINS 3 AND 4)
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	OX-68
Isotype:	lgG2a
Quantity:	0.25 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/proto							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			1/50 - 1/100			
	Immunohistology - Frozen							
	Immunohistology - Paraffin							
	ELISA							
	Immunoprecipitation			•				
	Western Blotting			•				
	Where this antibody has	not been	tested for	r use in a particular teo	chnique this does not			
	necessarily exclude its us			•	•			
	a guide only. It is recomn system using appropriate			•	for use in their own			
Target Species	Rat							
Product Form	Purified IgG - liquid							
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide							
Carrier Free	Yes							

Approz. Protein Concentrations IgG concentration 1.0 mg/ml External Database Links UniProt: P05540 Related reagents Entrez Gene: 24932 Cd4 Related reagents RRID A6_567282 Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the NS1 myeloma cell line. Specificity Mouse anti Rat CD4 (Domains 3 and 4) monoclonal antibody, clone OX-68 recognizes domains 3 and 4 of rat CD4, a single pass type 1 membrane glycoprotein. Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Kerr, J.S, and Wright, G.J. (2012) Avidity-based extracellular interaction screening (XEXES) for the scalable detection of low-affinity extracellular interactions. 2. Crosnier, C. <i>et al.</i> (2013) A library of functional recombinant cell-surface and secreted <i>P. faleiperum</i> merczoite proteins. Md Cell Proteomics 12 (12): 3376-86. 3. Crosnier, C. <i>et al.</i> (2016) Binding of <i>Plasmodium faleiperum</i> Merczoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunglobulin M is Conserved among Broady Diverged Sequence Variants. J. Biol Chem. 201 (27): 14285-99. A. Liu, Y. <i>et al.</i> (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron 97 (b): 1261-1267.e4. Storage Store at +4°C or at -20°C if preferred. Storage in fost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thaving as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation befo		
Links UniProt: P05540 Related reagents Entroz Gene: 24932 24932 Cd4 Related reagents RRID AB_567282 Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the NS1 myeloma cell line. Specificity Mouse anti Rat CD4 (Domains 3 and 4) monoclonal antibody, clone OX-68 recognizes domains 3 and 4 of rat CD4, a single pass type 1 membrane glycoprotein. Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Kerr, J.S, and Wright, G.J. (2012) Avidity-based extracellular interaction screening (AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. J Vis Exp. 5(61): e3881. 2. Crosnier, C. <i>et al.</i> (2013) A library of functional recombinant cell-surface and secreted <i>P. falciparum</i> merozoite proteins. MOI Cell Protencis. 12 (12): 3976-86. 3. Crosnier, C. <i>et al.</i> (2016) Binding of <i>Plasmodum falciparum</i> Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M Is Conserved among Broadly Diverged Sequence Variants. JBiol Chem. 291 (27): 14285-99. 4. Liu, Y. <i>et al.</i> (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron 97 (6): 1261-1267-e4. 5. Sharma, S. & Wright, G. J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. <i>et al.</i> (2014) The pro		IgG concentration 1.0 mg/ml
Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the NS1 myeloma cell line. Specificity Mouse anti Rat CD4 (Domains 3 and 4) monoclonal antibody, clone OX-68 recognizes domains 3 and 4 of rat CD4, a single pass type I membrane glycoprotein. Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Kerr, J.S., and Wright, G.J. (2012) Avidity-based extracellular interaction screening (AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. JVis Exp. 5(61): e3881. 2. Crosnier, C. et al. (2013) A library of functional recombinant cell-surface and secreted <i>P. falciparum</i> merozoite proteins. Mol Cell Proteomics. 12 (12): 3976-86. 3. Crosnier, C. et al. (2016) Binding of Plasmodium falciparum Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M is Conserved among Broadly Diverged Sequence Variants. J Biol Chem. 291 (27): 14285-99. 4. Liu, Y. et al. (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron. 97 (6): 1261-1262-44. 5. Sharma, S. & Wright, G.J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. et al. (2014) The productive entry pathway of HIV-1 in macrophages is dependent on endocytosis through lipid rafts containing CD4. PLoS One. 9 (1): e86071. Storage Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this		P05540 Related reagents Entrez Gene:
Specificity Mouse anti Rat CD4 (Domains 3 and 4) monoclonal antibody, clone OX-68 recognizes domains 3 and 4 of rat CD4, a single pass type I membrane glycoprotein. Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Kerr, J.S. and Wright, G.J. (2012) Avidity-based extracellular interaction screening (AVEXIS) for the scalable detection of low-affinity extracellular interaction screening (AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. J Vis Exp. 5(61): e3881. 2. Crosnier, C. et al. (2016) Binding of Plasmodium falciparum Merozoite Surface and secreted P falciparum merozoite proteins. Mol Cell Proteomics. 12 (12): 3976-86. 3. Crosnier, C. et al. (2016) Binding of Plasmodium falciparum Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M Is Conserved among Broadly Diverged Sequence Variants. J Biol Chem. 291 (27): 14285-99. 4. Liu, Y. et al. (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netin-1 through DCC. Neuron. 97 (6): 1261-1267.e4. 5. Sharma, S. & Wright, G.J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. et al. (2014) The productive entry pathway of HIV-1 in macrophages is dependent on endocytosis through lipid rafts containing CD4. PLoS One. 9 (1): e86071. Storage Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before u	RRID	AB_567282
recognizes domains 3 and 4 of rat CD4, a single pass type I membrane glycoprotein. Flow Cytometry Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. References 1. Kerr, J.S, and Wright, G.J. (2012) Avidity-based extracellular interaction screening (AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. JVIs Exp. 5(61): e3881. 2. Crosnier, C. <i>et al.</i> (2013) A library of functional recombinant cell-surface and secreted <i>P. falciparum</i> merozoite proteins. Mol Cell Proteomics. 12 (12): 3976-86. 3. Crosnier, C. <i>et al.</i> (2016) Binding of <i>Plasmodium falciparum</i> Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M Is Conserved among Broadly Diverged Sequence Variants. J Biol Chem. 291 (27): 14285-99. 4. Liu, Y. <i>et al.</i> (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron. 97 (6): 1261-1267.e4. 5. Sharma, S. & Wright, G.J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. <i>et al.</i> (2014) The productive entry pathway of HIV-1 in macrophages is dependent on endocytosis through lipid rafts containing CD4. PLoS One. 9 (1): e86071. Storage Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentriflugation before use. Guarantee 12 months from date of despatch Heal	Fusion Partners	
References 1. Kerr, J.S., and Wright, G.J. (2012) Avidity-based extracellular interaction screening (AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. JVis Exp. 5(61): e3881. 2. Crosnier, C. et al. (2013) A library of functional recombinant cell-surface and secreted <i>P. falciparum</i> merozoite proteins. Mol Cell Proteomics. 12 (12): 3976-86. 3. Crosnier, C. et al. (2016) Binding of <i>Plasmodium falciparum</i> Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M Is Conserved among Broadly Diverged Sequence Variants. J Biol Chem. 291 (27): 14285-99. 4. Liu, Y. et al. (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron. 97 (6): 1261-1267.e4. 5. Sharma, S. & Wright, G.J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. et al. (2014) The productive entry pathway of HIV-1 in macrophages is dependent on endocytosis through lipid rafts containing CD4. PLoS One. 9 (1): e86071. Storage Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Axoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1022R" htttps:="" mca1022r<="" sds="" th="" www.bio-rad-antibodies.com=""><th>Specificity</th><th></th>	Specificity	
(AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. J Vis Exp. 5(61): e3881. 2. Crosnier, C. et al. (2013) A library of functional recombinant cell-surface and secreted P falciparum merozoite proteins. Mol Cell Proteomics. 12 (12): 3976-86. 3. Crosnier, C. et al. (2016) Binding of Plasmodium falciparum Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M Is Conserved among Broadly Diverged Sequence Variants. J Biol Chem. 291 (27): 14285-99. 4. Liu, Y. et al. (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron. 97 (6): 1261-1267.e4. 5. Sharma, S. & Wright, G.J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. et al. (2014) The productive entry pathway of HIV-1 in macrophages is dependent on endocytosis through lipid rafts containing CD4. PLoS One. 9 (1): e86071. Storage Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1022R 10040	Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1022R	References	 (AVEXIS) for the scalable detection of low-affinity extracellular receptor-ligand interactions. J Vis Exp. 5(61): e3881. 2. Crosnier, C. <i>et al.</i> (2013) A library of functional recombinant cell-surface and secreted <i>P. falciparum</i> merozoite proteins. Mol Cell Proteomics. 12 (12): 3976-86. 3. Crosnier, C. <i>et al.</i> (2016) Binding of <i>Plasmodium falciparum</i> Merozoite Surface Proteins DBLMSP and DBLMSP2 to Human Immunoglobulin M Is Conserved among Broadly Diverged Sequence Variants. J Biol Chem. 291 (27): 14285-99. 4. Liu, Y. <i>et al.</i> (2018) Structural Basis for Draxin-Modulated Axon Guidance and Fasciculation by Netrin-1 through DCC. Neuron. 97 (6): 1261-1267.e4. 5. Sharma, S. & Wright, G.J. (2020) Cell Surface Receptor Identification Using Genome-Scale CRISPR/Cas9 Genetic Screens. J Vis Exp. 2020 Jun 06 (160). 6. van Wilgenburg, B. <i>et al.</i> (2014) The productive entry pathway of HIV-1 in macrophages
Health And Safety Material Safety Datasheet documentation #10040 available at: Information https://www.bio-rad-antibodies.com/SDS/MCA1022R 10040	Storage	Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend
Information <u>https://www.bio-rad-antibodies.com/SDS/MCA1022R</u> 10040	Guarantee	12 months from date of despatch
Regulatory For research purposes only	-	https://www.bio-rad-antibodies.com/SDS/MCA1022R
	Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit A	nti Mouse IgG (STAR12)	RP	E						
	Goat Anti Mouse IgG IgA IgM (STAR87) HRP								
	Mouse IgG (STAR76)		RPE						
	Mouse IgG (STAR70)		FITC						
	,		<u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,						
		<u>DyLight®650, DyLight®680, DyLight®800,</u>							
			<u>C, HRP</u>		<u> </u>				
Rabbit A	nti Mouse IgG (STAR9)	FIT	FITC						
	i Mouse IgG (STAR77)	HR	HRP						
	t Anti Mouse IgG (Fc) (STAR120) <u>FITC, HRP</u>								
Rabbit A	Rabbit Anti Mouse IgG (STAR13)								
Recommended Negative Controls									
MOUSE IgG2a NEGATIVE CONTROL (MCA1210)									
North & South	Tel: +1 800 265 7376 Worl	dwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21				
America	Fax: +1 919 878 3751	Iwide	Fax: +44 (0)1865 852 700	Europe	Fax: +49 (0) 89 8090 95 21				
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio	o-rad.com	Email: antibody_sales_de@bio-rad.com				
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets									
	'M364640:200529'								

Printed on 20 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint