

Datasheet: MCA1023

Specificity:hCG (HOLO C3 EPITOPE)Format:PurifiedProduct Type:Monoclonal AntibodyClone:INN-hCG-45Isotype:IgG1Quantity:0.5 mg	Description:	MOUSE ANTI hCG (HOLO C3 EPITOPE)
Product Type:Monoclonal AntibodyClone:INN-hCG-45Isotype:IgG1	Specificity:	hCG (HOLO C3 EPITOPE)
Clone:INN-hCG-45Isotype:IgG1	Format:	Purified
Isotype: IgG1	Product Type:	Monoclonal Antibody
	Clone:	INN-hCG-45
Quantity: 0.5 mg	lsotype:	lgG1
	Quantity:	0.5 mg

Product Details

	This product has been re derived from testing withi communications from the information. For general p rad-antibodies.com/proto	peer-reviewed publica refer to references in	tions or personal dicated for further		
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry			•	
	Immunohistology - Frozen			•	
	Immunohistology - Paraffin				
	ELISA	-			
	Immunoprecipitation				
	Western Blotting				
	Radioimmunoassays				
Target Species	necessarily exclude its us the antibody for use in the Human		-		
Product Form	Purified IgG - liquid				
Preparation	Purified IgM prepared by	ion excha	ange on Pi	rotein A from ascites	
Preparation Buffer Solution	Purified IgM prepared by Phosphate buffered salin		ange on Pi	rotein A from ascites	
		e	ange on Pi	rotein A from ascites	

Immunogen	Human CG					
External Database Links	UniProt:P01215Related reagentsP01233Related reagentsEntrez Gene:1081CGARelated reagents1082CGBRelated reagents					
Synonyms	CGB3					
RRID	AB_322004					
Specificity	Mouse anti hCG (Holo C3 Epitope) antibody, clone INN-hCG-45 recognizes intact human chononic gonadotropin (holo-hCG), binding to the c3 epitope on hCG. Mouse anti hCG (Holo C3 Epitope) antibody, clone INN-hCG-45 does not recognize the free α or β subunits of human chononic gonadotropin.					
References	 Madersbacher, S. <i>et al.</i> (1992) Free alpha-subunit, free beta-subunit of human chorionic gonadotropin (hCG), and intact hCG in sera of healthy individuals and testicular cancer patients. <u>Clin Chem. 38 (3): 370-6.</u> Madersbacher, S. <i>et al.</i> (1993) Serum glycoprotein hormones and their free alpha-subunit in a healthy elderly population selected according to the SENIEUR protocol. Analyses with ultrasensitive time resolved fluoroimmunoassays. <u>Mech Ageing Dev. 71 (3): 223-33.</u> Zenzmaier, C. <i>et al.</i> (2011) Decreased levels of genuine large free hCG alpha in men presenting with abnormal semen analysis. <u>Reprod Biol Endocrinol. 9: 114.</u> Berger, P. <i>et al.</i> (2007) Human chorionic gonadotropin (hCG) in the male reproductive tract. <u>Mol Cell Endocrinol. 260-262: 190-6.</u> 					
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.					
Guarantee	12 months from date of despatch					
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1023 10040					
Regulatory	For research purposes only					

Related Products

Recommended Secondary Antibodies

Rabbit An	Anti Mouse IgG (STAR12) RPE								
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>									
Goat Anti	Mouse IgG (STAR76)	RPE							
Rabbit An	iti Mouse IgG (STAR13)	HRP							
Goat Anti	Mouse IgG (STAR70)	<u>FITC</u>							
Goat Anti	Mouse IgG (H/L) (STAR117)	Alk	Phos., DyLight®488, D	DyLight®550,					
		DyL	ight®650, DyLight®680), DyLight®80	<u>)0</u> ,				
		FITC, HRP							
Rabbit An	iti Mouse IgG (STAR9)	FIT	<u>C</u>						
Goat Anti	Goat Anti Mouse IgG (Fc) (STAR120) <u>FITC</u> , <u>HRP</u>								
Goat Anti	Goat Anti Mouse IgG (STAR77) <u>HRP</u>								
Recommended Negative Controls									
MOUSE IgG1 NEGATIVE CONTROL (MCA928)									
North & South	Tel: +1 800 265 7376 Worldw	ide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21				
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50				
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com				
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M407807:221009'									

Printed on 10 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint