

# Datasheet: MCA1024 BATCH NUMBER 153282

Specificity: hCG (BETA 4 EPITOPE)  Format: Purified  Product Type: Monoclonal Antibody  Clone: INN-hCG-24  Isotype: IgG1		
Format: Purified  Product Type: Monoclonal Antibody  Clone: INN-hCG-24  Isotype: IgG1	Description:	MOUSE ANTI hCG (BETA 4 EPITOPE)
Product Type: Monoclonal Antibody  Clone: INN-hCG-24  Isotype: IgG1	Specificity:	hCG (BETA 4 EPITOPE)
Clone: INN-hCG-24 Isotype: IgG1	Format:	Purified
Isotype: IgG1	Product Type:	Monoclonal Antibody
	Clone:	INN-hCG-24
Quantity: 0.5 mg	Isotype:	lgG1
C.o. mg	Quantity:	0.5 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			
Immunoprecipitation				
Western Blotting				
Radioimmunoassays	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant	from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	
Carrier Free	Yes	

antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope of hCG. It is also reactive with hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetac CTP-hCG, CTP-hCGbeta. It has minor cross reactivity with hLH and hLHbeta. No cross reaction is observed with hFSH, hTSH, or the glycoprotein hormone alpha chains.  References  1. Kofler, R. et al. (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): I. production, specificity, and intramolecular binding sites. Am J Reprod Immuno (4): 212-6. 2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97. 3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenso hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024		
External Database Links  UniProt: P01233 Related reagents  Entrez Gene: 1082 CGB Related reagents  Synonyms  CGB3  RRID AB_321604  Fusion Partners  Spleen cells from immunised mice were fused with cells of the NS1/1-Ag4.1 mouse myeloma cell line.  Specificity  Mouse anti hCG antibody, clone INN-hCG-24 recognizes human chorionic gonadotrophin, also known as hCG or Choriogonadotrophin subunit beta. Mouse anti hC antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope on hCG. It is also reactive with hCGbeta, hCGbetad (fragment), hCGn (nicked), hCGbeta (TP-hCG, CTP-hCG, CTP-hCG, et.), hTSH, or the glycoprotein hormone alpha chains.  References  1. Kofler, R. et al. (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): 1. production, specificity, and intramolecular binding sites. Am J Reprod Immunic (4): 212-6. 2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology, 118 (1): 189-97. 3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenson hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Storage in frost free freezers is not recommended. Avoid repeated freezing and thaving as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Health And Safety Information  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024		IgG concentration 1.0mg/ml
Links    Pol1233   Related reagents	Immunogen	Purified human chorionic gonadotropin.
RRID  AB_321604  Fusion Partners  Spleen cells from immunised mice were fused with cells of the NS1/1-Ag4.1 mouse myeloma cell line.  Specificity  Mouse anti hCG antibody, clone INN-hCG-24 recognizes human chorionic gonadotrophin, also known as hCG or Choriogonadotropin subunit beta. Mouse anti hC antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope of hCG. It is also reactive with hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetac CTP-hCG, CTP-hCGbeta. It has minor cross reactivity with hLH and hLHbeta. No cross reaction is observed with hFSH, hTSH, or the glycoprotein hormone alpha chains.  References  1. Kofler, R. et al. (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): I. production, specificity, and intramolecular binding sites. Am J Reprod Immuno (4): 212-6. 2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97. 3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenson hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024		P01233 Related reagents  Entrez Gene:
Fusion Partners  Spleen cells from immunised mice were fused with cells of the NS1/1-Ag4.1 mouse myeloma cell line.  Specificity  Mouse anti hCG antibody, clone INN-hCG-24 recognizes human chorionic gonadotrophin, also known as hCG or Choriogonadotropin subunit beta. Mouse anti hC antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope of hCG. It is also reactive with hCGbeta, hCGbetac (fragment), hCGn (nicked), hCGbetac CTP-hCG, CTP-hCGbeta. It has minor cross reactivity with hLH and hLHbeta. No cross reaction is observed with hFSH, hTSH, or the glycoprotein hormone alpha chains.  References  1. Kofler, R. et al. (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): I. production, specificity, and intramolecular binding sites. Am J Reprod Immunic (4): 212-6. 2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97. 3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenso hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Storage Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawin as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024	Synonyms	CGB3
myeloma cell line.  Specificity  Mouse anti hCG antibody, clone INN-hCG-24 recognizes human chorionic gonadotrophin, also known as hCG or Choriogonadotrophin subunit beta. Mouse anti hd antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope of hCG. It is also reactive with hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetac CTP-hCG, CTP-hCGbeta. It has minor cross reactivity with hLH and hLHbeta. No cross reaction is observed with hFSH, hTSH, or the glycoprotein hormone alpha chains.  References  1. Kofler, R. et al. (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): 1. production, specificity, and intramolecular binding sites. Am J Reprod Immuno (4): 212-6. 2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97. 3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenso hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024	RRID	AB_321604
gonadotrophin, also known as hCG or Choriogonadotropin subunit beta. Mouse anti hd antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope of hCG. It is also reactive with hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetac CTP-hCG, CTP-hCGbeta. It has minor cross reactivity with hLH and hLHbeta. No cross reaction is observed with hFSH, hTSH, or the glycoprotein hormone alpha chains.  References  1. Kofler, R. et al. (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): I. production, specificity, and intramolecular binding sites. Am J Reprod Immuno (4): 212-6. 2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97. 3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenso hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024	Fusion Partners	•
(hCG): I. production, specificity, and intramolecular binding sites. Am J Reprod Immuno (4): 212-6.  2. Schwarz, S. et al. (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. Endocrinology. 118 (1): 189-97.  3. Kassanos, P. et al. (2008) Towards the development of an electrochemical biosenso hCGbeta detection. Physiol Meas. 29 (6): S241-54.  Storage  Storage Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawin as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024	Specificity	gonadotrophin, also known as hCG or Choriogonadotropin subunit beta. Mouse anti hCG antibody, clone INN-hCG-24 is a high affinity antibody recognising the beta 4 epitope on hCG. It is also reactive with hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetan, CTP-hCG, CTP-hCGbeta. It has minor cross reactivity with hLH and hLHbeta. No cross
This product should be stored undiluted.  Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Health And Safety Information  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024	References	<ol> <li>Schwarz, S. <i>et al.</i> (1986) The antigenic surface of human chorionic gonadotropin as mapped by murine monoclonal antibodies. <u>Endocrinology. 118 (1): 189-97.</u></li> <li>Kassanos, P. <i>et al.</i> (2008) Towards the development of an electrochemical biosensor for</li> </ol>
Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Health And Safety Information  Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1024	Storage	Store at +4°C or at -20°C if preferred.
as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  Guarantee  12 months from date of despatch  Health And Safety Information  Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1024">https://www.bio-rad-antibodies.com/SDS/MCA1024</a>		This product should be stored undiluted.
Health And Safety Information  Material Safety Datasheet documentation #10040 available at:  https://www.bio-rad-antibodies.com/SDS/MCA1024		
Information <a href="https://www.bio-rad-antibodies.com/SDS/MCA1024">https://www.bio-rad-antibodies.com/SDS/MCA1024</a>	Guarantee	12 months from date of despatch
10040	-	·

## Related Products

#### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) <u>FITC</u>
Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364644:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint