

Datasheet: MCA1033A647

# **BATCH NUMBER 0414**

Description:	RAT ANTI MOUSE CD71:Alexa Fluor® 647
Specificity:	CD71
Other names:	TRANSFERRIN RECEPTOR
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	YTA74.4
Isotype:	lgG2a
Quantity:	100 TESTS/1ml

# **Product Details**

# **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/5

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recomended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugate	ed to Alexa Fluor® 64	7 - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation  Buffer Solution	Purified IgG prepared supernatant		raphy on Protein G
Buller Solution	Phosphate buffered sa	aline	
Preservative	0.09% Sodium Azide		
Stabilisers	1% Bovine Serum	Albumin	
Approx. Protein	IgG concentration 0.0	5 mg/ml	

# Concentrations

Immunogen	Concanavilin A activated mouse spleen cells.			
External Database Links	UniProt:  Q62351 Related reagents  Entrez Gene:  22042 Tfrc Related reagents			
Synonyms	Trfr			
RRID	AB_324926			
Fusion Partners	Spleen cells from an immunised DA rat were fused with cells of the Y3/Ag1.2.3 rat myeloma cell line.			
Specificity	Rat anti Mouse CD71 antibody, clone YTA74.4 recognizes the mouse Transferrin receptor protein 1 also known as CD71 or TfR1. CD71 is a 763 amino acid glycoprotein homodimer of ~95 kDa subunits. CD71 is expressed by dividing cells, and functions as a transferrin receptor mediating uptake of iron.  Rat anti Mouse CD71 antibody, clone YTA74.4 blocks the binding of R17 217.1.3. and			
	R17 208.2 anti-TFR monoclonal antibodies ( <u>Trowbridge et al. 1982</u> ).			
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.			
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity fc receptors. This may be reduced by using SeroBlock FcR ( <u>BUF041A/B</u> ).			
References	<ol> <li>Millot, S. <i>et al.</i> (2010) Erythropoietin stimulates spleen BMP4-dependent stress erythropoiesis and partially corrects anemia in a mouse model of generalized inflammation. Blood. 116: 6072-81.</li> <li>Kuo, Y.M. <i>et al.</i> (2004) Mislocalisation of hephaestin, a multicopper ferroxidase involved in basolateral intestinal iron transport, in the sex linked anaemia mouse. Gut. 53: 201-6.</li> <li>Krysiak, K. <i>et al.</i> (2014) Reduced Levels of Hspa9 Attenuates Stat5 Activation in Mouse B-cells. Exp Hematol. pii: S0301-472X(14)00817-0.</li> <li>Byun, M. <i>et al.</i> (2007) Cowpox virus exploits the endoplasmic reticulum retention pathway to inhibit MHC class I transport to the cell surface. Cell Host Microbe. 2: 306-15.</li> <li>Ripich, T. and Jessberger, R. (2011) SWAP-70 regulates erythropoiesis by controlling α4 integrin. Haematologica. 96: 1743-52.</li> <li>Hadziahmetovic, M. <i>et al.</i> (2012) Microarray analysis of murine retinal light damage reveals changes in iron regulatory, complement, and antioxidant genes in the neurosensory retina and isolated RPE. Invest Ophthalmol Vis Sci. 53 (9): 5231-41.</li> <li>Niewoehner, J. <i>et al.</i> (2014) Increased brain penetration and potency of a therapeutic antibody using a monovalent molecular shuttle. Neuron. 81: 49-60.</li> </ol>			
	antibody using a monovalent molecular shuttle. <u>Neuron. 81: 49-60.</u> 8. Sands, S.A. <i>et al.</i> (2015) The habenula and iron metabolism in cerebral mouse models			

of multiple sclerosis. Neurosci Lett. 606: 204-8.

- 9. Baumann, B. *et al.* (2017) Conditional Müller Cell Ablation Leads to Retinal Iron Accumulation. Invest Ophthalmol Vis Sci. 58 (10): 4223-34.
- 10. Nelvagal, H.R. *et al.* (2020) Comparative proteomic profiling reveals mechanisms for early spinal cord vulnerability in CLN1 disease. <u>Sci Rep. 10 (1): 15157.</u>

### **Further Reading**

- 1. Lesley, J. *et al.* (1984) Expression of transferrin receptor on murine hematopoietic progenitors. Cell Immunol. 83 (1): 14-25.
- 2. Trowbridge, I.S. *et al.* (1982) Murine cell surface transferrin receptor: studies with an anti-receptor monoclonal antibody. <u>J Cell Physiol</u>. 112 (3): 403-10.

### Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

#### Guarantee

12 months from date of despatch

## Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

# Health And Safety Information

Material Safety Datasheet documentation #10041 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1033A647">https://www.bio-rad-antibodies.com/SDS/MCA1033A647</a> 10041

### Regulatory

For research purposes only

# Related Products

## **Recommended Negative Controls**

RAT IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 (MCA1212A647)

## **Recommended Useful Reagents**

MOUSE SEROBLOCK FcR (BUF041A)
MOUSE SEROBLOCK FcR (BUF041B)

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

'M364669:200529'

Email: antibody\_sales\_de@bio-rad.com

# Printed on 15 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint