

## Datasheet: MCA1038SBV570

Description:	RAT ANTI DOG CD4:StarBright Violet 570		
Specificity:	CD4		
Format:	StarBright Violet 570		
Product Type:	Monoclonal Antibody		
Clone:	YKIX302.9		
lsotype:	lgG2a		
Quantity:	100 TESTS/0.5ml		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	•			Neat	
	Where this product has not been tested for use in a particular technique this does not					
	a guide only. It is reco	essarily exclude its use in such procedures. Suggested working dilutions are given as ide only. It is recommended that the user titrates the product for use in their own em using appropriate negative/positive controls.				
Target Species	Dog					
Product Form	Purified IgG conjugated to StarBright Violet 570 - liquid					
Max Ex/Em	Fluorophore StarBright Violet 570	Excitation Max 404	(nm)	Emission Max (nm) 571		
Preparation	Purified IgG prepared supernatant	by affinity chror	natogr	aphy on Protein G fror	n tissue culture	
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide ( 1% Bovine Serum Alb 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20	,				

Immunogen	Canine concanavilin A activated T cell blasts.				
External Database Links	UniProt: P33705 Related reagents				
	Entrez Gene:				
	<u>403931</u> CD4 <u>Related reagents</u>				
Fusion Partners	Spleen cells from immunized DA rats were fused with cells of the Y3/Ag1.2.3 rat myelom cell line.				
Specificity	<b>Rat anti Dog CD4 antibody, clone YKIX302.9</b> , is a monoclonal antibody specific for the canine CD4 cell surface antigen. Clone YKIX302.9 was clustered at the first Canine Leukocyte Antigen Workshop (CLAW) [Cobbold <i>et al.</i> 1992] along with clone CA13.1E4.				
	Rat anti Dog CD4 antibody, clone YKIX302.9 partially depletes circulating T lymphocytes when administered <i>in vivo</i> , but alone is not sufficient to prolong allograft survival in a canine transplant model ( <u>Watson <i>et al.</i> 1993</u> ).				
	Uniquely amongst mammals, canine CD4 is expressed by neutrophils as well as by lymphocyte subsets ( <u>Moore <i>et al.</i> 1992</u> ).				
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.				
References	<ol> <li>Watson, C.J. <i>et al.</i> (1993) CD4 and CD8 monoclonal antibody therapy: strategies to prolong renal allograft survival in the dog. <u>Br J Surg. 80 (11): 1389-92.</u></li> <li>Gorman, S.D. <i>et al.</i> (1994) Isolation and expression of cDNA encoding the canine CD4 and CD8 alpha antigens. <u>Tissue Antigens. 43 (3): 184-8.</u></li> <li>Out, T.A. <i>et al.</i> (2002) Local T-cell activation after segmental allergen challenge in the</li> </ol>				
	lungs of allergic dogs. <u>Immunology. 105: 499-508.</u>				
	4. Benyacoub, J. et al. (2003) Supplementation of food with Enterococcus faecium (SF68)				
	<ul> <li>stimulates immune functions in young dogs. <u>J Nutr. 133: 1158-62.</u></li> <li>5. Bauer. T.R. Jr. <i>et al.</i> (2006) Correction of the disease phenotype in canine leukocyte adhesion deficiency using <i>ex vivo</i> hematopoietic stem cell gene therapy. <u>Blood. 108:</u> <u>3313-20.</u></li> </ul>				
	6. Reis, A.B. <i>et al.</i> (2006) Phenotypic features of circulating leucocytes as immunological markers for clinical status and bone marrow parasite density in dogs naturally infected by <i>Leishmania chagasi</i> . <u>Clin Exp Immunol. 146: 303-11.</u>				
	7. Miranda, S. <i>et al.</i> (2007) Characterization of circulating lymphocyte subpopulations in canine leishmaniasis throughout treatment with antimonials and allopurinol. <u>Vet Parasitol.</u> <u>144 (3-4): 251-60.</u>				
	<ol> <li>Yasuda, N. <i>et al.</i> (2008) CC chemokine receptor 4-positive CD4(+) lymphocytes in peripheral blood increases during maturation in healthy beagles. <u>J Vet Med Sci. 70 (9):</u> <u>989-92.</u></li> </ol>				
	9. Papadogiannakis, E.I. <i>et al.</i> (2009) Determination of intracellular cytokines IFN-gamma and IL-4 in canine T lymphocytes by flow cytometry following whole-blood culture. <u>Can J</u>				
	and 12 The dame Trymphosyles by new cytemolity following whole-blood dutate. Gan b				

## Vet Res. 73 (2): 137-43.

10. Estrela-Lima, A. *et al.* (2010) Immunophenotypic features of tumor infiltrating lymphocytes from mammary carcinomas in female dogs associated with prognostic factors and survival rates. <u>BMC Cancer. 10: 256.</u>

11. Boggiatto, P.M. *et al.* (2010) Immunologic indicators of clinical progression during canine *Leishmania infantum* infection. <u>Clin Vaccine Immunol. 17: 267-73.</u>

12. Tominaga, M. *et al.* (2010) Flow cytometric analysis of peripheral blood and tumorinfiltrating regulatory T cells in dogs with oral malignant melanoma. <u>J Vet Diagn Invest. 22:</u> <u>438-41.</u>

13. Bund, D. *et al.* (2010) Canine-DCs using different serum-free methods as an approach to provide an animal-model for immunotherapeutic strategies. <u>Cell Immunol. 263: 88-98.</u>
14. Pinheiro, D. (2011) Phenotypic and functional characterization of a CD4(+) CD25(high)

FOXP3(high) regulatory T-cell population in the dog. Immunology. 132: 111-22.

15. Araújo, M.S. *et al.* (2011) Immunological changes in canine peripheral blood leukocytes triggered by immunization with first or second generation vaccines against canine visceral leishmaniasis. <u>Vet Immunol Immunopathol. 141: 64-75.</u>

16. Mitchell, L. *et al.* (2012) Induction of remission results in spontaneous enhancement of anti-tumor cytotoxic T-lymphocyte activity in dogs with B cell lymphoma. <u>Vet Immunol</u> <u>Immunopathol. 145 (3-4): 597-603.</u>

17. Mitchell, L. *et al.* (2012) Clinical and immunomodulatory effects of toceranib combined with low-dose cyclophosphamide in dogs with cancer. <u>J Vet Intern Med. 26: 355-62.</u>

18. Aricò, A. *et al.* (2013) The role of vascular endothelial growth factor and matrix metalloproteinases in canine lymphoma: *in vivo* and *in vitro* study. <u>BMC Vet Res. 9: 94.</u>

19. Michael HT *et al.* (2013) Isolation and characterization of canine natural killer cells. <u>Vet</u> <u>Immunol Immunopathol. 155 (3): 211-7.</u>

20. Figueiredo, M.M. *et al.* (2014) Expression of Regulatory T Cells in Jejunum, Colon, and Cervical and Mesenteric Lymph Nodes of Dogs Naturally Infected with *Leishmania infantum*. <u>Infect Immun. 82: 3704-12.</u>

21. Aresu, L. *et al.* (2014) VEGF and MMP-9: biomarkers for canine lymphoma. <u>Vet Comp</u> <u>Oncol. 12: 29-36.</u>

22. Duz AL *et al.* (2014) The Tcl and Tcll *Trypanosoma cruzi* experimental infections induce distinct immune responses and cardiac fibrosis in dogs. <u>Mem Inst Oswaldo Cruz.</u> <u>109 (8): 1005-13.</u>

23. Gelain, M.E. *et al.* (2014) CD44 in canine leukemia: analysis of mRNA and protein expression in peripheral blood. <u>Vet Immunol Immunopathol. 159 (1-2): 91-6.</u>

24. Yamaya, Y. & Watari, T. (2015) Increased proportions of CCR4(+) cells among peripheral blood CD4(+) cells and serum levels of allergen-specific IgE antibody in canine chronic rhinitis and bronchitis. <u>J Vet Med Sci. 77 (4): 421-5.</u>

25. Miller, J. *et al.* (2015) Humoral and Cellular Immune Response in Canine Hypothyroidism. <u>J Comp Pathol. 153 (1): 28-37.</u>

26. Viana, K.F. *et al.* (2015) Setting the proportion of CD4+ and CD8+ T-cells co-cultured with canine macrophages infected with *Leishmania chagasi*. <u>Vet Parasitol. 211 (3-4):</u> <u>124-32</u>.

27. Costa-Pereira, C. *et al.* (2015) One-year timeline kinetics of cytokine-mediated cellular immunity in dogs vaccinated against visceral leishmaniasis. <u>BMC Vet Res. 11 (1): 92.</u>
28. Hauck, V. *et al.* (2016) Increased numbers of FoxP3-expressing CD4(+) CD25(+) regulatory T cells in peripheral blood from dogs with atopic dermatitis and its correlation

with disease severity. Vet Dermatol. 27 (1): 26-e9.

29. Riondato, F. *et al.* (2016) Analytical and diagnostic validation of a flow cytometric strategy to quantify blood and marrow infiltration in dogs with large B-cell lymphoma. <u>Cytometry B Clin Cytom. 90 (6): 525-30.</u>

30. Bonnefont-Rebeix, C. *et al.* (2016) Characterization of a novel canine T-cell line established from a spontaneously occurring aggressive T-cell lymphoma with large granular cell morphology. <u>Immunobiology. 221 (1): 12-22.</u>

Viana, K.F. *et al.* (2016) Application of rapid in vitro co-culture system of macrophages and T-cell subsets to assess the immunogenicity of dogs vaccinated with live attenuated Leishmania donovani centrin deleted parasites (LdCen-/-). <u>Parasit Vectors. 9: 250.</u>
 Munhoz.T.D. *et al.* (2016) Regulatory T cells in dogs with multicentric lymphoma: peripheral blood quantification at diagnosis and after initial stage chemotherapy. <u>Arg.</u> Bras. Med. Vet. Zootec. 68 (1): 1-9.

33. Tagawa, M. *et al.* (2016) Evaluation of Costimulatory Molecules in Peripheral Blood Lymphocytes of Canine Patients with Histiocytic Sarcoma. <u>PLoS One. 11 (2): e0150030.</u>
34. Schaut, R.G. *et al.* (2016) Regulatory IgDhi B Cells Suppress T Cell Function via IL-10 and PD-L1 during Progressive Visceral Leishmaniasis. <u>J Immunol. 196 (10): 4100-9.</u>
35. Schaut, R.G. *et al.* (2016) Recovery of antigen-specific T cell responses from dogs infected with *Leishmania (L.) infantum* by use of vaccine associated TLR-agonist adjuvant.

## Vaccine. 34 (44): 5225-34.

36. Deravi, N. *et al.* (2017) Specific immunotypes of canine T cell lymphoma are associated with different outcomes. <u>Vet Immunol Immunopathol. 191: 5-13.</u>

37. Bahamondes, F. *et al.* (2017) Omental adipose tissue is a more suitable source of canine Mesenchymal stem cells. <u>BMC Vet Res. 13 (1): 166.</u>

38. Roatt, B.M. *et al.* (2017) A Vaccine Therapy for Canine Visceral Leishmaniasis Promoted Significant Improvement of Clinical and Immune Status with Reduction in Parasite Burden. Front Immunol. 8: 217.

39. Anai, L.A. *et al.* (2017) Quantification of Treg cells in peripheral blood and lymph nodes of dogs with multicentric lymphoma <u>Arg Bras Med Vet Zootec. 69 (6): 1496-502.</u>
40. Pellin, M.A. *et al.* (2017) Safety evaluation of combination doxorubicin and toceranib phosphate (Palladia®) in tumour bearing dogs: a phase I dose-finding study. <u>Vet Comp Oncol. 15 (3): 919-31.</u>

41. Martins, G.C. *et al.* (2018) Clinical-pathological and immunological biomarkers in dogs with atopic dermatitis. <u>Vet Immunol Immunopathol. 205: 58-64.</u>

42. Withers, S.S. *et al.* (2018) Multi-color flow cytometry for evaluating age-related changes in memory lymphocyte subsets in dogs. <u>Dev Comp Immunol. 87: 64-74.</u>

43. DeClue, A.E. *et al.* (2018) Identification of immunologic and clinical characteristics that predict inflammatory response to C. Novyi-NT bacteriolytic immunotherapy. <u>BMC Vet Res.</u> <u>14 (1): 119.</u>

44. DaSilva, A.V.A. *et al.* (2018) Morphophysiological changes in the splenic extracellular matrix of *Leishmania infantum*-naturally infected dogs is associated with alterations in lymphoid niches and the CD4+ T cell frequency in spleens. <u>PLoS Negl Trop Dis. 12 (4):</u> <u>e0006445.</u>

45. Lisiecka. U. *et al.* (2019) Evaluation of T regulatory lymphocytes and serum concentration of selected cytokines in dogs with perianal tumors. <u>Vet Immunol Immunopathol. 207: 10-17.</u>

46. Akiyama, S. et al. (2019) Th17 cells increase during maturation in peripheral blood of

healthy dogs. Vet Immunol Immunopathol. 209: 17-21.

47. Martini, V. *et al.* (2019) Prognostic role of non-neoplastic lymphocytes in lymph node aspirates from dogs with diffuse large B-cell lymphoma treated with chemo-immunotherapy. <u>Res Vet Sci. 125: 130-5.</u>

48. Aguiar-Soares, R.D.O. *et al.* (2020) Phase I and II Clinical Trial Comparing the LBSap, Leishmune<sup>®</sup>, and Leish-Tec<sup>®</sup> Vaccines against Canine Visceral Leishmaniasis. <u>Vaccines</u> (Basel). 8 (4): 690.

49. Wolf-Ringwall, A. *et al.* (2020) Prospective evaluation of flow cytometric characteristics, histopathologic diagnosis and clinical outcome in dogs with naïve B-cell lymphoma treated with a 19-week CHOP protocol. <u>Vet Comp Oncol. 18 (3): 342-52.</u>
50. Sayag, D. *et al.* (2020) Proof-of-concept study: Evaluation of plasma and urinary electrolytes as markers of response to L-asparaginase therapy in dogs with high-grade lymphoma. <u>Vet Clin Pathol. 49 (3): 476-83.</u>

 Lee, J. *et al.* (2021) Canine Natural Killer Cell-Derived Exosomes Exhibit Antitumor Activity in a Mouse Model of Canine Mammary Tumor. <u>Biomed Res Int. 2021: 6690704.</u>
 Grudzien, M. *et al.* (2021) A newly established canine NK-type cell line and its cytotoxic properties. <u>Vet Comp Oncol. 19 (3): 567-77.</u>

53. Lee, S.H. *et al.* (2021) Safety and immunological effects of recombinant canine IL-15 in dogs. <u>Cytokine. 148: 155599.</u>

54. Knebel, A. *et al.* (2021) Measurement of canine Th17 cells by flow cytometry. <u>Vet</u> <u>Immunol Immunopathol. 243: 110366.</u>

55. Konno, H. *et al.* (2022) An experimental challenge model for *Leishmania donovani* in beagle dogs, showing a similar pattern of parasite burden in the peripheral blood and liver. <u>Parasitol Res. 121 (12): 3569-79.</u>

56. Kanei, T. *et al.* (2022) Expression and functional analysis of chemokine receptor 7 in canine lymphoma cell lines. <u>J Vet Med Sci. 84 (1): 25-30.</u>

57. do Prado Duzanski, A. *et al.* (2022) Cell-mediated immunity and expression of MHC class I and class II molecules in dogs naturally infected by canine transmissible venereal tumor: Is there complete spontaneous regression outside the experimental CTVT? <u>Res</u> <u>Vet Sci. 145: 193-204.</u>

58. Karayannopoulou, M. *et al.* (2022) Effect of major versus minor mastectomy on host immunity in canine mammary cancer <u>Vet Immunol Immunopathol. Feb 24: 110403.</u>
59. Bragato, J.P. *et al.* (2022) miRNA-21 regulates CD69 and IL-10 expression in canine leishmaniasis. <u>PLoS One. 17 (3): e0265192.</u>

60. Riccardo, F. *et al.* (2022) Antigen mimicry as an effective strategy to induce CSPG4targeted immunity in dogs with oral melanoma: a veterinary trial. <u>J Immunother Cancer.</u> <u>10(5):e004007.</u>

61. Matralis, D.T. *et al.* (2023) Intracellular IFN- $\gamma$  and IL-4 levels of CD4 + and CD8 + T cells in the peripheral blood of naturally infected (*Leishmania infantum*) symptomatic dogs before and following a 4-week treatment with miltefosine and allopurinol: a double-blinded, controlled and cross-sectional study. Acta Vet Scand. 65 (1): 2.

62. Hamouzová, P. *et al.* (2023) Lymphocyte immunophenotyping in dogs with lymphopenia of common causes. <u>Vet Immunol Immunopathol. 261: 110620.</u>

63. Tarone, L. *et al.* (2023) A chimeric human/dog-DNA vaccine against CSPG4 induces immunity with therapeutic potential in comparative preclinical models of osteosarcoma. <u>Mol Ther. 31 (8): 2342-59.</u>

64. Yamauchi, A. et al. (2023) Negative Influence of Aging on Differentiation and

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint