

Datasheet: MCA1043A647

| Description: | RAT ANTI DOG CD45R:Alexa Fluor®647 |
|----------------------|------------------------------------|
| Specificity: | CD45R |
| Format: | ALEXA FLUOR® 647 |
| Product Type: | Monoclonal Antibody |
| Clone: | YKIX753.22.2 |
| Isotype: | lgG2b |
| Quantity: | 100 TESTS/1ml |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat - 1/5 |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Dog | | | | |
|-----------------------------------|---------------------------------|---------------------------|-----------------------|----------------|--|
| Product Form | Purified IgG conjug | - liquid | | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) | | |
| | Alexa Fluor®647 | 650 | 665 | | |
| Preparation | Purified IgG prepar supernatant | red by affinity chromatog | raphy on Protein G fr | om tissue cult | |
| Buffer Solution | Phosphate buffered saline | | | | |
| Preservative | 0.09% sodium azid | le (NaN ₃) | | | |
| Stabilisers | 1% bovine serum a | albumin | | | |
| Approx. Protein Concentrations | IgG concentration (| 0.05mg/ml | | | |
| Immunogen | Canine thymocytes | • | | | |

RRID AB 10672765 **Fusion Partners** Spleen cells from immunized DA rat were fused with cells of the Y3/Ag1.2.3 rat myeloma cell line **Specificity** Rat anti Dog CD45R antibody, clone YKIX753.22.2 recognizes canine CD45R and was clustered at the First Canine Leucocyte Antigen Workshop (CLAW). It precipitates an antigen of 220 kDa from Con A Blasts, (Cobbold et al. 1994). It is expressed on subsets of leucocytes in canine blood of all outbred mongrels and beagles tested. Rat anti dog CD45R, clone YKIX753.22.2 binds to antigen immunoprecipitated by the Rat anti Dog CD45 antibody clone YKIX716.13 (Cobbold et al. 1994). Use 10µl of the suggested working dilution to label 106 cells in 100µl Flow Cytometry References 1. Cobbold, S. & Metcalfe, S. (1994) Monoclonal antibodies that define canine homologues of human CD antigens: summary of the First International Canine Leukocyte Antigen Workshop (CLAW). Tissue Antigens 43 (3): 137-54. 2. Reis, A.B. et al. (2005) Establishment of a microplate assay for flow cytometric assessment and it is use for the evaluation of age-related phenotypic changes in canine whole blood leukocytes. Vet Immunol Immunopathol. 103 (3-4): 173-85. 3. Reis, A.B. et al. (2006) Phenotypic features of circulating leucocytes as immunological markers for clinical status and bone marrow parasite density in dogs naturally infected by Leishmania chagasi. Clin Exp Immunol.146: 303-11. 4. Giunchetti, R.C. et al. (2008) Antigenicity of a whole parasite vaccine as promising candidate against canine leishmaniasis. Res Vet Sci. 85 (1): 106-12. 5. Reis, A.B. et al. (2014) Cellular immunophenotypic profile in the splenic compartment during canine visceral leishmaniasis. Vet Immunol Immunopathol. 157 (3-4): 190-6.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

6. Pawlak, A., *et al.* (2014) Immunophenotypic characterization of canine malignant lymphoma: a retrospective study of cases diagnosed in Poland Lower Silesia, over the

period 2011-2013. Vet Comp Oncol. 10.1111/vco.12112.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in

research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad

CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

https://www.bio-rad-antibodies.com/SDS/MCA1043A647

10041

Regulatory For research purposes only

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M407950:221010'

Printed on 19 Sep 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint