Datasheet: MCA1054 BATCH NUMBER 160915

Description:	MOUSE ANTI HUMAN CD59
Specificity:	CD59
Other names:	HRF, PROTECTIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MEM-43
lsotype:	lgG2a
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	-			1/5 - 1/10
	Immunohistology - Frozen	-			
	Immunohistology - Paraffin (1)	-			
	ELISA	•			
	Immunoprecipitation	-			
	Western Blotting (2)	-			
	Immunofluorescence	-			
	Immuno-electron Microscopy	-			
	 Where this antibody has not been tested for use in a particular technique this of necessarily exclude its use in such procedures. Suggested working dilutions at a guide only. It is recommended that the user titrates the antibody for use in the system using appropriate negative/positive controls. (1)This product requires antigen retrieval using heat treatment prior to staparaffin sections.Sodium citrate buffer pH 6.0 is recommended for this product recognizes CD59 under non-reducing conditions. 				
Target Species	Human				
Product Form	Purified IgG - liquid				

Preparation	Purified IgG prepared by affinity chromatography on Protein A				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide				
Approx. Protein Concentrations	IgG concentration 1 mg/ml				
Immunogen	Thymocytes and T lymphocytes.				
External Database Links	UniProt: <u>P13987</u> <u>Related reagents</u> Entrez Gene:				
	966 CD59 Related reagents				
Synonyms	MIC11, MIN1, MIN2, MIN3, MSK21				
RRID	AB_321508				
Specificity	Mouse anti Human CD59 antibody, clone MEM-43 recognizes CD59, a glycosyl- phosphatidylinositol (GPI) anchored membrane protein also known as membrane attack complex inhibition factor. CD59 blocks the formation of the complement membrane attack complex (MAC) by binding of C8a and C9. CD59 is found on all types of leucocytes including platelets and is also expressed on many non-haematopoietic cells. The epitope recognized by Mouse anti Human CD59 antibody, clone MEM-43 is lost after reduction therefore, non-reducing conditions are required for western blotting techniques.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.				
Histology Positive Control Tissue	Tonsil				
References	 Stefanova, I. <i>et al.</i> (1989) in Leucocyte Typing IV: White cell differentiation antigens. Ed. Knapp, W. <i>et al.</i> Oxford University Press pp 678-97. Stefanová, I. <i>et al.</i> (1989) Characterization of a broadly expressed human leucocyte surface antigen MEM-43 anchored in membrane through phosphatidylinositol. <u>Mol Immunol. 26 (2): 153-61.</u> Tandon, N. <i>et al.</i> (1994) Expression and function of multiple regulators of complement activation in autoimmune thyroid disease. <u>Immunology. 81 (4): 643-7.</u> Horejsí, V. <i>et al.</i> (1988) Monoclonal antibodies against human leucocyte antigens. II. Antibodies against CD45 (T200), CD3 (T3), CD43, CD10 (CALLA), transferrin receptor (T9), a novel broadly expressed 18-kDa antigen (MEM-43) and a novel antigen of restricted expression (MEM-74). <u>Folia Biol (Praha). 34 (1): 23-34.</u> Stefanová, I. & Horejsí, V. (1991) Association of the CD59 and CD55 cell surface glycoproteins with other membrane molecules. J Immunol. 147 (5): 1587-92. 				

6. Shaw, M.L. *et al.* (2008) Cellular proteins in influenza virus particles. <u>PLoS Pathog. 4:</u> <u>e1000085.</u>

7. Sadallah, S. *et al.* (2011) Microparticles (ectosomes) shed by stored human platelets downregulate macrophages and modify the development of dendritic cells. <u>J Immunol.</u> <u>186: 6543-52.</u>

8. Jolly, C, and Sattentau. Q.J. (2005) Human Immunodeficiency Virus Type 1 Virological Synapse Formation in T Cells Requires Lipid Raft Integrity <u>J Virol. 79: 12088-94.</u>

9. Shamri, R. *et al.* (2002) Chemokine stimulation of lymphocyte alpha 4 integrin avidity but not of leukocyte function-associated antigen-1 avidity to endothelial ligands under shear flow requires cholesterol membrane rafts. <u>J Biol Chem. 277: 40027-35.</u>

10. Bonnon, C. *et al.* (2010) Selective export of human GPI-anchored proteins from the endoplasmic reticulum. <u>J Cell Sci. 123: 1705-15.</u>

11. Zhang, J. *et al.* (2002) Early complement activation and decreased levels of glycosylphosphatidylinositol-anchored complement inhibitors in human and experimental diabetic retinopathy. <u>Diabetes. 51: 3499-504.</u>

12. Ellison, B.S. *et al.* (2007) Complement susceptibility in glutamine deprived breast cancer cells. <u>Cell Div. 2007 2: 20.</u>

 Cowan, P.J. *et al.* (1998) High-level endothelial expression of human CD59 prolongs heart function in an *ex vivo* model of xenograft rejection. <u>Transplantation. 65: 826-31.</u>
 Vanderplasschen, A. *et al.* (1997) Extracellular enveloped vaccinia virus is resistant to complement because of incorporation of host complement control proteins into its envelope. Proc Natl Acad Sci U S A. 95: 7544-9.

15. Takemoto, M. *et al.* (2007) Human herpesvirus 7 infection increases the expression levels of CD46 and CD59 in target cells. J Gen Virol. 88: 1415-22.

16. Chong, Y.H. and Lee, M.J. (2000) Expression of complement inhibitor protein CD59 in human neuronal and glial cell lines treated with HIV-1 gp41 peptides. <u>J Neurovirol. 6:</u> <u>51-60.</u>

Gendek-Kubiak, H. and Gendek, E.G. (2004) Immunolocalization of protectin (CD59) and macrophages in polymyositis and dermatomyositis. <u>J Neuroimmunol. 149: 187-94.</u>
 Abe, Y. *et al.* (2017) Glycan region of GPI anchored-protein is required for cytocidal oligomerization of an anticancer parasporin-2, Cry46Aa1 protein, from *Bacillus thuringiensis* strain A1547. J Invertebr Pathol. 142: 71-81.

19. Sica, M. *et al.* (2017) Eculizumab treatment: stochastic occurrence of C3 binding to individual PNH erythrocytes. J Hematol Oncol. 10 (1): 126.

20. Ueda, M. *et al.* (2019) Endovascular trophoblast expresses CD59 to evade complement-dependent cytotoxicity. <u>Mol Cell Endocrinol. 490: 57-67.</u>

Rondelli, T. *et al.* (2013) The frequency of granulocytes with spontaneous somatic mutations: a wide distribution in a normal human population. <u>PLoS One. 8 (1): e54046.</u>
 Gullipalli, D. *et al.* (2018) Antibody Inhibition of Properdin Prevents Complement-Mediated Intravascular and Extravascular Hemolysis. <u>J Immunol. 201 (3): 1021-1029.</u>

StorageThis product is shipped at ambient temperature. It is recommended to aliquot and store at
-20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for
short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch						
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1054 10040					
Regulatory	For research purposes only					
Related Produce Recommended Second	cts econdary Antibodies					
Rabbit Anti Mouse lo Goat Anti Mouse IgO	gG (STAR12) <u>RPE</u> G IgA IgM (STAR87) <u>HRP</u>					

Goat Anti Mouse IgG (STAR76...)RPERabbit Anti Mouse IgG (STAR13...)HRPGoat Anti Mouse IgG (STAR70...)FITCGoat Anti Mouse IgG (H/L) (STAR117...)Alk. Phos., DyLight®488, DyLight®550,
DyLight®650, DyLight®680, DyLight®800,
FITC, HRPRabbit Anti Mouse IgG (STAR9...)FITCGoat Anti Mouse IgG (STAR77...)HRPGoat Anti Mouse IgG (STAR77...)FITCGoat Anti Mouse IgG (Fc) (STAR120...)FITC, HRP

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	id.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383010:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint