

Datasheet: MCA1075PE

### **BATCH NUMBER 151675**

Description:	MOUSE ANTI HUMAN CD32:RPE
Specificity:	CD32
Other names:	FcRII
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	AT10
Isotype:	lgG1
Quantity:	100 TESTS

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human			
Species Cross	Reacts with: Dog, Rh	esus Monkey, Pig		
Reactivity	N.B. Antibody reactivi	ity and working condit	ons may vary between spec	cies. Cross
	reactivity is derived from	om testing within our I	aboratories, peer-reviewed	publications or
	personal communicat	ions from the originate	ors. Please refer to reference	es indicated for
	further information.			
Product Form	Purified IgG conjugate	ed to R. Phycoerythrin	(RPE) - lyophilized	
Reconstitution	Reconstitute with 1.0	ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	RPE 488nm laser	496	578	
Preparation	Purified IgG prepared	by affinity chromatog	raphy on Protein A	

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin	
Immunogen	K562 cell line.	
External Database Links	UniProt:  P12318 Related reagents  P31994 Related reagents  P31995 Related reagents	
	Entrez Gene:  2212 FCGR2A Related reagents  2213 FCGR2B Related reagents  9103 FCGR2C Related reagents	
Synonyms	CD32, FCG2, FCGR2A1, IGFR2	
RRID	AB_321661	
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.	
Specificity	Mouse anti Human CD32 antibody, clone AT10 recognizes the human CD32 antigen, a ~40 kDa glycoprotein that acts as a low affinity receptor for IgG (also known as Fc gamma RII). CD32 mediates several functions including endocytosis, activation of secretion, cytotoxicity and immunomodulation. CD32 is expressed by B cells, monocytes, granulocytes and platelets.  Mouse anti Human CD32 antibody, clone AT10 blocks the binding of IgG to Fc gamma RII (Larsson et al. 1997).	
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 100ul whole blood.	
References	1. Van Den Herik-Oudijk, I.E. <i>et al.</i> (1994) Functional analysis of human Fc gamma RII (CD32) isoforms expressed in B lymphocytes. <u>J Immunol. 152 (2): 574-85.</u> 2. Lilliehöök, I. <i>et al.</i> (1998) Expression of adhesion and Fcgamma-receptors on canine blood eosinophils and neutrophils studied by anti-human monoclonal antibodies. <u>Vet Immunol Immunopathol. 61 (2-4): 181-93.</u> 3. Larsson M <i>et al.</i> (1997) Human dendritic cells handling of binding, uptake and degradation of free and IgG-immune complexed dinitrophenylated human serum albumin <i>in vitro</i> . <u>Immunology. 90 (1): 138-46.</u> 4. Mold, C. and Du Clos, T.W. (2006) C-reactive protein increases cytokine responses to <i>Streptococcus pneumoniae</i> through interactions with Fc gamma receptors. <u>J Immunol. 176: 7598-604.</u>	

- 5. Dutertre, C.A. *et al.* (2008) A novel subset of NK cells expressing high levels of inhibitory FcgammaRIIB modulating antibody-dependent function. <u>J Leukoc Biol. 84 (6):</u> 1511-20.
- 6. Devriendt, B. *et al.* (2010) Targeting of *Escherichia coli* F4 fimbriae to Fcgamma receptors enhances the maturation of porcine dendritic cells. <u>Vet Immunol Immunopathol.</u> 135: 188-98.
- 7. Sims, G.P. *et al.* (2005) Identification and characterization of circulating human transitional B cells. <u>Blood.</u> 105: 4390-8.
- 8. Benitez-Ribas, D. *et al.* (2006) Plasmacytoid dendritic cells of melanoma patients present exogenous proteins to CD4+ T cells after Fc gamma RII-mediated uptake. <u>J Exp Med. 203: 1629-35.</u>
- 9. Zhao, X.W. *et al.* (2011) CD47-signal regulatory protein-α (SIRPα) interactions form a barrier for antibody-mediated tumor cell destruction. <u>Proc Natl Acad Sci U S A. 108 (45):</u> 18342-7.
- 10. Araújo, M.S.*et al.* (2011) Immunological changes in canine peripheral blood leukocytes triggered by immunization with first or second generation vaccines against canine visceral leishmaniasis. Vet Immunol Immunopathol. 141: 64-75.
- 11. Bonnefont-Rebeix, C. *et al.* (2006) CD86 molecule is a specific marker for canine monocyte-derived dendritic cells. <u>Vet Immunol Immunopathol</u>. 109 (1-2): 167-76.
- 12. Santer, D.M. *et al.* (2010) C1q deficiency leads to the defective suppression of IFN-alpha in response to nucleoprotein containing immune complexes. <u>J Immunol. 185:</u> 4738-49.
- 13. Shannon, O. *et al.* (2010) Platelet activation and biofilm formation by *Aerococcus urinae*, an endocarditis-causing pathogen. Infect Immun. 78: 4268-75.
- 14. Ito, T. *et al.* (1999) A CD1a+/CD11c+ subset of human blood dendritic cells is a direct precursor of Langerhans cells. J Immunol. 163: 1409-19.
- 15. Moreira, M.L. *et al.* (2016) Vaccination against canine leishmaniosis increases the phagocytic activity, nitric oxide production and expression of cell activation/migration molecules in neutrophils and monocytes. Vet Parasitol. 220: 33-45.
- 16. Gazendam, R.P. *et al.* (2016) Impaired killing of *Candida albicans* by granulocytes mobilized for transfusion purposes: a role for granule components. <u>Haematologica. 101</u> (5): 587-96.
- 17. Liu M *et al.* (2011) Vitellogenin mediates phagocytosis through interaction with FcγR. Mol Immunol. 49 (1-2): 211-8.
- 18. Petersson, F. *et al.* (2018) Platelet activation and aggregation by the opportunistic pathogen *Cutibacterium (Propionibacterium) acnes*. <u>PLoS One. 13 (1): e0192051.</u>
- 19. Kahn, F. *et al.* (2008) Antibodies against a surface protein of *Streptococcus pyogenes* promote a pathological inflammatory response. <u>PLoS Pathog. 4 (9): e1000149.</u>
- 20. Bruggeman, C.W. *et al.* (2019) Tissue-specific expression of IgG receptors by human macrophages *ex vivo*. <u>PLoS One. 14 (10): e0223264.</u>
- 21. Chen, T. *et al.* (2020) Capsular glycan recognition provides antibody-mediated immunity against tuberculosis. <u>J Clin Invest.</u> 130 (4): 1808-22.
- 22. Teuben, M.P.J. *et al.* (2021) Standardized porcine unilateral femoral nailing is associated with changes in PMN activation status, rather than aberrant systemic PMN prevalence. Eur J Trauma Emerg Surg. Jun 10 [Epub ahead of print].

Storage

Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.

#### DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1075PE">https://www.bio-rad-antibodies.com/SDS/MCA1075PE</a> 20487
Regulatory	For research purposes only

### Related Products

# **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

## **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375257:210104'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint