

Datasheet: MCA1080F BATCH NUMBER 166542

Description:	MOUSE ANTI HORSE CD8:FITC		
Specificity:	CD8		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	CVS21		
Isotype:	IgG2a		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10
Immunofluorescence			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Horse			
Product Form	Purified IgG conjugate	1 (FITC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	•	1)
	FITC	490	525	
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant			
Buffer Solution	Phosphate buffered saline			
Preservative	0.09% sodium azide (NaN ₃)		
Stabilisers	1% bovine serum albu	ımin		
Approx. Protein Concentrations	IgG concentration 0.1	mg/ml		

Immunogen	Equine peripheral blood mononuclear cells.
Fusion Partners	Spleen cells from immunized mice were fused with cells of the X63-Ag 8.653 mouse myeloma cell line.
Specificity	Mouse anti Horse CD8 antibody, clone CVS21 recognizes the equine homolog of human CD8. Equine CD8 is expressed by a subset of T lymphocytes.
	In addition to the CVS21 clone, other <u>CVS</u> clones recognising equine MHC and cell surface antigens are available.
Flow Cytometry	Use 10μl of the suggested working dilution to label 10 ⁶ cells in 100μl
References	 Ferreira-Dias, G. et al. (2005) Seasonal reproduction in the mare: possible role of plasma leptin, body weight and immune status. Domest Anim Endocrinol. 29: 203-13. Krakowski, L. et al. (2017) Changes in blood lymphocyte subpopulations and expression of MHC-II molecules in wild mares before and after parturition J Vet Res. 61 (2): 217-21. Schauer, M. et al. (2018) Interaction of septin 7 and DOCK8 in equine lymphocytes reveals novel insights into signaling pathways associated with autoimmunity. Sci Rep. 8 (1): 12332. Tomlinson, J.E. et al. (2018) Multispectral fluorescence-activated cell sorting of B and T cell subpopulations from equine peripheral blood. Vet Immunol Immunopathol. 199: 22-31. Hillmann, A. et al. (2019) A novel direct co-culture assay analyzed by multicolor flow cytometry reveals context- and cell type-specific immunomodulatory effects of equine mesenchymal stromal cells. PLoS One. 14 (6): e0218949. Witonsky, S. et al. (2019) Can levamisole upregulate the equine cell-mediated macrophage (M1) dendritic cell (DC1) T-helper 1 (CD4 Th1) T-cytotoxic (CD8) immune response in vitro.? J Vet Intern Med. 33 (2): 889-96. Lucassen, A. et al. (2021) A Saccharomyces cerevisiae Fermentation Product (Olimond BB) Alters the Early Response after Influenza Vaccination in Racehorses. Animals (Basel). 11(9):2726. Townsend, K.S. et al. (2023) Concurrent chronic lymphocytic leukemia and primary hyperparathyroidism in a mule. J Vet Intern Med. 37 (3): 1250-5.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be
	protected from light.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1080F

10041

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

MOUSE ANTI HORSE CD4:RPE (MCA1078PE)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M408057:221010'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint