

Datasheet: MCA1081F BATCH NUMBER 0113R

Description:	MOUSE ANTI HORSE CD11a/CD18:FITC	
Specificity:	CD11a/CD18	
Format:	FITC	
Product Type:	Monoclonal Antibody	
Clone:	CVS9	
Isotype:	lgG1	
Quantity:	0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Horse		
Product Form	Purified IgG conjugate	ed to Fluorescein Isoth	niocyanate Isomer
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm
	FITC	490	525
Buffer Solution	supernatant Phosphate buffered s	aline	
eservative	0.09% Sodium Azide	(NaN ₃)	
tabilisers	1% Bovine Serum Albumin		
approx. Protein	IgG concentration 0.1	ma/ml	

lmmunogen	Equine leucocytes.				
Fusion Partners	Spleen cells from immunised mice were fused with cells of the X63-Ag 8.653 mouse myeloma cell line.				
Specificity	Mouse anti Horse CD11a/CD18 antibody, clone CVS9 recognizes the equine homolog of the human CD11a/CD18 cell surface antigen, a hetrodimer expressed on all equine cells of haemopoietic origin. Studies have indicated that equine CD11a/CD18 has higher expression on some subpopulations of T-cells.				
	In addition to the CVS9 clone, other <u>CVS</u> clones recognising equine MHC and cell surface antigens are available from Bio-Rad.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.				
References	 Kydd, J. <i>et al.</i> (1994) Report of the First International Workshop on Equine Leucocyte Antigens, Cambridge, UK, July 1991. <u>Vet Immunol Immunopathol. 42 (1): 3-60.</u> Lunn, D.P. <i>et al.</i> (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. <u>Vet Immunol Immunopathol. 62 (2): 101-43.</u> McClure JT <i>et al.</i> (2001) Immunophenotypic classification of leukemia in 3 horses. <u>J Vet Intern Med. 15 (2): 144-52.</u> Hammond, S.A. <i>et al.</i> (1999) Functional characterization of equine dendritic cells propagated ex vivo using recombinant human GM-CSF and recombinant equine IL-4. <u>Vet Immunol Immunopathol. 71 (3-4): 197-214.</u> Laval, K. <i>et al.</i> (2015) Equine Herpesvirus Type 1 Enhances Viral Replication in CD172a+ Monocytic Cells upon Adhesion to Endothelial Cells. <u>J Virol. 89 (21): 10912-23.</u> Schröck, C. <i>et al.</i> (2017) Bone marrow-derived multipotent mesenchymal stromal cells from horses after euthanasia. <u>Vet Med Sci. 3 (4): 239-251.</u> 				
Storage	Store at +4°C or at -20°C if preferred.				
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1081F 10041				

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364761:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint