

Datasheet: MCA1081F BATCH NUMBER 164688

Description:	MOUSE ANTI HORSE CD11a/CD18:FITC		
Specificity:	CD11a/CD18		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	CVS9		
Isotype:	lgG1		
Quantity:	0.1 mg		

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Horse			
Product Form	Purified IgG conju	1 (FITC) - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm	n)
	FITC	490	525	
	supernatant	ared by affinity chromatog	rapny on Protein G	from tissue cui
Buffer Solution	•		raphy on Protein G	from tissue cui
Buffer Solution Preservative	supernatant	ed saline	raphy on Protein G	from tissue cui
	supernatant  Phosphate buffere	ed saline de (NaN <sub>3</sub> )	raphy on Protein G	from tissue cui

Immunogen	Equine leucocytes.	
Fusion Partners	Spleen cells from immunized mice were fused with cells of the myeloma cell line.	e X63-Ag 8.653 mouse
Specificity	Mouse anti Horse CD11a/CD18 antibody, clone CVS9 recognof the human CD11a/CD18 cell surface antigen, a hetrodimer cells of haemopoietic origin. Equine CD11a/CD18 has higher esubpopulations of T-cells.	expressed on all equine
	In addition to the CVS9 clone, other <u>CVS</u> clones recognising earningens are available from Bio-Rad.	equine MHC and cell surface
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 <sup>6</sup> cells in	ո 100µl
References	1. Kydd, J. et al. (1994) Report of the First International Works Antigens, Cambridge, UK, July 1991. Vet Immunol Immunopat 2. Lunn, D.P. et al. (1998) Report of the Second Equine Leuco Squaw valley, California, July 1995. Vet Immunol Immunopath 3. Hammond, S.A. et al. (1999) Functional characterization of propagated ex vivo using recombinant human GM-CSF and retimmunol Immunopathol. 71 (3-4): 197-214.  4. McClure JT et al. (2001) Immunophenotypic classification of Intern Med. 15 (2): 144-52.  5. Laval, K. et al. (2015) Equine Herpesvirus Type 1 Enhances CD172a+ Monocytic Cells upon Adhesion to Endothelial Cells 6. Schröck, C. et al. (2017) Bone marrow-derived multipotent in from horses after euthanasia. Vet Med Sci. 3 (4): 239-251.  7. Theuerkauf, K. et al. (2022) Activated platelets and plateletequine systemic inflammatory response syndrome. J Vet Diag 10406387221077969.	thol. 42 (1): 3-60. Docyte Antigen Workshop, Lol. 62 (2): 101-43. Dequine dendritic cells Decombinant equine IL-4. Vet Define In Section In Inc. J Virol. 89 (21): 10912-23. December In Inc. J Virol. 89 (21): 10912-23. December In Inc. J Virol. 89 (21): 10912-23. December Inc.
Storage	This product is shipped at ambient temperature. It is recomme -20°C on receipt. When thawed, aliquot the sample as needed short term use (up to 4 weeks) and store the remaining aliquod.  Avoid repeated freezing and thawing as this may denature the frost-free freezers is not recommended.	d. Keep aliquots at 2-8°C for ts at -20°C.
Cuavantes		
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10041 available at <a href="https://www.bio-rad-antibodies.com/SDS/MCA1081F">https://www.bio-rad-antibodies.com/SDS/MCA1081F</a> 10041	:
Regulatory	For research purposes only	

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 То Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 find a Email: antibody\_sales\_us@bio-rad.com Email: antibody\_sales\_uk@bio-rad.com Email: antibody\_sales\_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M408060:221010'

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint