

Datasheet: MCA1081F

Description:	MOUSE ANTI HORSE CD11a/CD18:FITC
Specificity:	CD11a/CD18
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	CVS9
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Horse					
Product Form	Purified IgG conjugate	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nn	n)		
	FITC	490	525			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative	0.09% sodium azide ((NaN ₃)				
Stabilisers	1% bovine serum alb	umin				
Approx. Protein Concentrations	IgG concentration 0.1	mg/ml				
Immunogen	Equine leucocytes.					

Fusion Partners	Spleen cells from immunized mice were fused with cells of the X63-Ag 8.653 mouse myeloma cell line.
Specificity	Mouse anti Horse CD11a/CD18 antibody, clone CVS9 recognizes the equine homolog of the human CD11a/CD18 cell surface antigen, a hetrodimer expressed on all equine cells of haemopoietic origin. Equine CD11a/CD18 has higher expression on some subpopulations of T-cells.
	In addition to the CVS9 clone, other <u>CVS</u> clones recognising equine MHC and cell surface antigens are available from Bio-Rad.
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	1. Kydd, J. <i>et al.</i> (1994) Report of the First International Workshop on Equine Leucocyte Antigens, Cambridge, UK, July 1991. Vet Immunol Immunopathol. 42 (1): 3-60. 2. Lunn, D.P. <i>et al.</i> (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. Vet Immunol Immunopathol. 62 (2): 101-43. 3. Hammond, S.A. <i>et al.</i> (1999) Functional characterization of equine dendritic cells propagated ex vivo using recombinant human GM-CSF and recombinant equine IL-4. Vet Immunol Immunopathol. 71 (3-4): 197-214. 4. McClure JT <i>et al.</i> (2001) Immunophenotypic classification of leukemia in 3 horses. J Vei Intern Med. 15 (2): 144-52. 5. Laval, K. <i>et al.</i> (2015) Equine Herpesvirus Type 1 Enhances Viral Replication in CD172a+ Monocytic Cells upon Adhesion to Endothelial Cells. J Virol. 89 (21): 10912-23. 6. Schröck, C. <i>et al.</i> (2017) Bone marrow-derived multipotent mesenchymal stromal cells from horses after euthanasia. Vet Med Sci. 3 (4): 239-251. 7. Theuerkauf, K. <i>et al.</i> (2022) Activated platelets and platelet-leukocyte aggregates in the equine systemic inflammatory response syndrome. J Vet Diagn Invest. 10406387221077969.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1081F 10041
	10041

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint