

Datasheet: MCA1081PE

## **BATCH NUMBER 164689**

| Description:  | MOUSE ANTI HORSE CD11a/CD18:RPE |  |  |
|---------------|---------------------------------|--|--|
| Specificity:  | CD11a/CD18                      |  |  |
| Format:       | RPE                             |  |  |
| Product Type: | Monoclonal Antibody             |  |  |
| Clone:        | CVS9                            |  |  |
| Isotype:      | IgG1                            |  |  |
| Quantity:     | 100 TESTS                       |  |  |
|               |                                 |  |  |

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | •   |    |                | Neat               |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species              | Horse                                      |                        |                     |
|-----------------------------|--|------------------------|---------------------|
| Product Form                | Purified IgG conjugate                     | ed to R. Phycoerythrin | (RPE) - lyophilized |
| Reconstitution              | Reconstitute with 1.0                      | ml distilled water     |                     |
| Max Ex/Em                   | Fluorophore                                | Excitation Max (nm)    | Emission Max (nm    |
|                             | RPE 488nm laser                            | 496                    | 578                 |
| Preparation                 | Purified IgG prepared supernatant          | by affinity chromatogr | raphy on Protein G  |
| uffer Solution              |  |                        |                     |
|                             | Phosphate buffered s                       | aline                  |                     |
| reservative                 | Phosphate buffered s  0.09% sodium azide ( |                        |                     |
| Preservative<br>Stabilisers | ·  | (NaN <sub>3</sub> )    |                     |

| Immunogen                        | Equine leucocytes.  |  |
|----------------------------------|---|--|
| Fusion Partners                  | Spleen cells from immunised mice were fused with cells of the X63-Ag 8.653 mouse myeloma cell line.   |  |
| Specificity                      | Mouse anti Horse CD11a/CD18 antibody, clone CVS9 recognizes the equine homolog of the human CD11a/CD18 cell surface antigen, a hetrodimer expressed on all equine cells of haemopoietic origin. Equine CD11a/CD18 has higher expression on some subpopulations of T-cells.  |  |
|                                  | In addition to the CVS9 clone, other <u>CVS</u> clones recognising equine MHC and cell surface antigens are available from Bio-Rad.   |  |
| Flow Cytometry                   | Use 10μl of the suggested working dilution to label 10 <sup>6</sup> cells in 100μl  |  |
| References                       | <ol> <li>Kydd, J. <i>et al.</i> (1994) Report of the First International Workshop on Equine Leucocyte Antigens, Cambridge, UK, July 1991. Vet Immunol Immunopathol. 42 (1): 3-60.</li> <li>Lunn, D.P. <i>et al.</i> (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. Vet Immunol Immunopathol. 62 (2): 101-43.</li> <li>McClure JT <i>et al.</i> (2001) Immunophenotypic classification of leukemia in 3 horses. J V Intern Med. 15 (2): 144-52.</li> <li>Hammond, S.A. <i>et al.</i> (1999) Functional characterization of equine dendritic cells propagated ex vivo using recombinant human GM-CSF and recombinant equine IL-4. Ve Immunol Immunopathol. 71 (3-4): 197-214.</li> <li>Laval, K. <i>et al.</i> (2015) Equine Herpesvirus Type 1 Enhances Viral Replication in CD172a+ Monocytic Cells upon Adhesion to Endothelial Cells. J Virol. 89 (21): 10912-23</li> <li>Schröck, C. <i>et al.</i> (2017) Bone marrow-derived multipotent mesenchymal stromal cells from horses after euthanasia. Vet Med Sci. 3 (4): 239-251.</li> <li>Theuerkauf, K. <i>et al.</i> (2022) Activated platelets and platelet-leukocyte aggregates in the equine systemic inflammatory response syndrome. J Vet Diagn Invest.</li> <li>10406387221077969.</li> </ol> |  |
| Storage                          | Store at +4°C.  DO NOT FREEZE.  This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.  |  |
| Guarantee                        | 12 months from date of despatch   |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1081PE">https://www.bio-rad-antibodies.com/SDS/MCA1081PE</a> 20487  |  |
|                                  |   |  |

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide Tel: +

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M408059:221010'

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint