

Datasheet: MCA1086PE

Description:	MOUSE ANTI HORSE MHC CLASS I MONOMORPHIC:RPE
Specificity:	MHC CLASS I MONOMORPHIC
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	CVS22
Isotype:	IgG2a
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Horse		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
Reconstitution	Reconstitute with 1.0 ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant.		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		
Stabilisers	1% Bovine Serum Albumin		
	5% Sucrose		

Immunogen	Equine leucocytes.
Fusion Partners	Spleen cells from immunised mice were fused with cells of the X63.Ag 8.653 mouse myeloma cell line.
Specificity	<p>Mouse anti Horse MHC Class I Monomorphic antibody, clone CVS22 recognizes monomorphic equine MHC Class I and was classified at the International Equine Leucocyte Antigen Workshop. MHC class I is expressed by all nucleated cells.</p> <p>The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In horses, this complex is referred to as the equine leukocyte antigen (ELA) region.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Lunn, D.P. <i>et al.</i> (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. Vet Immunol Immunopathol. 62:101-143 Mérant, C. <i>et al.</i> (2009) Young foal and adult horse monocyte-derived dendritic cells differ by their degree of phenotypic maturity. Vet Immunol Immunopathol. 131:1-8 Soboll Hussey, G. <i>et al.</i> (2014) Innate immune responses of airway epithelial cells to infection with equine herpesvirus-1. Vet Microbiol. 170 (1-2): 28-38. Mérant, C. <i>et al.</i> (2009) Young foal and adult horse monocyte-derived dendritic cells differ by their degree of phenotypic maturity. Vet Immunol Immunopathol. 131 (1-2): 1-8. Maumus M <i>et al.</i> (2016) Utility of a Mouse Model of Osteoarthritis to Demonstrate Cartilage Protection by IFNγ-Primed Equine Mesenchymal Stem Cells. Front Immunol. 7: 392. Rapacz-leonard, A. <i>et al.</i> (2018) Major histocompatibility complex class I in the horse (<i>Equus caballus</i>) placenta during pregnancy and parturition. Placenta. 74: 36-46. Barberini, D.J. <i>et al.</i> (2018) Safety and tracking of intrathecal allogeneic mesenchymal stem cell transplantation in healthy and diseased horses. Stem Cell Res Ther. 9 (1): 96.
Storage	<p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at +4°C.</p> <p>DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: 20487: https://www.bio-rad-antibodies.com/uploads/MSDS/20487.pdf
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

[MOUSE ANTI HORSE MHC CLASS II MONOMORPHIC \(MCA1085GA\)](#)

[MOUSE ANTI HORSE MHC CLASS II MONOMORPHIC:FITC \(MCA1085F\)](#)

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700

Europe Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

From
March

15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M375268:210104'

Printed on 12 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)