

Datasheet: MCA1130

Description:	MOUSE ANTI GUINEA PIG CD45
Specificity:	CD45
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	IH-1
Isotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA			•	
Immunoprecipitation				
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Guinea Pig	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant	from tissue culture
Buffer Solution	TRIS buffered saline	
Preservative Stabilisers	<0.1% sodium azide (NaN ₃)	
Approx. Protein Concentrations	IgG concentration 1mg/ml	

Immunogen	Guinea pig leukemic B lymphocyte L2C cells.
RRID	AB_321724
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the NS1 mouse myeloma cell line.
Specificity	Mouse anti Guinea Pig CD45 antibody, clone IH-1 reacts with CD45 on all leucocytes.
	Mouse anti Guinea Pig CD45 antibody, clone IH-1 immunoprecipitates proteins of M.Wt. 220,000, 210,000 and 195,000 and 180,000 from lymph node lymphocytes and proteins of M.Wt 195,000, 180,000 and 170,000 from thymocytes.
References	 Hart, I.J. <i>et al.</i> (1992) Subpopulations of guinea-pig T lymphocytes defined by isoforms of the leucocyte common antigen. <u>Immunology. 77 (3): 377-84.</u> Wang, Y. <i>et al.</i> (2010) Local host response to chlamydial urethral infection in male guinea pigs. <u>Infect Immun. 78: 1670-81.</u> Lacy, H.M. <i>et al.</i> (2011) Essential role for neutrophils in pathogenesis and adaptive immunity in <i>Chlamydia caviae</i> ocular infections. <u>Infect Immun. 79 (5): 1889-97.</u> Ishikawa, M. <i>et al.</i> (2017) Transplantation of neurons derived from human iPS cells cultured on collagen matrix into guinea-pig cochleae. <u>J Tissue Eng Regen Med. 11 (6): 1766-78.</u> Tura-Ceide, O. <i>et al.</i> (2017) Cigarette smoke challenges bone marrow mesenchymal stem cell capacities in guinea pig. <u>Respir Res. 18 (1): 50.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10057 available at: https://www.bio-rad-antibodies.com/SDS/MCA1130 10057
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE
Rabbit Anti Mouse IgG (STAR13...) HRP
Goat Anti Mouse IgG (H/L) (STAR117...) FITC
Rabbit Anti Mouse IgG (STAR9...) FITC

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M410563:221028'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint