

Datasheet: MCA1130F BATCH NUMBER 154728

Description:	MOUSE ANTI GUINEA PIG CD45:FITC
Specificity:	CD45
Other names:	LCA
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	IH-1
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Guinea Pig			
Product Form	Purified IgG conjugate	ed to Fluorescein Isoth	niocyanate Isomer 1	l (FITC) - liquid
Max Ex/Em	Fluorophore FITC	Excitation Max (nm) 490	Emission Max (nm)
Preparation	Purified IgG prepared	by affinity chromatog	raphy on Protein A	
Buffer Solution	Phosphate buffered s	aline		
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum	Albumin		
Approx. Protein Concentrations	IgG concentration 0.1	mg/ml		

Immunogen	Guinea pig leukemic B lymphocyte L2C cells.
RRID	AB_566763
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the NS1 mouse myeloma cell line.
Specificity	Mouse anti Guinea Pig CD45 antibody, clone IH-1 reacts with CD45 on all leucocytes.
	Mouse anti Guinea Pig CD45 antibody, clone IH-1 immunoprecipitates proteins of M.Wt. 220,000, 210,000 and 195,000 and 180,000 from lymph node lymphocytes and proteins of M.Wt 195,000, 180,000 and 170,000 from thymocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	 Hart, I.J. et al. (1992) Subpopulations of guinea-pig T lymphocytes defined by isoforms of the leucocyte common antigen. Immunology. 77 (3): 377-84. Wang, Y. et al. (2010) Local host response to chlamydial urethral infection in male guinea pigs. Infect Immun. 78: 1670-81. Shang, S. et al. (2011) Activities of TMC207, rifampin, and pyrazinamide against Mycobacterium tuberculosis infection in guinea pigs. Antimicrob Agents Chemother. 55 (1): 124-31. Lacy, H.M. et al. (2011) Essential role for neutrophils in pathogenesis and adaptive immunity in Chlamydia caviae ocular infections. Infect Immun. 79 (5): 1889-97. Tura-Ceide, O. et al. (2017) Cigarette smoke challenges bone marrow mesenchymal stem cell capacities in guinea pig. Respir Res. 18 (1): 50. Ishikawa, M. et al. (2017) Transplantation of neurons derived from human iPS cells cultured on collagen matrix into guinea-pig cochleae. J Tissue Eng Regen Med. 11 (6): 1766-78.
Storage	Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1130F 10041
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364822:200529'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint