

Datasheet: MCA1136

Description:	MOUSE ANTI HUMAN CD130
Specificity:	CD130
Other names:	gp130-R
Format:	Purified
<b>Product Type:</b>	Monoclonal Antibody
Clone:	B-T2
Isotype:	lgG1
Quantity:	0.1 mg

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	<b>Not Determined</b>	Suggested Dilution
Flow Cytometry				0.2ug/10 <sup>6</sup> cells
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	-			
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant	A from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% sodium azide (NaN <sub>3</sub> )	

Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	Natural soluble gp130 receptor.
External Database Links	UniProt: P40189 Related reagents
	Entrez Gene: 3572 IL6ST Related reagents
RRID	AB_2125973
Fusion Partners	Spleen cells from immunised BALB/c (Iffa Credo) mice were fused with cells of the X63.Ag8.653 mouse myeloma cell line.
Specificity	Mouse anti Human CD130 antibody, clone B-T2 recognizes soluble and membrane bound gp130 receptor, also known as CD130, Interleukin-6 receptor subunit beta, Oncostatin-M receptor subunit alpha or Interleukin-6 signal transducer. CD130 is a 918 amino acid, ~130 kDa single pass type-1 transmembrane glycoprotein containing a single lg-like C2 type and multiple fibronectin type-III domains. CD130 can be cleaved to form a monomeric soluble ~100 kDa form of the receptor detectable in plasma and other biologic fluids where it acts as an IL-6 antagonist (Müller-Newen et al. 1998). Mouse anti Human CD130 antibody, clone B-T2 binds to an epitope dependent at least partially on the presence of the Ig-like domain (Hammacher et al. 1998).
	Mouse anti Human CD130 antibody, clone B-T2 has been reported to block receptor activity and inhibit IL-6 induced proliferation of XG1 cells and IL-27 mediated proliferation of naive CD4 <sup>+</sup> T cells(de Groot et al. 2012, Pflanz et al. 2004).
Flow Cytometry	Use 10μl of the suggested working dilution to label 10 <sup>6</sup> cells in 100μl.
References	<ol> <li>Cork, B.A. (2002) Expression of interleukin (IL)-11 receptor by the human endometrium in vivo and effects of IL-11, IL-6 and LIF on the production of MMP and cytokines by human endometrial cells in vitro. Mol Hum Reprod. 8: 841-8.</li> <li>Zhang, L. et al. (2012) Role of the microenvironment in mantle cell lymphoma: IL-6 is an important survival factor for the tumor cells. Blood. 120 (18): 3783-92.</li> </ol>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Short term use (up to 4 weeks) and store the remaining anquots at -20 o.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA1136

10040

Regulatory

For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR9...) FITC

## **Recommended Negative Controls**

### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M410471:221028'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint