

Datasheet: MCA1194SBB765

| Description: | MOUSE ANTI HUMAN CD2:StarBright Blue 765 |
|---------------|--|
| Specificity: | CD2 |
| Other names: | LFA-2 |
| Format: | StarBright Blue 765 |
| Product Type: | Monoclonal Antibody |
| Clone: | LT2 |
| Isotype: | IgG2b |
| Quantity: | 100 TESTS/0.5ml |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Human | | | |
|-----------------|---|--------------------------|--|-------|
| Species Cross | Reacts with: Rhesus | Monkey, Chimpanzee, | Cynomolgus monkey | |
| Reactivity | • | , | ons may vary between species. C aboratories, peer-reviewed public | |
| | personal communica further information. | tions from the originato | ors. Please refer to references ind | icate |
| Product Form | Purified IgG conjugat | ted to StarBright Blue 7 | 65 - liquid | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) | |
| | StarBright Blue 765 | 476 | 764 | |
| Preparation | Purified IgG prepared | d by affinity chromatog | raphy on Protein A from ascites | |
| Buffer Solution | Phosphate buffered s | aline | | |

| Preservative Stabilisers | 0.09% sodium azide (NaN ₃) 1% bovine serum albumin |
|-----------------------------|---|
| | 0.1% Pluronic F68 0.1% PEG 3350 |
| | 0.05% Tween 20 |
| Immunogen | Normal human peripheral blood lymphocytes. |
| External Database | UniProt: |
| LINKS | P06729 Related reagents |
| | Entrez Gene: |
| | 914 CD2 Related reagents |
| Synonyms | SRBC |
| Fusion Partners | Spleen cells from immunized BALB/c mice were fused with cells of the mouse X63.653 myeloma cell line. |
| Specificity | Mouse anti Human CD2 antibody, clone LT2 recognizes human CD2, a single chain transmembrane glycoprotein of 50 kDa, expressed by T cells, NK cells and thymocytes. |
| | CD2 is a receptor for CD58 (LFA-3), and is important in mediating the interaction between T cells and target cells or antigen presenting cells. |
| | Mouse anti Human CD2 antibody, clone LT2 inhibits NK cell mediated cytotoxicity, and ConA and PHA mediated blast transformation. |
| Flow Cytometry | Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application. |
| References | 1. Lin, C.W. <i>et al.</i> (2005) CD94 1A transcripts characterize lymphoblastic lymphoma/leukemia of immature natural killer cell origin with distinct clinical features. Blood. 106 (10): 3567-74. |
| | 2. Kap, Y.S. <i>et al.</i> (2009) A monoclonal antibody selection for immunohistochemical examination of lymphoid tissues from non-human primates. <u>J Histochem Cytochem. 57: 1159-67.</u> |
| | 3. Bruger, A.M. <i>et al.</i> (2020) Protocol to assess the suppression of T-cell proliferation by human MDSC. Methods Enzymol. 632: 155-92. |
| Further Reading | 1. Moingeon, P. <i>et al.</i> (1989) The structural biology of CD2. <u>Immunol Rev. 111: 111-44.</u> 2. Beyers, A.D. <i>et al.</i> (1989) Activation of T lymphocytes via monoclonal antibodies against rat cell surface antigens with particular reference to CD2 antigen. <u>Immunol Rev. 111: 59-77.</u> |

Store at +4°C.

DO NOT FREEZE.

Storage

This product should be stored undiluted.

| Guarantee | 12 months from date of despatch |
|----------------------------------|--|
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts |
| Health And Safety Information | Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1194SBB765 20471 |
| Regulatory | For research purposes only |

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M426364:231221'

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint