## Datasheet: MCA1210 BATCH NUMBER 160931

Description:MOUSE IgG2a NEGATIVE CONTROLSpecificity:MOUSE IgG2a NEGATIVE CONTROLFormat:PurifiedProduct Type:Negative/Isotype ControlIsotype:IgG2aQuantity:100 TESTS		
Format:PurifiedProduct Type:Negative/Isotype ControlIsotype:IgG2a	Description:	MOUSE IgG2a NEGATIVE CONTROL
Product Type: Negative/Isotype Control   Isotype: IgG2a	Specificity:	MOUSE IgG2a NEGATIVE CONTROL
Isotype: IgG2a	Format:	Purified
	Product Type:	Negative/Isotype Control
Quantity: 100 TESTS	Isotype:	lgG2a
	Quantity:	100 TESTS

## **Product Details**

Applications	This product has been re derived from testing withi	n our labo	oratories,	peer-reviewed publica	tions or personal		
	communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•			*		
	Immunohistology - Frozen						
	Immunohistology - Paraffin						
	ELISA						
	Immunoprecipitation						
	Western Blotting			•			
	Where this antibody has not been tested for use in a particular technique this does not						
	necessarily exclude its use in such procedures.						
	*It is recommended that the upper dilutes the antihedy in their own system to a						
	*It is recommended that the user dilutes the antibody in their own system to a concentration equivalent to their test antibody.						
	concentration equivalent	to their te	est antibot	iy.			
Target Species	Negative Control						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by	affinity ch	nromatogr	aphy on Protein A			
Buffer Solution	Phosphate buffered salin	e					
Preservative	0.09% Sodium Azide						
Stabilisers	1% Bovine Serum Alb	umin					
		Girini					
Approx. Protein Concentrations	IgG concentration 0.1 mg	g∕ml					

Immunoge	en	Human T lymphocytes.				
RRID		AB_322512				
Fusion Pa	rtners	Spleen cells from immunized BALB/c mice were fused with cells of the NSI mouse myeloma cell line.				
Specificity	/	<b>Mouse IgG2a Negative Control</b> is suitable for use as a matched isotype negative control reagent to assess the level of non-specific binding of mouse IgG2a monoclonal antibodie to rat cells. This antibody has been tested and found to be negative on the following rat cells – peripheral blood leucocytes, thymocytes, splenocytes and macrophages.				
		Mouse IgG2a Negative Control ( <b>MCA1210</b> ) recognizes the human CD45 antigen and therefore human leucocytes may be used as a positive control for this product.				
		THIS PRODUCT IS NOT SUITABLE FOR USE AS A NEGATIVE CONTROL ON HUMAI TISSUES.				
Flow Cyto	ometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.				
Reference	9S	1. Fijak, M. <i>et al.</i> (2015) Influence of Testosterone on Inflammatory Response in Testicula Cells and Expression of Transcription Factor Foxp3 in T Cells. <u>Am J Reprod Immunol. 74</u> ( <u>1): 12-25.</u>				
Storage		This product is shipped at ambient temperature. It is recommended to aliquot and store a -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
		Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	)	12 months from date of despatch				
Information <u>http</u>		Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1210 10041				
Regulator	у	For research purposes only				
erica	Tel: +1 800 265 Fax: +1 919 878 Email: antibody					
Γo find a ba	itch/lot spec	ific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datashee 'M382915:210513'				

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint