

Datasheet: MCA1218GA

BATCH NUMBER 155178

Description:	MOUSE ANTI PIG CD14
Specificity:	CD14
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MIL2
Isotype:	IgG2b
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/25 - 1/200
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species

Pig

Species Cross Reactivity

Reacts with: Human

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture

supernatant

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.09% Sodium Azide (NaN₃)

Carrier Free Yes

Approx. Protein Concentrations IgG concentration 1.0 mg/ml

Immunogen Porcine peripheral blood lymphocytes.

External Database Links **UniProt:**
[A2SW51](#) [Related reagents](#)

Fusion Partners Spleen cells from immunized Balb/c mice were fused with cells from the P2-X63-Ag.653 mouse myeloma.

Specificity **Mouse anti Pig CD14, clone MIL2** recognizes porcine CD14. Clone MIL2 was clustered as porcine CD14 at the Third International Workshop on Swine Leukocyte Differentiation Antigens ([Haverson et al. 2001](#)). Mouse anti Pig CD14, clone MIL2 immunoprecipitates a protein of ~50 kDa consistent with the expected apparent molecular weight of porcine CD14, and demonstrates the expected CD14 profile by dual labelling and competition studies. Further, pre-incubation of peripheral blood monocytes with MIL2 inhibits the binding of FITC labelled LPS, consistent with masking the CD14 LPS binding site ([Thacker et al. 2001](#)).

Mouse anti pig CD14, clone MIL2 demonstrates staining of both monocytes and neutrophils in peripheral blood by flow cytometry with a similar expression pattern to the anti human CD14 clone Tük4, lymphocytes and eosinophils are negative for MIL2 staining ([Zelnickova et al. 2007](#)). Cloning and characterization of porcine CD14 indicates a high degree of both functional and structural conservation when compared to CD14 from other mammalian species, the gene maps to chromosome 2 and is expressed on a wide range of tissues in a manner consistent with expression on myeloid cells. ([Petersen et al. 2007](#), [Sanz et al. 2007](#)).

Flow Cytometry Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul.

References

1. Hauet, T. *et al.* (2000) Trimetazidine reduces renal dysfunction by limiting the cold ischemia/reperfusion injury in autotransplanted pig kidneys. [J Am Soc Nephrol. 11: 138-48.](#)
2. Thacker, E. *et al.* (2001) Summary of workshop findings for porcine myelomonocytic markers. [Vet Immunol Immunopathol. 80 \(1-2\): 93-109.](#)
3. Thorgersen, E.B. *et al.* (2010) CD14 inhibition efficiently attenuates early inflammatory and hemostatic responses in *Escherichia coli* sepsis in pigs. [FASEB J. 24: 712-22.](#)
4. Goujon, J.M. *et al.* (2000) Influence of cold-storage conditions on renal function of

- autotransplanted large pig kidneys. [Kidney Int. 58: 838-50.](#)
5. Li, Y. *et al.* (2014) Identification of apoptotic cells in the thymus of piglets infected with highly pathogenic porcine reproductive and respiratory syndrome virus. [Virus Res. 189: 29-33.](#)
 6. Summerfield, A. *et al.* (2003) Porcine peripheral blood dendritic cells and natural interferon-producing cells. [Immunology. 110: 440-9.](#)
 7. Vanderheijden, N. *et al.* (2003) Involvement of sialoadhesin in entry of porcine reproductive and respiratory syndrome virus into porcine alveolar macrophages. [J Virol. 77: 8207-15.](#)
 8. Barratt-Due, A. *et al.* (2011) *Ornithodoros moubata* Complement Inhibitor Is an Equally Effective C5 Inhibitor in Pigs and Humans. [J Immunol. 187: 4913-9.](#)
 9. Hauet, T. *et al.* (2002) Polyethylene glycol reduces the inflammatory injury due to cold ischemia/reperfusion in autotransplanted pig kidneys. [Kidney Int. 62: 654-67.](#)
 10. Kapetanovic, R. *et al.* (2012) Pig bone marrow-derived macrophages resemble human macrophages in their response to bacterial lipopolysaccharide. [J Immunol. 188: 3382-94.](#)
 11. Thorgersen, E.B. *et al.* (2009) Inhibition of complement and CD14 attenuates the *Escherichia coli*-induced inflammatory response in porcine whole blood. [Infect Immun. 77: 725-32.](#)
 12. Zelnickova, P. *et al.* (2007) Intracellular cytokine detection by flow cytometry in pigs: fixation, permeabilization and cell surface staining. [J Immunol Methods. 327: 18-29.](#)
 13. Facci, M.R. *et al.* (2011) Stability of expression of reference genes in porcine peripheral blood mononuclear and dendritic cells. [Vet Immunol Immunopathol. 141: 11-5.](#)
 14. Koutná, I. *et al.* (2012) Flow Cytometry Analysis of Intracellular Protein [In: Flow Cytometry - Recent Perspectives, Schmid, I. \(Ed.\), ISBN: 978-953-51-](#)
 15. Facci, M.R. *et al.* (2010) A comparison between isolated blood dendritic cells and monocyte-derived dendritic cells in pigs. [Immunology. 129: 396-405.](#)
 16. Schierack, P. *et al.* (2009) Effects of *Bacillus cereus* var. *toyoi* on immune parameters of pregnant sows. [Vet Immunol Immunopathol. 127: 26-37.](#)
 17. Lundeland, B. *et al.* (2011) Severe gunshot injuries in a porcine model: impact on central markers of innate immunity. [Acta Anaesthesiol Scand. 55: 28-34.](#)
 18. Thorgersen, E.B. *et al.* (2008) Cyanobacterial LPS antagonist (CyP)-a novel and efficient inhibitor of *Escherichia coli* LPS-induced cytokine response in the pig. [Mol Immunol. 45: 3553-7.](#)
 19. Schierack, P. *et al.* (2007) *Bacillus cereus* var. *toyoi* enhanced systemic immune response in piglets. [Vet Immunol Immunopathol. 118: 1-11.](#)
 20. Ondrackova, P. *et al.* (2012) Interaction of porcine neutrophils with different strains of enterotoxigenic *Escherichia coli*. [Vet Microbiol. 160: 108-16.](#)
 21. Ondrackova, P. *et al.* (2013) Phenotypic characterisation of the monocyte subpopulations in healthy adult pigs and *Salmonella*-infected piglets by seven-colour flow cytometry. [Res Vet Sci. 94 \(2\): 240-5.](#)
 22. Vicenova, M. *et al.* (2014) Evaluation of *in vitro* and *in vivo* anti-inflammatory activity of biologically active phospholipids with anti-neoplastic potential in porcine model. [BMC Complement Altern Med. 14: 339.](#)
 23. Alvarez, B. *et al.* (2015) Phenotypic and functional heterogeneity of CD169⁺ and CD163⁺ macrophages from porcine lymph nodes and spleen. [Dev Comp Immunol. 44: 44-9.](#)
 24. Moffat, L. *et al.* (2014) Development and characterisation of monoclonal antibodies

- reactive with porcine CSF1R (CD115). [Dev Comp Immunol. 47 \(1\): 123-8.](#)
25. Kyrova K *et al.* (2014) The response of porcine monocyte derived macrophages and dendritic cells to *Salmonella typhimurium* and lipopolysaccharide. [BMC Vet Res. 10: 244.](#)
26. Nguyen, D.N. *et al.* (2016) Oral antibiotics increase blood neutrophil maturation and reduce bacteremia and necrotizing enterocolitis in the immediate postnatal period of preterm pigs. [Innate Immun. 22 \(1\): 51-62.](#)
27. Egge, K.H. *et al.* (2015) Organ inflammation in porcine *Escherichia coli* sepsis is markedly attenuated by combined inhibition of C5 and CD14. [Immunobiology. 220 \(8\): 999-1005.](#)
28. Liu J *et al.* (2016) The Role of Porcine Monocyte Derived Dendritic Cells (MoDC) in the Inflammation Storm Caused by *Streptococcus suis* Serotype 2 Infection. [PLoS One. 11 \(3\): e0151256.](#)
29. Singleton, H. *et al.* (2016) Establishing Porcine Monocyte-Derived Macrophage and Dendritic Cell Systems for Studying the Interaction with PRRSV-1. [Front Microbiol. 7: 832.](#)
30. Zemankova, N. *et al.* (2016) Bovine lactoferrin free of lipopolysaccharide can induce a proinflammatory response of macrophages. [BMC Vet Res. 12 \(1\): 251.](#)
31. Auray, G. *et al.* (2016) Characterization and Transcriptomic Analysis of Porcine Blood Conventional and Plasmacytoid Dendritic Cells Reveals Striking Species-Specific Differences. [J Immunol. Nov 11. pii: 1600672. \[Epub ahead of print\]](#)
32. Kavanová L *et al.* (2017) Concurrent infection with porcine reproductive and respiratory syndrome virus and *Haemophilus parasuis* in two types of porcine macrophages: apoptosis, production of ROS and formation of multinucleated giant cells. [Vet Res. 48 \(1\): 28.](#)
33. Bacou, E. *et al.* (2017) β 2-adrenoreceptor stimulation dampens the LPS-induced M1 polarization in pig macrophages. [Dev Comp Immunol. 76: 169-76.](#)
34. Yang, G. *et al.* (2017) Characterizing porcine invariant natural killer T cells: A comparative study with NK cells and T cells. [Dev Comp Immunol. 76: 343-351.](#)
35. Uitterdijk, A. *et al.* (2017) Time course of VCAM-1 expression in reperfused myocardial infarction in swine and its relation to retention of intracoronary administered bone marrow-derived mononuclear cells. [PLoS One. 12 \(6\): e0178779.](#)
36. Sánchez, E.G. *et al.* (2017) Phenotyping and susceptibility of established porcine cells lines to African Swine Fever Virus infection and viral production. [Sci Rep. 7 \(1\): 10369.](#)
37. Fernández-Caballero, T. *et al.* (2018) Phenotypic and functional characterization of porcine bone marrow monocyte subsets. [Dev Comp Immunol. 81: 95-104.](#)
38. Sautter, C.A. *et al.* (2018) Phenotypic and functional modulations of porcine macrophages by interferons and interleukin-4. [Dev Comp Immunol. 84: 181-92.](#)
39. López, E. *et al.* (2019) Identification of very early inflammatory markers in a porcine myocardial infarction model. [BMC Vet Res. 15 \(1\): 91.](#)

Further Reading

1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. [Vet Res. 39: 54.](#)
 2. Petersen, C.B. *et al.* (2007) Cloning, characterization and mapping of porcine CD14 reveals a high conservation of mammalian CD14 structure, expression and locus organization. [Dev Comp Immunol. 31: 729-37.](#)
 3. Sanz, G. *et al.* (2007) Molecular cloning, chromosomal location, and expression analysis of porcine CD14. [Dev Comp Immunol. 31\(7\):738-47.](#)
-

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) [HRP](#)
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M373013:200813'

Printed on 23 Feb 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)