

Datasheet: MCA1223F

BATCH NUMBER 170172

Description:	MOUSE ANTI PIG wCD8 ALPHA:FITC
Specificity:	CD8 ALPHA
Other names:	CD8
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	MIL12
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig						
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>FITC</td> <td>490</td> <td>525</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	FITC	490	525
Fluorophore	Excitation Max (nm)	Emission Max (nm)					
FITC	490	525					
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative	0.09% sodium azide (NaN ₃)						
Stabilisers	1% bovine serum albumin						
Approx. Protein	IgG concentration 0.1mg/ml						

Concentrations

Immunogen Porcine mesenteric lymphocytes.

RRID AB_323250

Fusion Partners Spleen cells from immunized BALB/c mice were fused with cells of the P3 - X63 - Ag.653 myeloma cell line.

Specificity **Mouse anti Pig wCD8 alpha antibody, clone MIL12** recognizes an epitope on the alpha chain of porcine wCD8. Clone MIL12 was clustered at the Third International Swine CD Workshop ([Haverson et al. 2001](#)). Mouse anti Pig wCD8 alpha antibody, clone MIL12 was determined to bind to the CD8a epitope on the alpha chain based on its staining pattern on T lymphocytes and on its ability to block binding of the previously characterized CD8a antibody clone 76-2-11 to T lymphocytes ([Saalmuller et al.2001](#)).

Flow Cytometry Use 10µl of the suggested working dilution to label 10⁶ cells in 100µl.

References

1. Goujon, J.M. *et al.* (2000) Influence of cold-storage conditions on renal function of autotransplanted large pig kidneys. [Kidney Int. 58: 838-50.](#)
2. Spreeuwenberg, M.A. *et al.* (2001) Small intestine epithelial barrier function is compromised in pigs with low feed intake at weaning. [J Nutr. 131: 1520-7.](#)
3. Carter, D.B. *et al.* (2002) Phenotyping of transgenic cloned piglets. [Cloning Stem Cells. 4: 131-45.](#)
4. Hauet, T. *et al.* (2002) Polyethylene glycol reduces the inflammatory injury due to cold ischemia/reperfusion in autotransplanted pig kidneys. [Kidney Int. 62: 654-67.](#)
5. Swamy, H.V. *et al.* (2003) Effects of feeding a blend of grains naturally contaminated with Fusarium mycotoxins on growth and immunological measurements of starter pigs, and the efficacy of a polymeric glucomannan mycotoxin adsorbent. [J Anim Sci. 81: 2792-803.](#)
6. Sarradell, J. *et al.* (2003) A morphologic and immunohistochemical study of the bronchus-associated lymphoid tissue of pigs naturally infected with *Mycoplasma hyopneumoniae*. [Vet Pathol. 40: 395-404.](#)
7. Ostrowska, E. *et al.* (2004) Effects of dietary conjugated linoleic acid on haematological and humoral responses in the grower pig [Austral J Agric Res. 55 \(7\): 711.](#)
8. Piva, A. *et al.* (2005) Activated carbon does not prevent the toxicity of culture material containing fumonisin B1 when fed to weanling piglets. [J Anim Sci. 83 \(8\): 1939-47.](#)
9. Clapperton, M. *et al.* (2005) Innate immune traits differ between Meishan and Large White pigs. [Vet Immunol Immunopathol. 104: 131-44.](#)
10. Shi, K. *et al.* (2008) Changes in peripheral blood leukocyte subpopulations in piglets co-infected experimentally with porcine reproductive and respiratory syndrome virus and porcine circovirus type 2. [Vet Microbiol. 129: 367-77.](#)
11. Clapperton, M. *et al.* (2008) Pig peripheral blood mononuclear leucocyte subsets are heritable and genetically correlated with performance. [Animal. 2: 1575-84.](#)
12. Kick, A.R. *et al.* (2011) Evaluation of peripheral lymphocytes after weaning and vaccination for *Mycoplasma hyopneumoniae*. [Res Vet Sci. 91 \(3\): e68-72.](#)
13. Monroy-Salazar, H.G. *et al.* (2012) Effects of a live yeast dietary supplement on fecal coliform counts and on peripheral blood CD4+ and CD8+ lymphocyte subpopulations in

- nursery pigs. [J Swine Health Prod. 20: 276-82.](#)
14. Lu, X. *et al.* (2012) Genome-wide association study for T lymphocyte subpopulations in swine. [BMC Genomics. 13: 488.](#)
 15. Leifer, I. *et al.* (2012) Characterization of C-strain "Riems" TAV-epitope escape variants obtained through selective antibody pressure in cell culture. [Vet Res. 43: 33.](#)
 16. Tuchscherer, M. *et al.* (2012) Effects of inadequate maternal dietary protein:carbohydrate ratios during pregnancy on offspring immunity in pigs. [BMC Vet Res. 8: 232.](#)
 17. Kick, A.R. *et al.* (2012) Effects of stress associated with weaning on the adaptive immune system in pigs. [J Anim Sci. 90: 649-56.](#)
 18. Tambuyzer, B.R. *et al.* (2012) Osteopontin alters the functional profile of porcine microglia *in vitro*. [Cell Biol Int. 36 \(12\): 1233-8.](#)
 19. Stenfeldt, C. *et al.* (2014) Morphologic and phenotypic characteristics of myocarditis in two pigs infected by foot-and mouth disease virus strains of serotypes O or A. [Acta Vet Scand. 56: 42.](#)
 20. Alex, P.J. (2014) Grouping Pig-Specific Responses to Mitogen with Similar Responder Animals may Facilitate the Interpretation of Results Obtained in an Out-Bred Animal Model [J Vaccines & Vaccination. 05 \(05\)](#)
 21. Zeigler, B.M. *et al.* (2015) The development and validation of methods for evaluating the immune system in preweaning piglets. [Food Chem Toxicol. 84: 197-207.](#)
 22. Liermann, W. *et al.* (2017) Effects of two commercial diets and technical feed treatment on stomach lesions and immune system of fattening pigs. [J Anim Physiol Anim Nutr \(Berl\). 101 \(5\): e414-e426.](#)
 23. Hemmink, J.D. *et al.* (2016) Distinct immune responses and virus shedding in pigs following aerosol, intra-nasal and contact infection with pandemic swine influenza A virus, A(H1N1)09. [Vet Res. 47 \(1\): 103.](#)
 24. López, E. *et al.* (2019) Identification of very early inflammatory markers in a porcine myocardial infarction model. [BMC Vet Res. 15 \(1\): 91.](#)
 25. Hu, Z. *et al.* (2019) Genomic variant in porcine TNFRSF1A gene and its effects on TNF signaling pathway *in vitro*. [Gene. 700: 105-9.](#)
 26. Fogle, J.E. *et al.* (2019) Antibiotic Therapy Does Not Alter the Humoral Response to Vaccination for Porcine Circovirus 2 in Weaned Pigs. [Vet Sci. 6 \(2\): 51.](#)
 27. Nielsen, O.L. *et al.* (2022) A porcine model of subcutaneous *Staphylococcus aureus* infection: a pilot study. [APMIS. 130 \(7\): 359-70.](#)
 28. Maciag, S.S. *et al.* (2022) On the influence of the source of porcine colostrum in the development of early immune ontogeny in piglets. [Sci Rep. 12 \(1\): 15630.](#)
 29. Wu, M.C. *et al.* (2023) A protein-based subunit vaccine with biological adjuvants provides effective protection against *Pasteurella multocida* in pigs. [Vet Res. 54 \(1\): 17.](#)
 30. Bujňák, L. *et al.* (2023) The Effect of Dietary Humic Substances on Cellular Immunity and Blood Characteristics in Piglets [Agriculture. 13 \(3\): 636.](#)
 31. Haach, V. *et al.* (2023) A polyvalent virosomal influenza vaccine induces broad cellular and humoral immunity in pigs. [Virology. 20 \(1\): 181.](#)
 32. Maciag, S. *et al.* (2022) Effects of freezing storage on the stability of maternal cellular and humoral immune components in porcine colostrum. [Vet Immunol Immunopathol. 254: 110520.](#)
 33. Forner, R. *et al.* (2021) Distribution difference of colostrum-derived B and T cells subsets in gilts and sows. [PLoS One. 16 \(5\): e0249366.](#)

34. Novotný, J. *et al.* (2024) The Use of Flow Cytometry in the Analysis of Sows' Colostrum and Milk [Folia Veterinaria. 68 \(3\): 44-51.](#)
35. Zhao, W. *et al.* (2025) Impact of Foot-and-Mouth Disease Virus on Memory T and B Cell Populations in Swine [Vet Microbiol. 110406. 5 Jan \[Preprint\]](#)
36. Arrigucci, R. *et al.* (2025) OMIP-113: Characterization of Cytokine Producing T Cells in Swine. [Cytometry A. 107 \(5\): 289-292.](#)
37. Tng, P.Y.L. *et al.* (2025) Early disruption of the innate-adaptive immune axis in vivo after infection with virulent Georgia 2007/1 ASFV. [Discov Immunol. 4 \(1\): kyaf014.](#)

Further Reading 1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. [Vet Res. 39: 54.](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1223F>

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL:FITC \(MCA929F\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M408578:221013'

Printed on 13 Mar 2026