

Datasheet: MCA1226A488T BATCH NUMBER 1213

Description:	MOUSE ANTI HUMAN CD8:Alexa Fluor® 488
Specificity:	CD8
Format:	ALEXA FLUOR® 488
Product Type:	Monoclonal Antibody
Clone:	LT8
Isotype:	lgG1
Quantity:	25 TESTS/0.25ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	-			Neat - 1/10	
	Where this antibody has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Species Cross Reactivity	Reacts with: Marmoset, Chimpanzee, Cynomolgus monkey, Red-bellied Tamarin N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG conjugated to Alexa Fluor® 488 - liquid					
Max Ex/Em	Fluorophore	Excitation Ma	x (nm)	Emission Max (nm)		
	Alexa Fluor®488	495	. ,	519		
Preparation	Purified IgG prepared by ion exchange chromatography					
Buffer Solution	Phosphate buffered saline					

Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml
Immunogen	Normal human peripheral blood lymphocytes.
External Database Links	UniProt:P01732Related reagentsP10966Related reagents
	Entrez Gene:925CD8ARelated reagents926CD8BRelated reagents
Synonyms	CD8B1, MAL
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse X63.653 myeloma cell line.
Specificity	 Mouse anti Human CD8 antibody, clone LT8 recognizes the human CD8 cell surface glycoprotein expressed by a subset of peripheral blood T cells which express cytotoxic/suppressor activity. It is also expressed weakly on NK cells. The CD8 antigen is a co-receptor for MHC Class I in conjunction with the T cell receptor, and is important in the selection process of CD8+ MHC Class I restricted T cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or cells or 100ul human whole blood.
References	 Zarkesh-Esfahani, H. <i>et al.</i> (2001) High-dose leptin activates human leukocytes via receptor expression on monocytes. J Immunol. 167 (8): 4593-9. Manninen, A. & Saksela, K. (2002) HIV-1 Nef interacts with inositol trisphosphate receptor to activate calcium signaling in T cells. J Exp Med. 195 (8): 1023-32. Parnes, J.R. (1989) Molecular biology and function of CD4 and CD8. Adv Immunol. 44: 265-311. Kap, Y.S. <i>et al.</i> (2009) A monoclonal antibody selection for immunohistochemical examination of lymphoid tissues from non-human primates. J Histochem Cytochem. 57: 1159-67. Hovden, A.O. <i>et al.</i> (2011) Maturation of monocyte derived dendritic cells with OK432 boosts IL-12p70 secretion and conveys strong T-cell responses. BMC Immunol. 12: 2. Nelson, M. <i>et al.</i> (2010) Characterization of lethal inhalational infection with <i>Francisella tularensis</i> in the common marmoset (<i>Callithrix jacchus</i>). J Med Microbiol. 59: 1107-13. Gibbings, D.J. <i>et al.</i> (2007) CD8 alpha is expressed by human monocytes and enhances Fc gamma R-dependent responses. BMC Immunol. 8: 12. Junker, A. <i>et al.</i> (2007) Multiple sclerosis: T-cell receptor expression in distinct brain

	regions. <u>Brain. 130: 2789-99.</u>
	9. Held, K. et al. (2011) Expression of herpes simplex virus 1-encoded microRNAs in
	human trigeminal ganglia and their relation to local T-cell infiltrates. <u>J Virol. 85 (19):</u> 9680-5.
	10. Hood SP <i>et al.</i> (2014) Changes in immune cell populations in the periphery and liver
	of GBV-B-infected and convalescent tamarins (Saguinus labiatus). Virus Res. 179:
	<u>93-101.</u>
	11. Nelson, M. & Loveday, M. (2014) Exploring the innate immunological response of an alternative nonhuman primate model of infectious disease; the common marmoset. J
	Immunol Res. 2014: 913632.
	12. Manivannan, K. <i>et al.</i> (2016) CADM1/TSLC1 Identifies HTLV-1-Infected Cells and
	Determines Their Susceptibility to CTL-Mediated Lysis. <u>PLoS Pathog. 12 (4): e1005560.</u>
	13. Gross, C.C. <i>et al.</i> (2016) Impaired NK-mediated regulation of T-cell activity in multiple sclerosis is reconstituted by IL-2 receptor modulation. <u>Proc Natl Acad Sci U S A. 113 (21)</u> :
	<u>E2973-82.</u> 14. Dunham, J. <i>et al.</i> (2016) Blockade of CD127 Exerts a Dichotomous Clinical Effect in
	Marmoset Experimental Autoimmune Encephalomyelitis. <u>J Neuroimmune Pharmacol. 11</u> (1): 73-83.
	15. Bughani, U. <i>et al.</i> (2017) T cell activation and differentiation is modulated by a CD6
	domain 1 antibody Itolizumab. <u>PLoS One. 12 (7): e0180088.</u>
	16. Philippens, I.H. <i>et al.</i> (2017) Acceleration of Amyloidosis by Inflammation in the
	Amyloid-Beta Marmoset Monkey Model of Alzheimer's Disease. <u>J Alzheimers Dis. 55 (1):</u>
	<u>101-113.</u>
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. This product is photosensitive and
	should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Avoid repeated freezing and thawing as this may denature the antibody. Should this
Guarantee Acknowledgements	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. 12 months from date of despatch This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. 12 months from date of despatch This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than

Informati	-	<u>nttps://www.bio-rad-a</u> 10041	antibodies.com/SDS/MC/	A1226A488T	
Regulato	ry F	or research purpos			
Relate	d Products	;			
Recomm	nended Nega	ative Controls			
MOUSE I	G1 NEGATIVE	CONTROL:Alexa Fluc	or® 488 (MCA928A488)		
Recomm	nended Usef	ul Reagents			
	EROBLOCK (BU				
North & South America	Tel: +1 800 265 737 Fax: +1 919 878 37	51	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
	Email: antibody_sal	les_us@bio-rad.com	Email: antibody_sales_uk@bi	o-rad.com	Email: antibody_sales_de@bio-rad.com
To find a b	atch/lot specific	datasheet for this pro	duct, please use our online 'M364964:200529'	search tool at:	bio-rad-antibodies.com/datasheets
			Deinted an 00 Mar 0004		

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint