

## Datasheet: MCA1230EL BATCH NUMBER 0512R

Description:	RAT ANTI MOUSE CD49d:Low Endotoxin
Specificity:	CD49d
Other names:	INTEGRIN ALPHA 4 CHAIN, VLA-4
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	PS/2
lsotype:	lgG2b
Quantity:	0.5 mg

# **Product Details**

• • •				<b>.</b>		
Applications	This product has been reported to work in the following applications. This information is					
	derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
	information. For general	protocol r	ecommen	dations, please visit <u>w</u>	ww.bio-	
	rad-antibodies.com/protocols.					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	•			1/50 - 1/100	
	Immunohistology - Frozen	-				
	Immunohistology - Paraffin			•		
	ELISA			•		
	Immunoprecipitation	•				
	Western Blotting			•		
	Functional Assays	•				
	Where this antibody has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the antibody for use in their own					
	system using appropriate negative/positive controls.					
Target Species	Mouse					
Species Cross	Reacts with: Human					
Reactivity	<b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross					
	reactivity is derived from testing within our laboratories, peer-reviewed publications or					
	personal communications from the originators. Please refer to references indicated for					
	further information.		, enginate			
Product Form	Purified IgG - liquid					

Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	P815 DBA/2 murine mastocytoma cells.
External Database Links	UniProt: <u>Q00651</u> <u>Related reagents</u> Entrez Gene:
	16401 Itga4 Related reagents
RRID	AB_566804
Fusion Partners	Spleen cells from immunized Fisher rats were fused with SP2/0 mouse myeloma cells
Specificity	Rat anti Mouse CD49d monoclonal antibody, clone PS/2 recognizes murine alpha 4 integrin (CD49d), a ~150 kDa single pass type I membrane glycoprotein that can associate with either beta 1 integrin (CD29) or beta 7 integrin to form heterodimers CD49d/CD29 (VLA-4) and alpha4/beta7 (LPAM-1) respectively (Holzmann <i>et al.</i> 1989). CD49d is expressed on most lymphocytes, granulocytes, monocytes and thymocytes. The primary ligands for CD49d are CD106 (VCAM-1), fibronectin and MAdCAM-1 (Sheppard <i>et al.</i> 1994).
	Clone PS/2 has also been reported to block the binding of CD49d to its ligands ( <u>Andrew</u> <u>et al. 1994</u> ).
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Miyake, K. <i>et al.</i> (1991) Evidence for a role of the integrin VLA-4 in lymphohemopoiesis. J Exp Med. 173 (3): 599-607.</li> <li>Miyake, K. <i>et al.</i> (1991) A VCAM-like adhesion molecule on murine bone marrow stromal cells mediates binding of lymphocyte precursors in culture. J Cell Biol. 114 (3): 557-65.</li> <li>Andrew, D.P. <i>et al.</i> (1994) Distinct but overlapping epitopes are involved in alpha 4 beta 7-mediated adhesion to vascular cell adhesion molecule-1, mucosal addressin-1, fibronectin, and lymphocyte aggregation. J Immunol. 153 (9): 3847-61.</li> <li>Bellingan, G.J. <i>et al.</i> (2002) Adhesion molecule-dependent mechanisms regulate the rate of macrophage clearance during the resolution of peritoneal inflammation. J Exp Med.</li> </ol>

### <u>196: 1515-21.</u>

5. Fukuoka, M. *et al.* (2000) Antiadhesive function of 130-kd glycoform of CD43 expressed in CD4 T-lymphocyte clones and transfectant cell lines. <u>Blood. 96: 4267-75.</u>

6. Hokibara, S. *et al.* (2000) Effects of monoclonal antibodies to adhesion molecules on eosinophilic myocarditis in Toxocara canis-infected CBA/J mice. <u>Clin Exp Immunol. 114:</u> <u>236-44.</u>

7. Li, W. *et al.* (2008) Reduced alpha4beta1 integrin/VCAM-1 interactions lead to impaired pre-B cell repopulation in alpha 1,6-fucosyltransferase deficient mice. <u>Glycobiology. 18:</u> 114-24.

8. Liu, Z.J. *et al.* (1999) A novel role for H-Ras in the regulation of very late antigen-4 integrin and VCAM-1 via c-Myc-dependent and -independent mechanisms. <u>J Immunol.</u> 163: 4901-8.

9. Tchilian, E.Z. *et al.* (1997) Anti-alpha 4 integrin antibody induces apoptosis in murine thymocytes and staphylococcal enterotoxin B-activated lymph node T cells. <u>Immunology.</u> <u>92: 321-7.</u>

10. Bowden, R.A. *et al.* (2002) Role of alpha4 integrin and VCAM-1 in CD18-independent neutrophil migration across mouse cardiac endothelium. <u>Circ Res. 90: 562-9.</u>

11. Hirata, T. *et al.* (2002) P-, E-, and L-selectin mediate migration of activated CD8+ T lymphocytes into inflamed skin. J Immunol. 169: 4307-13.

12. Vaz, R. *et al.* (2012) Fibronectin promotes migration, alignment and fusion in an in vitro myoblast cell model. <u>Cell Tissue Res. 348: 569-78.</u>

13. Gillberg, L. *et al.* (2013) Effective treatment of mouse experimental colitis by alpha 2 integrin antibody: comparison with alpha 4 antibody and conventional therapy. <u>Acta</u> <u>Physiol (Oxf). 207: 326-36.</u>

14. Eshghi, S. *et al.* (2007) Alpha4beta1 integrin and erythropoietin mediate temporally distinct steps in erythropoiesis: integrins in red cell development. <u>J Cell Biol. 177: 871-80.</u>
 15. Maus, U.A. *et al.* (2004) Pneumolysin-induced lung injury is independent of leukocyte trafficking into the alveolar space. <u>J Immunol. 173: 1307-12.</u>

16. Enghofer, M. *et al.* (1998) Lymphocyte transfer in streptozotocin-induced diabetes: adhesion of donor cells to islet endothelium. <u>Am J Physiol. 274: E928-35.</u>

17. Zhang, Y. *et al.* (2012) Autotaxin through lysophosphatidic acid stimulates polarization, motility, and transendothelial migration of naive T cells. <u>J Immunol. 189: 3914-24.</u>
18. Ferrer, P. *et al.* (2005) Association between pterostilbene and quercetin inhibits

metastatic activity of B16 melanoma. <u>Neoplasia. 7: 37-47.</u> 19. Tanneau, G.M. *et al.* (1999) Differential recruitment of T- and IgA B-lymphocytes in the

developing mammary gland in relation to homing receptors and vascular addressins. J <u>Histochem Cytochem. 47: 1581-92.</u>

20. Omenetti, S. *et al.* (2015) Dysregulated intrahepatic CD4<sup>+</sup> T-cell activation drives liver inflammation in ileitis-prone SAMP1/YitFc mice. <u>Cell Mol Gastroenterol Hepatol. 1 (4):</u> 406-19.

21. Chung, K.J. *et al.* (2017) A self-sustained loop of inflammation-driven inhibition of beige adipogenesis in obesity. <u>Nat Immunol. 18 (6): 654-64.</u>

Storage Store at -20°C only.

This product should be stored undiluted.

	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.	J
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/MCA1230EL 10162	
Regulatory	For research purposes only	

## **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16)	DyLight®800
Rabbit Anti Rat IgG (STAR17)	<u>FITC</u>
Goat Anti Rat IgG (STAR72)	HRP
Goat Anti Rat IgG (STAR69)	<u>FITC</u>
Goat Anti Rat IgG (STAR73)	RPE
Rabbit Anti Rat IgG (STAR21)	HRP
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71.	)DyLight®550, DyLight®650, DyLight®800
Goat Anti Rat IgG (STAR131)	<u>Alk. Phos., Biotin</u>

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M364993:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint