

Datasheet: MCA1258SBV515

Description:	RAT ANTI MOUSE CD45R:StarBright Violet 515
Specificity:	CD45R
Other names:	B220, LY-5
Format:	StarBright Violet 515
Product Type:	Monoclonal Antibody
Clone:	RA3-6B2
Isotype:	lgG2a
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse			
Species Cross	Reacts with: Human,	Cat		
Reactivity	reactivity is derived f	rom testing within our I	ons may vary between s aboratories, peer-review ors. Please refer to refere	ed publications
Product Form	Purified IgG conjuga	ted to StarBright Violet	515 - liquid	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	StarBright Violet 515	401	516	
Preparation	Purified IgG prepared supernatant	d by affinity chromatog	raphy on Protein G from	tissue culture
Buffer Solution	Phosphate buffered s	colino		

Preservative 0.09% Sodium Azide (NaN₃) Stabilisers 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 Immunogen Murine leukemia-induced pre-B tumor cells (RAW112) External Database Links UniProt: P06800 Related reagents Entrez Gene:

19264 Ptprc

Related reagents

Synonyms

Ly-5

Fusion Partners

Spleen cells from immunized Lewis rats were fused with cells of the rat S194/5 XX0.BU-1 myeloma cell line

Specificity

Rat anti Mouse CD45R antibody, clone RA3-6B2 recognizes murine CD45R, a form of the CD45 antigen expressed by B cells and lytically active subsets of NK cells and non-MHC restricted CTL's. Rat anti Mouse CD45R antibody, clone RA3-6B2 immunoprecipitates the high molecular weight form of CD45 (220 kDa).

Rat anti Mouse CD45R antibody, clone RA3-6B2 is suitable for plp fixed paraffin embedded tissues (Whiteland *et al.* 1995).

Flow Cytometry

Use 5ul of the suggested working dilution to label 10⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.

References

- 1. Coffman, R.L. (1982) Surface antigen expression and immunoglobulin gene rearrangement during mouse pre-B cell development. Immunol Rev. 69: 5-23.
- 2. Rosmalen, J.G. *et al.* (2000) Subsets of macrophages and dendritic cells in nonobese diabetic mouse pancreatic inflammatory infiltrates: correlation with the development of diabetes. Lab Invest. 80 (1): 23-30.
- 3. Whiteland, J.L. *et al.* (1995) Immunohistochemical detection of T-cell subsets and other leukocytes in paraffin-embedded rat and mouse tissues with monoclonal antibodies. <u>J</u> Histochem Cytochem. 43 (3): 313-20.
- 4. Spangrude, G.J. *et al.* (1988) Purification and characterization of mouse hematopoietic stem cells. <u>Science</u>. 241: 58-62.
- 5. Spangrude, G.J. *et al.* (1988) Two rare populations of mouse Thy-1lo bone marrow cells repopulate the thymus. J Exp Med. 167 (5): 1671-83.
- 6. Holmes, K.L. *et al.* (1986) Analysis of neoplasms induced by Cas-Br-M MuLV tumor extracts. J Immunol. 137 (2): 679-88.
- 7. Ankeny, D.P. *et al.* (2009) B cells produce pathogenic antibodies and impair recovery after spinal cord injury in mice. J Clin Invest. 119: 2990-9.
- 8. Lundqvist, J. *et al.* (2010) Concomitant infection decreases the malaria burden but escalates relapsing fever borreliosis. Infect Immun. 78 (5): 1924-30.

- 9. Herrmann, I. *et al.* (2006) Streptococcus pneumoniae Infection aggravates experimental autoimmune encephalomyelitis via Toll-like receptor 2. Infect Immun. 74: 4841-8.
- 10. Kleiter, I. *et al.* (2010) Smad7 in T cells drives T helper 1 responses in multiple sclerosis and experimental autoimmune encephalomyelitis. Brain. 133: 1067-81.
- 11. Lacroix-Lamande, S. *et al.* (2009) Neonate intestinal immune response to CpG oligodeoxynucleotide stimulation. <u>PLoS One. 4: e8291.</u>
- 12. Bertilaccio, M.T. *et al.* (2011) Lack of TIR8/SIGIRR triggers progression of chronic lymphocytic leukemia in mouse models. <u>Blood.</u> 118: 660-9.
- 13. Gengozian, N. *et al.* (2005) Characterization of a monoclonal antibody identifying a CD45RA antigen on feline leukocytes. <u>Vet Immunol Immunopathol. 108: 253-64.</u>
- 14. Giuriato, S. *et al.* (2010) Conditional TPM3-ALK and NPM-ALK transgenic mice develop reversible ALK-positive early B-cell lymphoma/leukemia. Blood. 115: 4061-70.
- 15. Hawke, S. *et al.* (1998) Long-term persistence of activated cytotoxic T lymphocytes after viral infection of the central nervous system. J Exp Med. 187: 1575-82.
- 16. Nakaya, T. *et al.* (2010) Critical role of Pcid2 in B cell survival through the regulation of MAD2 expression. J Immunol. 185: 5180-7.
- 17. Perry, M.J. *et al.* (2000) Effects of high-dose estrogen on murine hematopoietic bone marrow precede those on osteogenesis. <u>Am J Physiol Endocrinol Metab. 279: E1159-65.</u>
- 18. Gibson-Corley, K.N. *et al.* (2016) A method for histopathological study of the multifocal nature of spinal cord lesions in murine experimental autoimmune encephalomyelitis. PeerJ. 4: e1600.
- 19. Soejima, M. *et al.* (2011) Role of innate immunity in a murine model of histidyl-transfer RNA synthetase (Jo-1)-mediated myositis. Arthritis Rheum. 63: 479-87.
- 20. Stevenson, P.G. *et al.* (2002) Uncoupling of virus-induced inflammation and anti-viral immunity in the brain parenchyma. <u>J Gen Virol. 83: 1735-43.</u>
- 21. Fanning, S. *et al.* (2012) Bifidobacterial surface-exopolysaccharide facilitates commensal-host interaction through immune modulation and pathogen protection. <u>Proc Natl Acad Sci U S A. 109 (6): 2108-13.</u>
- 22. Ruf, M.T. *et al.* (2012) Chemotherapy-Associated Changes of Histopathological Features of Mycobacterium ulcerans Lesions in a Buruli Ulcer Mouse Model. <u>Antimicrob Agents Chemother</u>. 56: 687-96.
- 23. Carpenter, R.S. *et al.* (2015) Traumatic spinal cord injury in mice with human immune systems. <u>Exp Neurol. 271: 432-44.</u>
- 24. Lastrucci, C. *et al.* (2015) Molecular and cellular profiles of the resolution phase in a damage-associated molecular pattern (DAMP)-mediated peritonitis model and revelation of leukocyte persistence in peritoneal tissues. FASEB J. 29 (5): 1914-29.
- 25. Thiele, L.S.N. *et al.* (2020) Functional relevance of the multi-drug transporter abcg2 on teriflunomide therapy in an animal model of multiple sclerosis. <u>J Neuroinflammation</u>. 17 (1): 9.
- 26. Jaensch, S. *et al.* (2022) Clinicopathologic and immunophenotypic features in dogs with presumptive large granular lymphocyte leukaemia <u>Aus Vet J. Aug 12 [Epub ahead of print].</u>

Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch

Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20438 available at: 20438: https://www.bio-rad-antibodies.com/uploads/MSDS/20438.pdf
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A)
MOUSE SEROBLOCK FcR (BUF041B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M379324:210324'

Printed on 17 Aug 2022

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint