

Datasheet: MCA1258SBV790 BATCH NUMBER 100005592

| Description: | RAT ANTI MOUSE CD45R:StarBright Violet 790 | | |
|---------------|--|--|--|
| Specificity: | CD45R | | |
| Other names: | B220, LY-5 | | |
| Format: | StarBright Violet 790 | | |
| Product Type: | Monoclonal Antibody | | |
| Clone: | RA3-6B2 | | |
| Isotype: | lgG2a | | |
| Quantity: | 100 TESTS/0.5ml | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | |
|----------------|--|--------------------|-------------------|--------------------|--|
| | | Yes No | Not Determined | Suggested Dilution | |
| | Flow Cytometry | | | Neat | |
| | Where this product has not been tested for use in a particular technique this does not | | | | |
| | necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. | | | | |
| Target Species | Mouse | | | | |
| Species Cross | Reacts with: Human, Cat | | | | |
| Reactivity | N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | |
| Product Form | Purified IgG conjugated to StarBright Violet 790 - liquid | | | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm | Emission Max (nm) | | |
| | StarBright Violet 790 | 401 | 782 | | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant | | | | |

| Buffer Solution | Phosphate buffered saline | |
|-----------------------------|---|--|
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20 | |
| Immunogen | Murine leukemia-induced pre-B tumor cells (RAW112) | |
| External Database Links | UniProt: <u>P06800</u> <u>Related reagents</u> Entrez Gene: <u>19264</u> Ptprc <u>Related reagents</u> | |
| Synonyms | Ly-5 | |
| Fusion Partners | Spleen cells from immunized Lewis rats were fused with cells myeloma cell line | of the rat S194/5 XX0.BU-1 |
| Specificity | Rat anti Mouse CD45R antibody, clone RA3-6B2 recognize the CD45 antigen expressed by B cells and lytically active sub non-MHC restricted CTL's. Rat anti Mouse CD45R antibody, o immunoprecipitates the high molecular weight form of CD45 (2 Rat anti Mouse CD45R antibody, clone RA3-6B2 is suitable for embedded tissues (Whiteland <i>et al.</i> 1995). | osets of NK cells and clone RA3-6B2 220 kDa). |
| Flow Cytometry | Use 5ul of the suggested working dilution to label 10 ⁶ cells in suggest a 5 minutes centrifugation at 6,000g prior to sample a | • |
| References | Coffman, R.L. (1982) Surface antigen expression and immure rearrangement during mouse pre-B cell development. Immune 2. Rosmalen, J.G. <i>et al.</i> (2000) Subsets of macrophages and diabetic mouse pancreatic inflammatory infiltrates: correlation diabetes. Lab Invest. 80 (1): 23-30. Whiteland, J.L. <i>et al.</i> (1995) Immunohistochemical detection leukocytes in paraffin-embedded rat and mouse tissues with n <u>Histochem Cytochem. 43 (3): 313-20.</u> Spangrude, G.J. <i>et al.</i> (1988) Purification and characterization stem cells. <u>Science. 241: 58-62.</u> Spangrude, G.J. <i>et al.</i> (1988) Two rare populations of mouse cells repopulate the thymus. J Exp Med. 167 (5): 1671-83. Holmes, K.L. <i>et al.</i> (1986) Analysis of neoplasms induced be extracts. J Immunol. 137 (2): 679-88. Ankeny, D.P. <i>et al.</i> (2009) B cells produce pathogenic antible | bl Rev. 69: 5-23. dendritic cells in nonobese with the development of n of T-cell subsets and other nonoclonal antibodies. J ion of mouse hematopoietic se Thy-1lo bone marrow ny Cas-Br-M MuLV tumor |

after spinal cord injury in mice. J Clin Invest. 119: 2990-9.

8. Lundqvist, J. *et al.* (2010) Concomitant infection decreases the malaria burden but escalates relapsing fever borreliosis. Infect Immun. 78 (5): 1924-30.

9. Herrmann, I. *et al.* (2006) Streptococcus pneumoniae Infection aggravates experimental autoimmune encephalomyelitis via Toll-like receptor 2. <u>Infect Immun. 74: 4841-8.</u>

10. Kleiter, I. *et al.* (2010) Smad7 in T cells drives T helper 1 responses in multiple sclerosis and experimental autoimmune encephalomyelitis. <u>Brain. 133: 1067-81.</u>

11. Lacroix-Lamande, S. *et al.* (2009) Neonate intestinal immune response to CpG oligodeoxynucleotide stimulation. <u>PLoS One. 4: e8291.</u>

12. Bertilaccio, M.T. *et al.* (2011) Lack of TIR8/SIGIRR triggers progression of chronic lymphocytic leukemia in mouse models. <u>Blood. 118: 660-9.</u>

13. Gengozian, N. *et al.* (2005) Characterization of a monoclonal antibody identifying a CD45RA antigen on feline leukocytes. <u>Vet Immunol Immunopathol. 108: 253-64.</u>

 Giuriato, S. *et al.* (2010) Conditional TPM3-ALK and NPM-ALK transgenic mice develop reversible ALK-positive early B-cell lymphoma/leukemia. <u>Blood. 115: 4061-70.</u>
 Hawke, S. *et al.* (1998) Long-term persistence of activated cytotoxic T lymphocytes after viral infection of the central nervous system. J Exp Med. 187: 1575-82.

16. Nakaya, T. *et al.* (2010) Critical role of Pcid2 in B cell survival through the regulation of MAD2 expression. <u>J Immunol. 185: 5180-7.</u>

 Perry, M.J. *et al.* (2000) Effects of high-dose estrogen on murine hematopoietic bone marrow precede those on osteogenesis. <u>Am J Physiol Endocrinol Metab. 279: E1159-65.</u>
 Gibson-Corley, K.N. *et al.* (2016) A method for histopathological study of the multifocal nature of spinal cord lesions in murine experimental autoimmune encephalomyelitis. <u>PeerJ. 4: e1600.</u>

19. Soejima, M. *et al.* (2011) Role of innate immunity in a murine model of histidyl-transfer RNA synthetase (Jo-1)-mediated myositis. <u>Arthritis Rheum. 63: 479-87.</u>

20. Stevenson, P.G. *et al.* (2002) Uncoupling of virus-induced inflammation and anti-viral immunity in the brain parenchyma. J Gen Virol. 83: 1735-43.

21. Fanning, S. *et al.* (2012) Bifidobacterial surface-exopolysaccharide facilitates commensal-host interaction through immune modulation and pathogen protection. <u>Proc</u> <u>Natl Acad Sci U S A. 109 (6): 2108-13.</u>

22. Ruf, M.T. *et al.* (2012) Chemotherapy-Associated Changes of Histopathological Features of Mycobacterium ulcerans Lesions in a Buruli Ulcer Mouse Model. <u>Antimicrob Agents Chemother. 56: 687-96.</u>

23. Carpenter, R.S. *et al.* (2015) Traumatic spinal cord injury in mice with human immune systems. <u>Exp Neurol. 271: 432-44.</u>

24. Lastrucci, C. *et al.* (2015) Molecular and cellular profiles of the resolution phase in a damage-associated molecular pattern (DAMP)-mediated peritonitis model and revelation of leukocyte persistence in peritoneal tissues. <u>FASEB J. 29 (5): 1914-29.</u>

25. Thiele, L.S.N. *et al.* (2020) Functional relevance of the multi-drug transporter abcg2 on teriflunomide therapy in an animal model of multiple sclerosis. <u>J Neuroinflammation. 17</u> (<u>1): 9</u>.

26. Jaensch, S. *et al.* (2022) Clinicopathologic and immunophenotypic features in dogs with presumptive large granular lymphocyte leukaemia <u>Aus Vet J. Aug 12 [Epub ahead of print].</u>

Storage Store at +4°C. DO NOT FREEZE.

| | This product should be stored undiluted. |
|----------------------------------|---|
| Guarantee | 12 months from date of despatch |
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts |
| Health And Safety Information | Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1258SBV790 20471 |
| Regulatory | For research purposes only |

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|-----------------------------|-----------|------------------------------|-----------|--------------------------------------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 |
| | Email: antibody_sales_us@bi | o-rad.com | Email: antibody_sales_uk@bic | o-rad.com | Email: antibody_sales_de@bio-rad.com |
| | | | | | |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387266:210621'

Printed on 28 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint