

Datasheet: MCA1260SBR670

Description:	RAT ANTI MOUSE CD25:StarBright Red 670
Specificity:	CD25
Other names:	IL-2R ALPHA CHAIN
Format:	StarBright Red 670
Product Type:	Monoclonal Antibody
Clone:	PC61.5.3
Isotype:	lgG1
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

Yes No Not Determined Suggested Dilution
Flow Cytometry • Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse			
Product Form	Purified IgG conjuga	ted to StarBright Red 6	70 - liquid	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm	
	StarBright Red 670	653	666	
Preparation	Purified IgG prepared by affinity chromatography on Protein G f supernatant			
		d by affinity chromatogi	rapny on Protein G	
Buffer Solution			rapny on Protein G	
Buffer Solution Preservative	supernatant	saline	rapny on Protein G	
	supernatant Phosphate buffered	saline e (NaN ₃)	rapny on Protein G	
Preservative	Supernatant Phosphate buffered 0.09% Sodium Azide	saline e (NaN ₃)	rapny on Protein G	
Preservative	supernatant Phosphate buffered 0.09% Sodium Azide 1% Bovine Serum A	saline e (NaN ₃)	rapny on Protein G	

Approx. Protein Concentrations	For information on the concentration of our StarBright Dye conjugated reagents pleas visit our <u>FAQ</u> page.	
Immunogen	B6.1 CTL cell line.	
External Database Links	UniProt: P01590 Related reagents	
	Entrez Gene: 16184 Il2ra Related reagents	
Synonyms	II2r	
Fusion Partners	Spleen cells from immunized OFA rats were fused with cells of the P3X63Ag8.653 m myeloma cell line.	

Specificity

Rat anti Mouse CD25 antibody, clone PC61.5.3 reacts with the low affinity alpha chain of the interleukin-2 receptor present on activated T and B cells in mice. Rat anti Mouse CD25 antibody, clone PC61.5.3 is reported to inhibit IL-2 binding and IL-2 dependent proliferation.

653 mouse

Flow Cytometry

Use 5µl of the suggested working dilution to label 10⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.

References

- 1. Ceredig, R. et al. (1985) Expression of interleukin-2 receptor as a differentiation marker on intrathymic stem cells. Nature 314: 98-100.
- 2. Lowenthal, J.W. et al. (1985) High and low affinity IL 2 receptors: analysis by IL 2 dissociation rate and reactivity with monoclonal anti-receptor antibody PC61. J Immunol. 135 (6): 3988-94.
- 3. Hashimoto, N. et al. (1986) Dissociation of interleukin 2-dependent and -independent B cell proliferation with monoclonal anti-interleukin 2 receptor antibody. Eur J Immunol. 16 (3): 317-20.
- 4. Moreau, J.L. et al. (1987) Monoclonal antibodies identify three epitope clusters on the mouse p55 subunit of the interleukin 2 receptor: relationship to the interleukin 2-binding site. Eur J Immunol. 17 (7): 929-35.
- 5. Yaqoob, P. & Calder, P.C. (1997) Glutamine requirement of proliferating T lymphocytes. Nutrition. 13 (7-8): 646-51.
- 6. Scotland, R.S. et al. (2011) Sex differences in resident immune cell phenotype underlie more efficient acute inflammatory responses in female mice. Blood. 118 (22): 5918-27.
- 7. Karali, D. et al. (2016) T cell regulation by Phlomis lanata protein extracts in mice. Pharm Biol. 54 (2): 207-14.
- 8. Szuster-Ciesielska, A. et al. (2019) Immunogenic Evaluation of Ribosomal P-Protein Antigen P0, P1, and P2 and Pentameric Protein Complex P0-(P1-P2)₂ of Plasmodium falciparum in a Mouse Model. J Immunol Res. 2019: 9264217.
- 9. Curina, G. et al. (2018) Evaluation of immune responses in mice and sheep inoculated with a live attenuated Brucella melitensis. REV1 vaccine produced in bioreactor. Vet Immunol Immunopathol. 198: 44-53.

11. Roca, C.P. et al. (2023) A cross entropy test allows quantitative statistical comparison of t-SNE and UMAP representations Cell Reports Methods. 3 (1): 100390.

Storage Store at +4°C. DO NOT FREEZE.
This product should be stored undiluted.

Guarantee 12 months from date of despatch

Acknowledgements This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts

Health And Safety Information Material Safety Datasheet documentation #20471 available at:
https://www.bio-rad-antibodies.com/SDS/MCA1260SBR670
20471

functions of neural stem cells. Stem Cell Res. 56: 102559.

10. Arad, T. et al. (2021) CD200 -dependent and -independent immune-modulatory

Related Products

Regulatory

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A)
MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

For research purposes only

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M434700:250224'

Printed on 10 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint