

Datasheet: MCA1260SBV440 BATCH NUMBER 100004073

Description:	RAT ANTI MOUSE CD25:StarBright Violet 440		
Specificity:	CD25		
Other names:	IL-2R ALPHA CHAIN		
Format:	StarBright Violet 440		
Product Type:	Monoclonal Antibody		
Clone:	PC61.5.3		
Isotype:	lgG1		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
		Yes No	Not Determined	Suggested Dilution		
	Flow Cytometry			Neat		
	necessarily exclude it	ts use in such proced ommended that the us	use in a particular tech ures. Suggested workin ser titrates the product f controls.	g dilutions are given as		
Target Species	Mouse					
Product Form	Purified IgG conjugated to StarBright Violet 440 - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	StarBright Violet 440	385	438			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Alt 0.1% Pluronic F68 0.1% PEG 3350					

Immunogen	B6.1 CTL cell line.
External Database Links	UniProt: P01590 Related reagents
	Entrez Gene: <u>16184</u> II2ra <u>Related reagents</u>
Synonyms	ll2r
Fusion Partners	Spleen cells from immunized OFA rats were fuzed with cells of the P3X63Ag8.653 mouse myeloma cell line.
Specificity	Rat anti Mouse CD25 antibody, clone PC61.5.3 reacts with the low affinity alpha chain of the interleukin-2 receptor present on activated T and B cells in mice. Rat anti Mouse CD25 antibody, clone PC61.5.3 is reported to inhibit IL-2 binding and IL-2 dependent proliferation.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	 Moreau, J.L. <i>et al.</i> (1987) Monoclonal antibodies identify three epitope clusters on the mouse p55 subunit of the interleukin 2 receptor: relationship to the interleukin 2-binding site. <u>Eur J Immunol. 17 (7): 929-35.</u> Hashimoto, N. <i>et al.</i> (1986) Dissociation of interleukin 2-dependent and -independent B cell proliferation with monoclonal anti-interleukin 2 receptor antibody. <u>Eur J Immunol. 16 (3): 317-20.</u> Lowenthal, J.W. <i>et al.</i> (1985) High and low affinity IL 2 receptors: analysis by IL 2 dissociation rate and reactivity with monoclonal anti-receptor antibody PC61. <u>J Immunol. 135 (6): 3988-94.</u> Ceredig, R. <i>et al.</i> (1985) Expression of interleukin-2 receptor as a differentiation marker on intrathymic stem cells. <u>Nature 314: 98-100.</u> Yaqoob, P. & Calder, P.C. (1997) Glutamine requirement of proliferating T lymphocytes. <u>Nutrition. 13 (7-8): 646-51.</u> Scotland, R.S. <i>et al.</i> (2011) Sex differences in resident immune cell phenotype underlie more efficient acute inflammatory responses in female mice. <u>Blood. 118 (22): 5918-27.</u>
Storage	 7. Karali, D. <i>et al.</i> (2016) T cell regulation by <i>Phlomis lanata</i> protein extracts in mice. <u>Pharm Biol. 54 (2): 207-14.</u> 8. Szuster-Ciesielska, A. <i>et al.</i> (2019) Immunogenic Evaluation of Ribosomal P-Protein Antigen P0, P1, and P2 and Pentameric Protein Complex P0-(P1-P2)₂ of <i>Plasmodium</i> <i>falciparum</i> in a Mouse Model. <u>J Immunol Res. 2019: 9264217.</u> Store at +4°C. DO NOT FREEZE.
	This product should be stored undiluted.
Guarantee	12 months from date of despatch

Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts	۱
Health And Safety Information	Material Safety Datasheet documentation #20438 available at: https://www.bio-rad-antibodies.com/SDS/MCA1260SBV440 20438	
Regulatory	For research purposes only	
Related Produc		
MOUSE SEROBLOCK	FcR (BUF041A)	

MOUSE SEROBLOCK FcR (BUF041B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M374269:201028'

Printed on 15 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint