## Datasheet: MCA1267SBV670T BATCH NUMBER 100007385

Description:	MOUSE ANTI HUMAN CD4:StarBright Violet 670
Specificity:	CD4
Format:	StarBright Violet 670
Product Type:	Monoclonal Antibody
Clone:	RPA-T4
Isotype:	lgG1
Quantity:	25 TESTS/0.125ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further						
	information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•			Neat		
	Where this product has necessarily exclude its a guide only. It is recon system using appropria	use in such p nmended that	rocedur the use	es. Suggested workin r titrates the product	ng dilutions are given as		
Target Species	Human						
Product Form	Purified IgG conjugated to StarBright Violet 670 - liquid						
Max Ex/Em	Fluorophore	Excitation Max	c (nm)	Emission Max (nm)			
	StarBright Violet 670	400		667			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )						
Stabilisers	1% Bovine Serum Albumin						
	0.1% Pluronic F68						
	0.1% PEG 3350						
	0.05% Tween 20						

Immunogen	Human PHA blasts
External Database Links	UniProt:         P01730       Related reagents         Entrez Gene:         920       CD4       Related reagents
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NSI myeloma cell line
Specificity	Mouse anti human CD4 antibody, clone RPA-T4 recognizes human CD4, a ~55 kDa cell surface glycoprotein, primarily expressed on a subpopulation of T lymphocytes, on peripheral blood monocytes and on tissue macrophages. Epitope mapping shows that antibodies, produced by clone RPA-T4, recognize an epitope within domain 1 of the extracellular region of the CD4 molecule. Mouse anti human CD4 antibody, clone RPA-T4 blocks gp120-CD4 interaction and inhibits
	syncytium formation (Piatier-Tonneau <i>et al</i> , 1997). The use of <u>Mouse anti Human</u> <u>CD4:Low Endotoxin (<b>MCA1267EL</b>)</u> is recommended for functional assays.
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	<ol> <li>Zarkesh-Esfahani, H. <i>et al.</i> (2001) High-dose leptin activates human leukocytes via receptor expression on monocytes. J Immunol. 167 (8): 4593-9.</li> <li>Voehringer, D. <i>et al.</i> (2002) Lack of proliferative capacity of human effector and memory T cells expressing killer cell lectinlike receptor G1 (KLRG1). <u>Blood. 100 (10): 3698-702.</u></li> <li>Piatier-Tonneau, D. (1997) CD4 workshop panel report. In: Leucocyte Typing VI: White Cell Differentiation Antigens: Proceedings of the Sixth International Workshop and Conference Held in Kobe, Japan, 10-14 November 1996. Garland Pub., 1998.</li> <li>Pentón-Rol, G. <i>et al.</i> (2011) C-Phycocyanin ameliorates experimental autoimmune encephalomyelitis and induces regulatory T cells. Int Immunopharmacol. 11 (1): 29-38.</li> <li>Wright, G.J. <i>et al.</i> (2001) The unusual distribution of the neuronal/lymphoid cell surface CD200 (OX2) glycoprotein is conserved in humans. Immunology. 102 (2): 173-9.</li> <li>Zhang, Y. <i>et al.</i> (2013) Accelerated <i>in vivo</i>. proliferation of memory phenotype CD4+ T-cells in human HIV-1 infection irrespective of viral chemokine co-receptor tropism. PLoS Pathog. 9 (4): e1003310.</li> <li>Bughani, U. <i>et al.</i> (2017) T cell activation and differentiation is modulated by a CD6 domain 1 antibody Itolizumab. PLoS One. 12 (7): e0180088.</li> </ol>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign

	cour	nterparts						
Health A Informati	nd Safety Mate on <u>https</u> 2047							
Regulato	atory For research purposes only							
	d Products nended Useful F	Reagents						
	EROBLOCK (BUF07 EROBLOCK (BUF07							
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us	Worldwide s@bio-rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bid	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			
To find a b	atch/lot specific data	asheet for this produ	uct, please use our online 'M415460:221223'	search tool at: I	bio-rad-antibodies.com/datasheets			

## Printed on 18 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint