

Datasheet: MCA1298

BATCH NUMBER 149628

Description:	MOUSE ANTI HUMAN CD79a
Specificity:	CD79a
Other names:	MB-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	ZL7-4
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			10ug/ml
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			
ELISA	▪			
Immunoprecipitation	▪			20ug/ml
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	TRIS buffered saline
Preservative Stabilisers	0.09% Sodium Azide

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	IgM complex isolated from Daudi cells.
External Database Links	<p>UniProt: P11912 Related reagents</p> <p>Entrez Gene: 973 CD79A Related reagents</p>
Synonyms	IGA, MB1
RRID	AB_321767
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Specificity	<p>Mouse anti Human CD79a antibody, clone ZL7-4 recognizes the human B-cell antigen receptor complex-associated protein alpha chain, also known as MB-1 membrane glycoprotein or CD79a. clone ZL7-4 reacts with CD79a positive cells by flow cytometry and with CD79a in an ELISA specific for a fusion protein of CD79a-Fc.</p> <p>Mouse anti Human CD79a antibody, clone ZL7-4 has been reported to be useful in distinguishing B-CLL from mantle cell lymphoma in flow cytometric assays (Bell et al. 1999).</p> <p>Mouse anti Human CD79a antibody, clone ZL7-4 has been reported to be suitable for Immunohistochemistry on frozen and pre-treated paraffin sections, but does exhibit epithelial staining.</p> <p>Mouse anti Human CD79a antibody, clone ZL7-4 has been reported to induce phosphorylation of syk kinase (Lanham et al. 2003).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> Zhang, L. <i>et al.</i> (1995) The development of anti-CD79 monoclonal antibodies for treatment of B-cell neoplastic disease. Therapeutic Immunology 2:191-202 Bell, P.B. <i>et al.</i> (1999) CD79a detected by ZL7.4 separates chronic lymphocytic leukemia from mantle cell lymphoma in the leukemic phase. Cytometry. 38 (3): 102-5. Lanham, S. <i>et al.</i> (2003) Differential signaling via surface IgM is associated with VH gene mutational status and CD38 expression in chronic lymphocytic leukemia. Blood. 101 (3): 1087-93. Vendel, A.C. <i>et al.</i> (2009) B and T lymphocyte attenuator regulates B cell receptor signaling by targeting Syk and BLNK J Immunol. 182: 1509-17. Allsup, D.J. <i>et al.</i> (2005) B-cell receptor translocation to lipid rafts and associated signaling differ between prognostically important subgroups of chronic lymphocytic

leukemia. [Cancer Res. 65: 7328-37.](#)

6. Cragg, M.S. *et al.* (2002) The alternative transcript of CD79b is overexpressed in B-CLL and inhibits signaling for apoptosis. [Blood. 100: 3068-76.](#)

7. Rahemtullah, A. *et al.* (2008) CD20+ T-cell lymphoma: clinicopathologic analysis of 9 cases and a review of the literature. [Am J Surg Pathol. 32 \(11\): 1593-607.](#)

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10057 available at: 10057: <https://www.bio-rad-antibodies.com/uploads/MSDS/10057.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) [HRP](#)
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M365105:200529'

Printed on 08 Feb 2023