

# Datasheet: MCA1301GA BATCH NUMBER 152808

Description:	MOUSE ANTI RAT INTERFERON GAMMA
Specificity:	IFN GAMMA
Other names:	INTERFERON GAMMA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	DB-1
Isotype:	lgG1
Quantity:	0.1 mg

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	-			
	Immunohistology - Frozen	-			
	Immunohistology - Paraffin			-	
	ELISA	-			10ug/ml - 100ug/ml
	Immunoprecipitation			•	
	Where this antibody has necessarily exclude its us a guide only. It is recomn system using appropriate	se in sucł nended tł	n procedu nat the use	res. Suggested workin er titrates the antibody	g dilutions are given as
Target Species	Rat				
Species Cross Reactivity	Reacts with: Mouse <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information.	testing w	ithin our la	aboratories, peer-revie	wed publications or
Product Form	Purified IgG - liquid				
Preparation	Purified IgG prepared by supernatant	affinity cl	nromatogi	raphy on Protein A fror	n tissue culture

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant rat IFN gamma.
External Database Links	UniProt:         P01581       Related reagents         Entrez Gene:         25712       Ifng       Related reagents
RRID	AB_566997
Specificity	<ul> <li>Mouse anti Rat Interferon gamma antibody, clone DB-1 reacts with both mouse and rat Interferon gamma. Clone DB-1 exhibits high affinity binding to the natural and recombinant forms and effectively neutralizes the anti viral activity of IFN-gamma. It also blocks the induction of Ia antigen expression on murine keratinocytes.</li> <li>Mouse anti Rat Interferon gamma antibody, clone DB-1 does not cross-react with rodent IFN-alpha or IFN-beta or with human interferons.</li> <li>Mouse anti Rat Interferon gamma antibody, clone DB-1 has also been reported for use in neutralising studies.</li> </ul>
References	<ol> <li>Paineau, J. <i>et al.</i> (1991) Effect of recombinant interferon gamma and interleukin-2 and of a monoclonal antibody against interferon gamma on the rat immune response against heart allografts. J Heart Lung Transplant. 10 (3): 424-30.</li> <li>Paineau, J. <i>et al.</i>. (1989) Effects of gamma interferon and interleukin-2, and of gamma-interferon antibodies, on the rat immune response against allografts. Transplant Proc. 21: <u>999-1001.</u></li> <li>van der Meide, P.H. <i>et al.</i> (1986) The purification and characterization of rat gamma interferon by use of two monoclonal antibodies. J Gen Virol. 67 ( Pt 6): 1059-71.</li> <li>Keller, R. <i>et al.</i> (1987) Induction, maintenance, and reinduction of tumoricidal activity in bone marrow-derived mononuclear phagocytes by <i>Corynebacterium parvum</i>. Evidence for the involvement of a T cell- and interferon-gamma-independent pathway of macrophage activation. J Immunol. 138 (7): 2366-71.</li> <li>Jacob, C.O. <i>et al.</i> (1989) Heterogeneous effects of IFN-gamma in adjuvant arthritis. J Immunol. 142 (5): 1500-5.</li> <li>Kingston, A.E. <i>et al.</i> (1989) Schwann cells co-cultured with stimulated T cells and antigen express major histocompatibility complex (MHC) class II determinants without interferon-gamma pretreatment: synergistic effects of interferon-gamma and tumor necrosis factor on MHC class II induction. Eur J Immunol. 19 (1): 177-83.</li> </ol>

	<ul> <li>7. Graf, M.R. <i>et al.</i> (2001) IL-6 secretion by a rat T9 glioma clone induces a neutrophil-dependent antitumor response with resultant cellular, antiglioma immunity. <u>J Immunol. 16</u> (1): 121-9.</li> <li>8. Elflein, K. <i>et al.</i> (2003) Rapid recovery from T lymphopenia by CD28 superagonist therapy. <u>Blood. 102: 1764-70.</u></li> <li>9. Straube, F. and Herrmann, T. (2001) Differential modulation of CD8beta by rat gammadelta and alphabeta T cells after activation. <u>Immunology. 104: 252-8.</u></li> </ul>	<u>6</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this ma denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.	у
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1301GA 10040	
Regulatory	For research purposes only	

## **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	DyLight®650, DyLight®680, DyLight®800,			
	FITC, HRP			
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR77)	HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP			
Recommended Negative Controls				

#### MOUSE IgG1 NEGATIVE CONTROL (MCA1209)

North & South	Tel: +1 800 265 7376 Worldw	/ide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365113:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint