Datasheet: MCA1303G BATCH NUMBER 1612

Description:	RAT ANTI MOUSE INTERLEUKIN-2
Specificity:	IL-2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	JES6-5H4
lsotype:	lgG2b
Quantity:	0.5 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry (1)	-			1/10 - 1/50		
	Immunohistology - Frozen						
	(2)			•			
	Immunohistology - Paraffin			•			
	ELISA	-					
	Immunoprecipitation	-					
	Western Blotting			•			
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.						
	(1)Membrane permeabilization is required for this application. Bio-Rad recommends						
	the use of Leucoperm (<u>BUF09</u>) for this purpose. (2)Membrane permeabilization is required for this application. Bio-Rad recommends						
Target Species	Mouse						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by supernatant	affinity ch	iromatogra	aphy on Protein G from	m tissue culture		
Buffer Solution	Phosphate buffered salin	e					

Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	Recombinant Mouse IL-2.
External Database Links	UniProt: P04351 Related reagents Entrez Gene: 16183 II2 Related reagents Related reagents
Synonyms	II-2
RRID	AB_2123680
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse P3.X63 Ag8.653 myeloma cell line.
Specificity	Rat anti Mouse Interleukin-2 antibody, clone JES6-5H4 recognizes natural and recombinant murine IL-2.
	Rat anti Mouse Interleukin-2 antibody, clone JES6-5H4 does not function as a blocking antibody (<u>Sander <i>et al.</i> 1993</u>). For neutralization of murine IL-2 we recommend the use of Rat anti Mouse IL-2 antibody, clone JES6-1A12 (<u>MCA1493</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
References	 Tachibana, M. <i>et al.</i> (2000) Coreceptor function of mutant human CD4 molecules without affinity to gp120 of human immunodeficiency virus. J Biol Chem. 275 (27): 20288-94. Abrams, J.S. <i>et al.</i> (1992) Strategies of anti-cytokine monoclonal antibody development: immunoassay of IL-10 and IL-5 in clinical samples. Immunol Rev. 127: 5-24. Pletinckx, K. <i>et al.</i> (2015) Immature dendritic cells convert anergic nonregulatory T cells into Foxp3- IL-10+ regulatory T cells by engaging CD28 and CTLA-4. Eur J Immunol. 45 (2): 480-91.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch

Health Ai Informati	on <u>k</u>	Material Safety D <u>https://www.bio-ra</u> 10040	at:		
Regulato	ry F	or research purp			
Relate	d Products				
Recomn	nended Seco	ondary Antiboo	lies		
Rabbit Aı	nti Rat IgG (ST	AR16)	DyLight®800		
Rabbit A	nti Rat IgG (ST	AR17)	<u>FITC</u>		
Goat Ant	i Rat IgG (STA	R72)	<u>HRP</u>		
Goat Ant	i Rat IgG (STA	R69)	<u>FITC</u>		
Goat Ant	i Rat IgG (STA	R73)	<u>RPE</u>		
Rabbit Ar	nti Rat IgG (ST	AR21)	HRP		
Goat Ant	i Rat IgG (MOl	JSE ADSORBED	D) (STAR71) <u>DyLight®550</u>	, <u>DyLight®650</u> ,	DyLight®800
Goat Ant	i Rat IgG (STA	R131)	<u>Alk. Phos., B</u>	<u>iotin</u>	
orth & South merica	Tel: +1 800 265 737 Fax: +1 919 878 37 Email: antibody_sal		/ide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@b	Europe io-rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint