

# Datasheet: MCA1307T

Description:	MOUSE ANTI HUMAN SYNAPTOPHYSIN
Specificity:	SYNAPTOPHYSIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	SP15
lsotype:	lgM
Quantity:	20 µg

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.						
			No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin (1)	-			1/25		
	<ul> <li>Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.</li> <li>(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.Sodium citrate buffer pH 6.0 is recommended for this purpose.</li> </ul>						
Target Species	Human						
Species Cross Reactivity	Reacts with: Hamster, Rat, Marmoset <b>N.B.</b> Antibody reactivity and working conditions may vary between species.						
Product Form	Purified IgM - liquid						
Preparation	Purified IgM prepared by gel filtration from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide						
Approx. Protein Concentrations	Isotype concentration 1.0 mg	g/ml					

External Database

Immunogen

UniProt:

Crude human synaptic immunoprecipitate.

Links	P08247 Related reagents				
	Entrez Gene: 6855 SYP <u>Related reagents</u>				
RRID	AB_2198860				
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the NSO mouse myeloma cell line.				
Specificity	<b>Mouse anti Human Synaptophysin antibody, clone SP15</b> recognizes human synaptophysin, also known as Major synaptic vesicle protein p38. Synaptophysin is a 313 amino acid synaptic vesicle associated protein of ~38kDa containing a single <u>marvel</u> domain. Synaptophysin expression is ubiquitous in synaptic vesicle membranes where it is the most abundant protein and is involved in the regulation of endocytosis ( <u>Kwon <i>et al.</i> 2011</u> )				
	Loss and atypical expression of synaptophysin is noted in conditions such as Huntindon's disease ( <u>Goto and Hirano 1990</u> ) and Alzheimer's disease ( <u>Masliah <i>et al.</i> 1989</u> ). Mutations in the synaptophysin gene have been identified and lead to a condition, Mental retardation, X-linked 96 ( <u>Tarpey <i>et al.</i> 2009</u> ).				
	Mouse anti human synaptophysin antibody, clone SP15 has been used for the detection of synaptophysin by immunofluorescence, immunohistochemistry and western blotting on murine ( <u>Vitry <i>et al.</i> 2009</u> ), marmoset ( <u>Ramirez <i>et al.</i> 2001</u> ), rat ( <u>Barr <i>et al.</i> 2004</u> ), lapine ( <u>Roher <i>et al.</i> 2000</u> ) and human tissues ( <u>Beach <i>et al.</i> 1997</u> ).				
Histology Positive Control Tissue	Pancreas				
References	<ol> <li>Honer, W.G. <i>et al.</i> (1994) Hippocampal synaptic pathology in patients with temporal lobe epilepsy. <u>Acta Neuropathol. 87 (2): 202-10.</u></li> <li>Honer, W.G. <i>et al.</i> (1992) Regional synaptic pathology in Alzheimer's disease. <u>Neurobiol Aging.</u> 13 (3): 375-82.</li> <li>Honer, W.G. <i>et al.</i> (1993) Human synaptic proteins with a heterogeneous distribution in cerebellum and visual cortex. <u>Brain Res. 609: 9-20.</u></li> <li>Honer, W.G. <i>et al.</i> (1992) Characterization of a synaptic antigen of interest in neuropsychiatric illness. <u>Biol Psychiatry. 31 (2): 147-58.</u></li> <li>Honer, W.G. <i>et al.</i> (1989) Monoclonal antibodies to study the brain in schizophrenia. <u>Brain Res. 500 (1-2): 379-83.</u></li> <li>Masliah, E. <i>et al.</i> (1994) Topographical distribution of synaptic-associated proteins in the neuritic plaques of Alzheimer's disease hippocampus. <u>Acta Neuropathol. 87 (2): 135-42.</u></li> <li>Del Bigio, M.R. <i>et al.</i> (1994) Synapse alterations in the hippocampalentorhinal formation in Alzheimer's disease with and without Lewy body disease. <u>Brain Research 667: 24-32.</u></li> <li>Dickson, D.W. <i>et al.</i> (1994) Hippocampal sclerosis: a common pathological feature of dementia in very old (&gt; or = 80 years of age) humans. <u>Acta Neuropathol. 88 (3): 212-21.</u></li> <li>Dickson, D.W. <i>et al.</i> (2005) Correlations of synaptic and pathological markers with cognition of the elderly. <u>Neurobiol Aging 16: 285-98.</u></li> <li>Vitry, S. <i>et al.</i> (2010) Enhanced degradation of synaptophysin by the proteasome in mucopolysaccharidosis type IIIB. <u>Mol Cell Neurosci. 41: 8-18.</u></li> <li>Khan, O.H. <i>et al.</i> (2006) Brain damage in neonatal rats following kaolin induction of</li> </ol>				

	hydrocephalus. Exp Neurol. 200 (2): 311-20.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRPGoat Anti Mouse IgM (STAR138...)Alk. Phos.Human Anti Mouse IgM (HCA040...)FITC

### **Recommended Negative Controls**

#### MOUSE IgM NEGATIVE CONTROL (MCA692)

North & South	Tel: +1 800 265 7376	Worldwide
America	Fax: +1 919 878 3751	
	Email: antibody_sales_us@bio-rad.com	

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

'M365125:200529'

#### Printed on 11 Aug 2020

© 2020 Bio-Rad Laboratories Inc | Legal | Imprint