

Datasheet: MCA1347PE

Description:	MOUSE ANTI CAT CD8 ALPHA/BETA:RPE
Specificity:	CD8 ALPHA/BETA
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	vpg9
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Cat			
Species Cross Reactivity	Does not react with:Human			
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized			
Reconstitution	Reconstitute with 1 ml distilled water			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm	
	RPE 488nm laser	496	578	
Preparation	Antibody purified from tissue culture supernatant			
Buffer Solution	Phosphate buffered saline			
Preservative	0.09% sodium azide (0.09% sodium azide (NaN ₃)		
Stabilisers	1% bovine serum albumin			
	5% sucrose			

Immunogen	Feline thymocytes.				
External Database Links	UniProt: P41688 Related reagents P79336 Related reagents				
	Entrez Gene:				
	493799 CD8A Related reagents				
	493948 CD8B Related reagents				
Synonyms	CD8B1				
RRID	AB_2229071				
Fusion Partners	Spleen cells from immunized BALB/c were fused with cells of the NS0 mouse myeloma cell line.				
Specificity	Mouse anti Cat CD8 alpha/beta antibody, clone vpg9 recognizes the feline homolog of human CD8. Clone vpg 9 specifically recognizes an epitope associated with the alpha/beta complex of the CD8 heterodimer (Shimojima et al. 1998).				
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl				
References	 Willett, B.J., and Callanan, J.J. (1995) The expression of leucocyte differentiation antigens in the feline immune system. P 3-15. In B.J. Willett and O.J. Jarrett (eds). Feline Immunology and Immunodeficiency. Oxford University Press, Oxford. Callanan, J. et al. (1993) Morphologic characterization of the lymph node changes in feline immunodeficiency virus infection as an animal model of AIDS. In P. Racz, N. L. Letvin, and J.C. Gluckman (eds)., Animal models of HIV and other retroviral infections. S. Karger, Basel, Switzerland. P. 115-136. 				
	3. Shimojima, M. <i>et al.</i> (1998) Characterization of anti-feline CD8 monoclonal antibodies.				
	Vet Immunol Immunopathol. 61 (1): 17-23.				
	4. Veir, J.K. <i>et al.</i> (2007) Effect of supplementation with Enterococcus faecium (SF68) on immune functions in cats. <u>Vet Ther. 8: 229-38.</u>				
	5. Pistello, M. <i>et al.</i> (2010) Env-expressing autologous T lymphocytes induce neutralizing antibody and afford marked protection against feline immunodeficiency virus. <u>J Virol. 84:</u> 3845-56.				
	6. Willett, B.J. <i>et al.</i> (2007) Probing the interaction between feline immunodeficiency virus and CD134 by using the novel monoclonal antibody 7D6 and the CD134 (Ox40) ligand. <u>J</u>				
	 Virol. 81: 9665-79. 7. Willett, B.J. <i>et al.</i> (2013) Selective expansion of viral variants following experimental transmission of a reconstituted feline immunodeficiency virus quasispecies. <u>PLoS One. 8</u> 				

infection in a cat. J S Afr Vet Assoc. 75 (2): 103-7.

8. Milner, R.J. et al. (2004) Suppurative rhinitis associated with Haemophilus species

line (S87) as non-MHC-restricted cytotoxic T-cell line and assessment of its genetic

9. Rydzewski, L. et al. (2016) Identification of a novel feline large granular lymphoma cell

(1): e54871.

instability. Vet Immunol Immunopathol. 177: 24-34.

- 10. de Oliveira Medeiros, S. *et al.* (2016) Follow-up on long-term antiretroviral therapy for cats infected with feline immunodeficiency virus. J Feline Med Surg. 18 (4): 264-72.
- 11. Guzera, M. *et al.* (2016) The use of flow cytometry for immunophenotyping lymphoproliferative disorders in cats: a retrospective study of 19 cases. <u>Vet Comp Oncol.</u> 14 Suppl 1: 40-51.
- 12. O'Brien, T. *et al.* (2015) Moderate dietary supplementation with vitamin E enhances lymphocyte functionality in the adult cat. <u>Res Vet Sci. 99: 63-9.</u>
- 13. Sparger, E.E. *et al.* (2018) Investigation of immune cell markers in feline oral squamous cell carcinoma. <u>Vet Immunol Immunopathol.</u> 202: 52-62.
- 14. Maeta, N. *et al.* (2019) Lymphokine-activated killer cell transplantation after anti-cancer treatment in two aged cats. <u>Open Vet J. 9 (2): 147-50.</u>
- 15. Mustaffa-Kamal, F. *et al.* (2019) Characterization of antiviral T cell responses during primary and secondary challenge of laboratory cats with feline infectious peritonitis virus (FIPV). <u>BMC Vet Res. 15 (1): 165.</u>
- 16. Rütgen, B.C. *et al.* (2022) Composition of lymphocyte subpopulations in normal and mildly reactive peripheral lymph nodes in cats. <u>J Feline Med Surg. 24 (2): 77-90.</u>
- 17. Cha, S. *et al.* (2023) Non-B, Non-T Acute Lymphoblastic Leukemia in a Cat <u>Journal of Veterinary Clinics</u>. 40 (4): 298-302.
- 18. Rütgen, B.C. *et al.* (2024) Flowcytometric data of intermediate-large cell gastrointestinal lymphoma presenting a gross mass in 32 cats "let them glow in the flow". Front Vet Sci. 11: 1378826.
- 19. Wolfesberger, B. *et al.* (2024) Immunophenotype investigation in feline intestinal non-B-cell lymphoma. <u>J Comp Pathol. 212: 20-26.</u>

Storage

Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA1347PE 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)
MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA1209PE)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

 ${\bf Email: antibody_sales_uk@bio-rad.com}$

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 17 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint