

Datasheet: MCA1365A488

Description:	RAT ANTI MOUSE CD117:Alexa Fluor® 488		
Specificity:	CD117		
Other names:	C-KIT, SCF-R		
Format:	ALEXA FLUOR® 488		
Product Type:	Monoclonal Antibody		
Clone:	2B8		
Isotype:	IgG2b		
Quantity:	100 TESTS/1ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Immu	nogen
------	-------

IL-3 dependent mast cells.

External Database

Links

UniProt:

P05532 Related reagents

Entrez Gene:

16590 Kit Related reagents

Synonyms

SI

RRID

AB_871964

Fusion Partners

Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.

Specificity

Rat anti Mouse CD117 antibody, clone 2B8 recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.

Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.

Flow Cytometry

Use 10μl of the suggested working dilution to label 10⁶ cells in 100μl. The Fc region of monoclonal antibodies may bind to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR (<u>BUF041A/BUF041B</u>).

Further Reading

- 1. Manova, K. *et al.* (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. <u>J</u> Neurosci. 12 (12): 4663-76.
- 2. Maeda, H. *et al.* (1992) Requirement of c-kit for development of intestinal pacemaker system. <u>Development. 116 (2): 369-75.</u>
- 3. Takagi, M. *et al.* (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. <u>J Immunol. 148 (11): 3446-53.</u>
- 4. de Vries, P. *et al.* (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. J Exp Med. 176 (6): 1503-9.
- 5. Fleming WH *et al.* (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells *in vivo*. Proc Natl Acad Sci U S A. 90 (8): 3760-4.
- 6. Rico-Vargas, S.A. *et al.* (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. <u>J Immunol. 152 (6): 2845-52.</u>

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be

protected from light.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1365A488 10041
Regulatory	For research purposes only

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A)
MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Europe

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M409365:221018'

Printed on 03 Oct 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint