

Datasheet: MCA1365SBB700

BATCH NUMBER 100004779

Description:	RAT ANTI MOUSE CD117:StarBright Blue 700		
Specificity:	CD117		
Other names:	C-KIT, SCF-R		
Format:	StarBright Blue 700		
Product Type:	Monoclonal Antibody		
Clone:	2B8		
Isotype:	IgG2b		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse				
Product Form	Purified IgG conjugat	Purified IgG conjugated to StarBright Blue 700 - liquid			
lax Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)		
	StarBright Blue 700	470	700		
eparation	Purified IgG prepared by affinity chromatography on Protein G supernatant				
fer Solution	Phosphate buffered s	saline			
servative	0.09% Sodium Azide	(NaN ₃)			
abilisers	1% Bovine Serum Al	bumin			
	0.1% Pluronic F68				
	0.1% PEG 3350				

Immunogen	IL-3 dependent mast cells.			
External Database Links	UniProt: P05532 Related reagents Entrez Gene: 16590 Kit Related reagents			
Synonyms	SI			
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.			
Specificity	Rat anti Mouse CD117 antibody, clone 2B8 recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor. Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.			
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.			
Further Reading	1. Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells <i>in vivo</i> . Proc Natl Acad Sci U S A. 90 (8): 3760-4. 2. Rico-Vargas, S.A. <i>et al.</i> (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. J Immunol. 152 (6): 2845-52. 3. Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. J Neurosci. 12 (12): 4663-76. 4. Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. Development. 116 (2): 369-75. 5. Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. J Immunol. 148 (11): 3446-53. 6. de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. J Exp Med. 176 (6): 1503-9.			
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.			
Guarantee	12 months from date of despatch			
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts			

Health And Safety Material Safety Datasheet documentation #20471 available at:

Information https://www.bio-rad-antibodies.com/SDS/MCA1365SBB700

20471

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A)
MOUSE SEROBLOCK FcR (BUF041B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M373681:200929'

Printed on 01 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint