

Datasheet: MCA1365SBR775 BATCH NUMBER 100008310

Description:	RAT ANTI MOUSE CD117:StarBright Red 775		
Specificity:	CD117		
Other names:	C-KIT, SCF-R		
Format:	StarBright Red 775		
Product Type:	Monoclonal Antibody		
Clone:	2B8		
Isotype:	lgG2b		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications	derived from testing w communications from	ithin our laboratori the originators. Ple ral protocol recomr	n the following application es, peer-reviewed publica ease refer to references in nendations, please visit <u>w</u>	itions or personal ndicated for further	
		Yes No	Not Determined	Suggested Dilution	
	Flow Cytometry	•		Neat	
	necessarily exclude its	s use in such proce mmended that the	for use in a particular tech edures. Suggested workin user titrates the product f ve controls.	ng dilutions are given as	
Target Species	Mouse				
Product Form	Purified IgG conjugate	ed to StarBright Re	d 775 - liquid		
Max Ex/Em	Fluorophore	Excitation Max (n	m) Emission Max (nm)		
	StarBright Red 775	653	778		
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant				
Buffer Solution	Phosphate buffered saline				
Preservative	0.09% Sodium Azide	(NaN ₃)			
Stabilisers	1% Bovine Serum Albumin				
	0.1% Pluronic F68				
	0.1% PEG 3350				

	0.05% Tween 20
Immunogen	IL-3 dependent mast cells.
External Database Links	UniProt: <u>P05532</u> <u>Related reagents</u> Entrez Gene: <u>16590</u> Kit <u>Related reagents</u>
Synonyms	SI
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.
Specificity	Rat anti Mouse CD117 antibody, clone 2B8 recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.
	Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
Further Reading	 Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. J <u>Neurosci. 12 (12): 4663-76.</u> Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. <u>Development. 116 (2): 369-75.</u> Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. J Immunol. 148 (11): 3446-53. de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. J Exp Med. 176 (6): 1503-9. Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells <i>in vivo</i>. <u>Proc Natl Acad Sci U S A. 90 (8): 3760-4.</u> Rico-Vargas, S.A. <i>et al.</i> (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. J Immunol. 152 (6): 2845-52.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts

Health Ai Informati		terial Safety Datas <u>ps://www.bio-rad-ar</u> 171			
Regulato	ry Foi				
Relate	d Products				
Recomm	nended Useful	Reagents			
	EROBLOCK FcR (EROBLOCK FcR (
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50
	The all should be also a should be	us@bio-rad.com	Email: antibody sales uk@bio	p-rad.com	Email: antibody sales de@bio-rad.com

Printed on 12 Dec 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint