

Datasheet: MCA1365SBR775

Description:	RAT ANTI MOUSE CD117:StarBright Red 775			
Specificity:	CD117			
Other names:	C-KIT, SCF-R			
Format:	StarBright Red 775			
Product Type:	Monoclonal Antibody			
Clone:	2B8			
Isotype:	lgG2b			
Quantity:	100 TESTS/0.5ml			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•			Neat		
	Where this product has necessarily exclude its a guide only. It is recon system using appropria	use in such p nmended tha	procedur t the use	res. Suggested workin er titrates the product f	g dilutions are given as		
Target Species	Mouse						
Product Form	Purified IgG conjugated to StarBright Red 775 - liquid						
Max Ex/Em	Fluorophore	Excitation Ma	ax (nm)	Emission Max (nm)			
	StarBright Red 775	653		778			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative	0.09% Sodium Azide (NaN ₃)						
Stabilisers	1% Bovine Serum Albumin						
	0.1% Pluronic F68						
	0.1% PEG 3350						
	0.05% Tween 20						

Immunogen	IL-3 dependent mast cells.					
External Database Links	UniProt: <u>P05532</u> <u>Related reagents</u> Entrez Gene: <u>16590</u> Kit <u>Related reagents</u>					
Synonyms	SI					
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.					
Specificity	Rat anti Mouse CD117 antibody, clone 2B8 recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.					
	Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.					
Flow Cytometry	Use 5µl of the suggested working dilution to label 10^6 cells in $100µl$. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.					
Further Reading	 Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. J <u>Neurosci. 12 (12): 4663-76.</u> Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. <u>Development. 116 (2): 369-75.</u> Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. <u>J Immunol. 148 (11): 3446-53.</u> de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. <u>J Exp Med. 176 (6): 1503-9.</u> Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells <i>in vivo</i>. <u>Proc Natl Acad Sci U S A. 90 (8): 3760-4.</u> Rico-Vargas, S.A. <i>et al.</i> (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. J Immunol. 152 (6): 2845-52. 					
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.					
Guarantee	12 months from date of despatch					
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts					
Health And Safety	Material Safety Datasheet documentation #20471 available at:					

Informati	on <u>https://ww</u> 20471							
Regulato	ry For resea	rch purpose						
Relate	d Products							
Recomn	Recommended Useful Reagents							
	EROBLOCK FcR (BUF04 EROBLOCK FcR (BUF04							
North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com			
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M426059:231120'								
Printed on 12 Dec 2024								

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint