

## Datasheet: MCA1365SBR815

Description:	RAT ANTI MOUSE CD117:StarBright Red 815
Specificity:	CD117
Other names:	C-KIT, SCF-R
Format:	StarBright Red 815
Product Type:	Monoclonal Antibody
Clone:	2B8
Isotype:	lgG2b
Quantity:	100 TESTS/0.5ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	-			Neat	
	Where this product has necessarily exclude its a guide only. It is recor system using appropria	use in such p nmended that	rocedu the use	res. Suggested workin er titrates the product f	g dilutions are given as	
Target Species	Mouse					
Product Form	Purified IgG conjugated to StarBright Red 815 - liquid					
Max Ex/Em	Fluorophore	Excitation Ma	x (nm)	Emission Max (nm)		
	StarBright Red 815	654		811		
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )					
Stabilisers	1% Bovine Serum Albumin					
	0.1% Pluronic F68					
	0.1% PEG 3350					
	0.05% Tween 20					

Approx. Protein Concentrations	For information on the concentration of our StarBright Dye conjugated reagents please visit our <u>FAQ</u> page.
Immunogen	IL-3 dependent mast cells.
External Database Links	UniProt:         P05532       Related reagents         Entrez Gene:         16590       Kit         Related reagents
Synonyms	SI
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.
Specificity	<b>Rat anti Mouse CD117 antibody, clone 2B8</b> recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.
	Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
Further Reading	<ol> <li>Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. J <u>Neurosci. 12 (12): 4663-76.</u></li> <li>Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. <u>Development. 116 (2): 369-75.</u></li> <li>Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. <u>J Immunol. 148 (11): 3446-53.</u></li> <li>de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. J Exp Med. 176 (6): 1503-9.</li> <li>Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells <i>in vivo.</i> <u>Proc Natl Acad Sci U S A. 90 (8): 3760-4.</u></li> </ol>
	6. Rico-Vargas, S.A. <i>et al.</i> (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. J Immunol. 152 (6): 2845-52.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign

Health A Informati	nd Safety Mate on <u>https</u> 2047	at:					
Regulato	<b>ry</b> For r	For research purposes only					
Recomm	d Products nended Useful R EROBLOCK For (B	-					
	EROBLOCK FcR (B						
Iorth & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us	Worldwide @bio-rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	Europe o-rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com		
To find a b	atch/lot specific data	sheet for this produ	ict, please use our online 'M434883:250224'	search tool at: b	oio-rad-antibodies.com/datasheets		

## Printed on 24 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint