

Datasheet: MCA1365SBUV575

Description:	RAT ANTI MOUSE CD117:StarBright UltraViolet 575
Specificity:	CD117
Other names:	C-KIT, SCF-R
Format:	StarBright UltraViolet 575
Product Type:	Monoclonal Antibody
Clone:	2B8
Isotype:	lgG2b
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
Product Form	Purified IgG conjugate	ed to StarBright UltraV	/iolet 575 - liquid
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	StarBright UltraViolet 575	340	569
Preparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein G t
Buffer Solution	Phosphate buffered s	aline	
Preservative	0.09% sodium azide ((NaN ₃)	
Stabilisers	1% bovine serum albu	umin	
	0.1% Pluronic F68		
	0.1% PEG 3350		

External Database Links	UniProt:			
	P05532 Related reagents			
	Entrez Gene:			
	16590 Kit Related reagents			
Synonyms	SI			
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.			
Specificity	Rat anti Mouse CD117 antibody, clone 2B8 recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.			
	Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.			
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.			
Further Reading	1. Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development			
	of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. <u>J</u> Neurosci. 12 (12): 4663-76.			
	2. Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. Development. 116 (2): 369-75.			
	3. Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by			
	hemopoietic stem cell factor, a ligand for the c-kit receptor. <u>J Immunol. 148 (11): 3446-53.</u>			
	4. de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem			
	cells purified from adult mouse bone marrow. <u>J Exp Med. 176 (6): 1503-9.</u> 5. Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine			
	hematopoietic stem cells <i>in vivo</i> . Proc Natl Acad Sci U S A. 90 (8): 3760-4.			
	6. Rico-Vargas, S.A. et al. (1994) c-kit expression by B cell precursors in mouse bone			
	marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. <u>J</u> <u>Immunol. 152 (6): 2845-52.</u>			
Storage	Store at +4°C.			
	DO NOT FREEZE.			
	This product should be stored undiluted.			
Guarantee	12 months from date of despatch			
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign			

counterparts

Health And Safety Material Safety Datasheet documentation #20471 available at: Information

https://www.bio-rad-antibodies.com/SDS/MCA1365SBUV575

20471

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376 Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 Worldwide Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_us@bio-rad.com Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M409363:221018'

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint