

# Datasheet: MCA1365SBUV740 BATCH NUMBER 100007538

Description:	RAT ANTI MOUSE CD117:StarBright UltraViolet 740
Specificity:	CD117
Other names:	C-KIT, SCF-R
Format:	StarBright UltraViolet 740
Product Type:	Monoclonal Antibody
Clone:	2B8
Isotype:	lgG2b
Quantity:	100 TESTS/0.5ml

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.				
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	-			Neat
	Where this product ha necessarily exclude its a guide only. It is reco system using appropri	s use in such pr mmended that t	ocedur the use	es. Suggested workin r titrates the product f	ng dilutions are given as
Target Species	Mouse				
Product Form	Purified IgG conjugated to StarBright UltraViolet 740 - liquid				
Max Ex/Em	Fluorophore	Excitation Max	(nm)	Emission Max (nm)	
	StarBright UltraViolet 740	344		743	
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Alb 0.1% Pluronic F68				

#### 0.1% PEG 3350 0.05% Tween 20

myeloma cell line.SpecificityRat anti Mouse CD117 antibody, cl surface molecule otherwise known at Rat anti Mouse CD117 antibody, clor region of CD117. In mice, CD117 is p haematopoietic stem cells from the aFlow CytometryUse 5µl of the suggested working dil suggest a 5 minutes centrifugation at 1. Manova, K. et al. (1992) c-kit rece of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. et al. (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. et al. (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH et al. (1993) Steel fac hematopoietic stem cells <i>in vivo</i> . Pro 6. Rico-Vargas, S.A. et al. (1994) c-k marrow. Stimulation of B cell genesis Immunol. 152 (6): 2845-52.StorageStore at +4°C. DO NOT FREEZE.			
LinksUniProt: P05532Related reagentsEntrez Gene: 16590KitRelated reagentsSynonymsSIFusion PartnersSpleen cells from immunised Wistar myeloma cell line.SpecificityRat anti Mouse CD117 antibody, cl surface molecule otherwise known at Rat anti Mouse CD117 antibody, clor region of CD117. In mice, CD117 is p haematopoietic stem cells from the atFlow CytometryUse 5µl of the suggested working dil suggest a 5 minutes centrifugation atFurther Reading1. Manova, K. et al. (1992) c-kit rece of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. et al. (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. et al. (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH et al. (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH et al. (1993) Steel fact hematopoietic stem cells in vivo. Pro 6. Rico-Vargas, S.A. et al. (1994) c-k marrow. Stimulation of B cell genesis Immunol. 152 (6): 2845-52.StorageStore at +4°C. DO NOT FREEZE.			
Fusion PartnersSpleen cells from immunised Wistar myeloma cell line.SpecificityRat anti Mouse CD117 antibody, cl surface molecule otherwise known at Rat anti Mouse CD117 antibody, clor region of CD117. In mice, CD117 is p haematopoietic stem cells from the atFlow CytometryUse 5µl of the suggested working dill suggest a 5 minutes centrifugation at 1. Manova, K. et al. (1992) c-kit rece of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. et al. (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. et al. (1992) Stimulation hemopoietic stem cell factor, a ligand 4. de Vries, P. et al. (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH et al. (1993) Steel factor hematopoietic stem cells in vivo. Pro 6. Rico-Vargas, S.A. et al. (1994) c-k marrow. Stimulation of B cell genesis Immunol. 152 (6): 2845-52.StorageStore at +4°C. DO NOT FREEZE.			
TypeIoma cell line.SpecificityRat anti Mouse CD117 antibody, cl surface molecule otherwise known at Rat anti Mouse CD117 antibody, clor region of CD117. In mice, CD117 is p haematopoietic stem cells from the atFlow CytometryUse 5µl of the suggested working dil suggest a 5 minutes centrifugation at 1. Manova, K. <i>et al.</i> (1992) c-kit rece of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. <i>et al.</i> (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. <i>et al.</i> (1992) Stimulation hemopoietic stem cell factor, a ligand 4. de Vries, P. <i>et al.</i> (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH <i>et al.</i> (1993) Steel factor hematopoietic stem cells <i>in vivo</i> . Pro 6. Rico-Vargas, S.A. <i>et al.</i> (1994) c-k marrow. Stimulation of B cell genesis Immunol. 152 (6): 2845-52.StorageStore at +4°C. DO NOT FREEZE.			
<ul> <li>surface molecule otherwise known as Rat anti Mouse CD117 antibody, clor region of CD117. In mice, CD117 is phaematopoietic stem cells from the a</li> <li>Flow Cytometry Use 5µl of the suggested working dill suggest a 5 minutes centrifugation at 1. Manova, K. <i>et al.</i> (1992) c-kit recerso of the mouse cerebellum suggests a <u>Neurosci. 12 (12): 4663-76.</u></li> <li>Maeda, H. <i>et al.</i> (1992) Requirement system. <u>Development. 116 (2): 369-7</u></li> <li>Takagi, M. <i>et al.</i> (1992) Stimulation hemopoietic stem cell factor, a ligand 4. de Vries, P. <i>et al.</i> (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH <i>et al.</i> (1993) Steel factor hematopoietic stem cells in vivo. Pro 6. Rico-Vargas, S.A. <i>et al.</i> (1994) c-k marrow. Stimulation of B cell genesiss Immunol. 152 (6): 2845-52.</li> <li>Storage Store at +4°C. DO NOT FREEZE.</li> </ul>	rats were fused with cells of the Fox-NY mouse		
region of CD117. In mice, CD117 is p haematopoietic stem cells from the aFlow CytometryUse 5µl of the suggested working dil suggest a 5 minutes centrifugation atFurther Reading1. Manova, K. et al. (1992) c-kit rece of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. et al. (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. et al. (1992) Stimulation hemopoietic stem cell factor, a ligand 4. de Vries, P. et al. (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH et al. (1993) Steel fact hematopoietic stem cells in vivo. Pro 6. Rico-Vargas, S.A. et al. (1994) c-k marrow. Stimulation of B cell genesis Immunol. 152 (6): 2845-52.StorageStore at +4°C. DO NOT FREEZE.	<b>Rat anti Mouse CD117 antibody, clone 2B8</b> recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.		
Further Reading1. Manova, K. et al. (1992) c-kit rece of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. et al. (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. et al. (1992) Stimulation hemopoietic stem cell factor, a ligand 4. de Vries, P. et al. (1992) Thymus r cells purified from adult mouse bone 5. Fleming WH et al. (1993) Steel fact hematopoietic stem cells in vivo. Pro 6. Rico-Vargas, S.A. et al. (1994) c-k marrow. Stimulation of B cell genesis Immunol. 152 (6): 2845-52.StorageStore at +4°C. DO NOT FREEZE.	e 2B8 recognizes an epitope within the extracellular redominantly expressed on multipotent dult bone marrow and foetal liver.		
of the mouse cerebellum suggests a Neurosci. 12 (12): 4663-76. 2. Maeda, H. et al. (1992) Requirement system. Development. 116 (2): 369-7 3. Takagi, M. et al. (1992) Stimulation hemopoietic stem cell factor, a ligand 4. de Vries, P. et al. (1992) Thymus r 	Use 5µl of the suggested working dilution to label $10^6$ cells in $100µl$ . Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.		
DO NOT FREEZE.	of mouse connective tissue-type mast cells by for the c-kit receptor. <u>J Immunol. 148 (11): 3446-53.</u> econstitution by c-kit-expressing hematopoietic stem		
This product should be stored undilut	ed.		
Guarantee 12 months from date of despatch			

Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts				
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1365SBUV740 20471				
Regulatory	For research purposes only				
Related Products Recommended Useful Reagents					

### MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bio-r	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M417325:230314'

#### Printed on 12 Dec 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint