

Datasheet: MCA1365SBV440

BATCH NUMBER 100004900

Description:	RAT ANTI MOUSE CD117:StarBright Violet 440		
Specificity:	CD117		
Other names:	C-KIT, SCF-R		
Format:	StarBright Violet 440		
Product Type:	Monoclonal Antibody		
Clone:	2B8		
Isotype:	lgG2b		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse				
Product Form	Purified IgG conjugate	Purified IgG conjugated to StarBright Violet 440 - liquid			
lax Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm		
	StarBright Violet 440	385	438		
eparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein G		
ffer Solution	Phosphate buffered s	aline			
eservative	0.09% Sodium Azide	(NaN ₃)			
tabilisers	1% Bovine Serum Alb	oumin			
	0.1% Pluronic F68				
	0.1% PEG 3350				

Immunogen	IL-3 dependent mast cells.			
External Database Links	UniProt: P05532 Related reagents Entrez Gene: 16590 Kit Related reagents			
Synonyms	SI			
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.			
Specificity	Rat anti Mouse CD117 antibody, clone 2B8 recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor. Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.			
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.			
Further Reading	1. Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells <i>in vivo</i> . Proc Natl Acad Sci U S A. 90 (8): 3760-4. 2. Rico-Vargas, S.A. <i>et al.</i> (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. J Immunol. 152 (6): 2845-52. 3. Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. J Neurosci. 12 (12): 4663-76. 4. Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. Development. 116 (2): 369-75. 5. Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. J Immunol. 148 (11): 3446-53. 6. de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. J Exp Med. 176 (6): 1503-9.			
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.			
Guarantee	12 months from date of despatch			
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts			

Health And Safety Material Safety Datasheet documentation #20471 available at:

Information https://www.bio-rad-antibodies.com/SDS/MCA1365SBV440

20471

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376

Worldwide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Email: antibody_sales_uk@bio-rad.com

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M374255:201028'

Printed on 24 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint