

## Datasheet: MCA1365SBV475 BATCH NUMBER 100005759

Description:	RAT ANTI MOUSE CD117:StarBright Violet 475
Specificity:	CD117
Other names:	C-KIT, SCF-R
Format:	StarBright Violet 475
Product Type:	Monoclonal Antibody
Clone:	2B8
Isotype:	lgG2b
Quantity:	100 TESTS/0.5ml

## **Product Details**

Applications	derived from testing w communications from	ithin our laboratories the originators. Plea ral protocol recomme	the following applications, peer-reviewed publications, peer-reviewed publications in the references in the references in the references, please visit where the references is the references is the references of the references is the references of the references is the references of	ations or personal ndicated for further			
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	•		Neat			
	necessarily exclude it	s use in such procec mmended that the u	ser titrates the product	ng dilutions are given as			
Target Species	Mouse						
Product Form	Purified IgG conjugated to StarBright Violet 475 -	et 475 - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm	) Emission Max (nm)				
	StarBright Violet 475	405	479				
Preparation	Purified IgG prepared supernatant	by affinity chromato	graphy on Protein G fro	m tissue culture			
Buffer Solution	Phosphate buffered saline						
Preservative	0.09% Sodium Azide	(NaN <sub>3</sub> )					
- · · · · · ·							
Stabilisers	1% Bovine Serum Alb	oumin					
Stabilisers	1% Bovine Serum Alb 0.1% Pluronic F68	oumin					

	0.05% Tween 20
Immunogen	IL-3 dependent mast cells.
External Database Links	UniProt: P05532 Related reagents Entrez Gene: 16590 Kit Related reagents
Synonyms	SI
Fusion Partners	Spleen cells from immunised Wistar rats were fused with cells of the Fox-NY mouse myeloma cell line.
Specificity	<b>Rat anti Mouse CD117 antibody, clone 2B8</b> recognizes mouse CD117, a ~150 kDa cell surface molecule otherwise known as the Kit, or c-kit, receptor.
	Rat anti Mouse CD117 antibody, clone 2B8 recognizes an epitope within the extracellular region of CD117. In mice, CD117 is predominantly expressed on multipotent haematopoietic stem cells from the adult bone marrow and foetal liver.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
Further Reading	<ol> <li>Fleming WH <i>et al.</i> (1993) Steel factor influences the distribution and activity of murine hematopoietic stem cells <i>in vivo</i>. Proc Natl Acad Sci U S A. 90 (8): 3760-4.</li> <li>Rico-Vargas, S.A. <i>et al.</i> (1994) c-kit expression by B cell precursors in mouse bone marrow. Stimulation of B cell genesis by in vivo treatment with anti-c-kit antibody. J Immunol. 152 (6): 2845-52.</li> <li>Manova, K. <i>et al.</i> (1992) c-kit receptor and ligand expression in postnatal development of the mouse cerebellum suggests a function for c-kit in inhibitory interneurons. J Neurosci. 12 (12): 4663-76.</li> <li>Maeda, H. <i>et al.</i> (1992) Requirement of c-kit for development of intestinal pacemaker system. Development. 116 (2): 369-75.</li> <li>Takagi, M. <i>et al.</i> (1992) Stimulation of mouse connective tissue-type mast cells by hemopoietic stem cell factor, a ligand for the c-kit receptor. J Immunol. 148 (11): 3446-53.</li> <li>de Vries, P. <i>et al.</i> (1992) Thymus reconstitution by c-kit-expressing hematopoietic stem cells purified from adult mouse bone marrow. J Exp Med. 176 (6): 1503-9.</li> </ol>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts

		heet documentation #20 htibodies.com/SDS/MCA	2		Health Ai Informati
		s only	arch purpose	<b>For rese</b>	Regulato
				d Products	Relate
			gents	mended Useful Reag	Recomn
				EROBLOCK FcR (BUF0) EROBLOCK FcR (BUF0)	
Tel: +49 (0) 89 8090 95 21	Europe	Tel: +44 (0)1865 852 700	Worldwide	Tel: +1 800 265 7376 Fax: +1 919 878 3751	North & South America
Fax: +49 (0) 89 8090 95 50 Email: antibody sales de@bio-rad.com	-rad com	Fax: +44 (0)1865 852 739 Email: antibody sales uk@bio	-rad.com	Email: antibody sales us@bio	America

## Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint