

## Datasheet: MCA1366F

**BATCH NUMBER 155908**

<b>Description:</b>	HAMSTER ANTI MOUSE TCR GAMMA/DELTA:FITC
<b>Specificity:</b>	TCR GAMMA/DELTA
<b>Format:</b>	FITC
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	GL3
<b>Isotype:</b>	IgG
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse						
<b>Product Form</b>	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
<b>Max Ex/Em</b>	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>FITC</td> <td>490</td> <td>525</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	FITC	490	525
Fluorophore	Excitation Max (nm)	Emission Max (nm)					
FITC	490	525					
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A						
<b>Buffer Solution</b>	Phosphate buffered saline						
<b>Preservative</b>	0.09% Sodium Azide						
<b>Stabilisers</b>	0.5% Bovine Serum Albumin						
<b>Approx. Protein</b>	IgG concentration 0.1 mg/ml						

---

**Concentrations**

---

**Immunogen** C57BL/6J intra epithelial lymphocytes.

---

**RRID** AB\_322442

---

**Fusion Partners** Spleen cells from immunized Armenian hamster were fused with cells of the murine myeloma SP2/0 myeloma cell line.

---

**Specificity** **Hamster anti Mouse TCR Gamma/Delta antibody, clone GL3** reacts with mouse TCR gamma/delta expressing lymphocytes.

Hamster anti Mouse TCR Gamma/Delta antibody, clone GL3 has been shown to have depleting activity *in vivo* ([Van der Heyde et al. 1995](#) and [Skeenet al. 1993](#)).

---

**Flow Cytometry** Use 10ul of the suggested working dilution to label 1 x10<sup>6</sup> cells in 100ul.

The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity fc receptors. This may be reduced by using SeroBlock FcR ([BUF041A/B](#)).

---

**References**

1. Skarstein, K. *et al.* (1994) Oligoclonality of T cells in salivary glands of autoimmune MRL/lpr mice. [Immunology. 81 \(4\): 497-501.](#)
2. van der Heyde, H.C. *et al.* (1995) Gamma delta T cells function in cell-mediated immunity to acute blood-stage Plasmodium chabaudi adami malaria. [J Immunol. 154 \(8\): 3985-90.](#)
3. Skeen, M.J. & Ziegler, H.K. (1993) Induction of murine peritoneal gamma/delta T cells and their role in resistance to bacterial infection. [J Exp Med. 178 \(3\): 971-84.](#)
4. Karasova, D. *et al.* (2010) Influence of 5 major Salmonella pathogenicity islands on NK cell depletion in mice infected with *Salmonella enterica* serovar Enteritidis. [BMC Microbiol. 10: 75.](#)
5. Laky, K. *et al.* (2000) Enterocyte expression of interleukin 7 induces development of gammadelta T cells and Peyer's patches. [J Exp Med. 191: 1569-80.](#)

---

**Storage** Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee** 12 months from date of despatch

---

**Health And Safety Information** Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1366F>  
10041

## Related Products

### Recommended Negative Controls

[HAMSTER \(ARMENIAN\) IgG NEGATIVE CONTROL:FITC \(MCA2356F\)](#)

### Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)

[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M365211:200529'

Printed on 18 Jan 2024

---