

# Datasheet: MCA1379 BATCH NUMBER 160549

Description: MOUSE ANTI HUMAN CD2	
Specificity:	CD24
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	SN3
Isotype:	lgG1
Quantity:	0.2 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50 - 1/100
Immunohistology - Frozen (1)				
Immunohistology - Paraffin		•		
ELISA			•	
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) The epitope recognised by this antibody is reported to be sensitive to formal dehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.

Target Species	Human
Species Cross	Reacts with: Chimpanzee
Reactivity	<b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form	Purified IgG - liquid		
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Glycoproteins purified from human NALM-1 cell line		
External Database Links	UniProt: P25063 Related reagents  Entrez Gene:		
	100133941 CD24 Related reagents		
Synonyms	CD24A		
RRID	AB_321526		
Fusion Partners	Spleen cells from immunized BALB/c mice were fuzed with cells of a mouse myeloma cell line		
Specificity	<b>Mouse anti Human CD24 antibody, clone SN3</b> recognizes the human CD24 cell surface antigen, a heavily glycosylated molecule of ~35-45 kDa. CD24 is expressed by granulocytes and B lymphocytes, and by some activated T cells and T cell malignancies.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 100ul whole blood		
Histology Positive Control Tissue	Tonsil		
References	<ol> <li>Barcos, M. <i>et al.</i> (1986) Follicular mantle zone cell subpopulations detected by monoclonal antibody SN3. <u>Hematol Oncol. 4 (4): 251-9.</u></li> <li>Fukukawa, T. <i>et al.</i> (1986) New monoclonal antibodies SN3, SN3a, and SN3b directed to sialic acid of glycoprotein on human non-T leukemia cells. <u>Exp Hematol. 14 (9): 850-5.</u></li> <li>Sallustio, F. <i>et al.</i> (2010) TLR2 plays a role in the activation of human resident renal stem/progenitor cells. <u>FASEB J. 24 (2): 514-25.</u></li> <li>Ohyama, M. <i>et al.</i> (2006) Characterization and isolation of stem cell-enriched human hair follicle bulge cells. <u>J Clin Invest. 116:249-60.</u></li> <li>Kanderová, V. <i>et al.</i> (2010) Aberrantly expressed CEACAM6 is involved in the signaling</li> </ol>		

leading to apoptosis of acute lymphoblastic leukemia cells. Exp Hematol. 38: 653-660.e1. 6. Kap, Y.S. et al. (2009) A monoclonal antibody selection for immunohistochemical examination of lymphoid tissues from non-human primates. J Histochem Cytochem. 57 (12): 1159-67.

7. Franz, C. et al. (2016) Extracellular vesicles in human follicular fluid do not promote coagulation. Reprod Biomed Online. Aug 22. pii: S1472-6483(16)30453-9. [Epub ahead of print]

**Storage** 

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1379">https://www.bio-rad-antibodies.com/SDS/MCA1379</a> 10040
Regulatory	For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) **RPE** 

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) **RPE** Goat Anti Mouse IgG (STAR70...) **FITC** 

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) **HRP** 

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) **HRP** 

#### **Recommended Negative Controls**

#### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383442:210513'

Printed on 09 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint