

Datasheet: MCA1379 BATCH NUMBER 163382

Description: MOUSE ANTI HUMAN CD24	
Specificity:	CD24
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	SN3
Isotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50 - 1/100
Immunohistology - Frozen (1)	•			
Immunohistology - Paraffin		•		
ELISA			•	
Immunoprecipitation			•	
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)The epitope recognised by this antibody is reported to be sensitive to formaldehyde fixation and tissue processing. Bio-Rad recommends the use of acetone fixation for frozen sections.

Target Species	Human
Species Cross	Reacts with: Chimpanzee
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form	Purified IgG - liquid		
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Glycoproteins purified from human NALM-1 cell line		
External Database Links	UniProt: P25063 Related reagents Entrez Gene:		
	100133941 CD24 Related reagents		
Synonyms	CD24A		
RRID	AB_321526		
Fusion Partners	Spleen cells from immunized BALB/c mice were fuzed with cells of a mouse myeloma cell line		
Specificity	Mouse anti Human CD24 antibody, clone SN3 recognizes the human CD24 cell surface antigen, a heavily glycosylated molecule of ~35-45 kDa. CD24 is expressed by granulocytes and B lymphocytes, and by some activated T cells and T cell malignancies.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood		
Histology Positive Control Tissue	Tonsil		
References	 Barcos, M. <i>et al.</i> (1986) Follicular mantle zone cell subpopulations detected by monoclonal antibody SN3. Hematol Oncol. 4 (4): 251-9. Fukukawa, T. <i>et al.</i> (1986) New monoclonal antibodies SN3, SN3a, and SN3b directed to sialic acid of glycoprotein on human non-T leukemia cells. Exp Hematol. 14 (9): 850-5. Sallustio, F. <i>et al.</i> (2010) TLR2 plays a role in the activation of human resident renal stem/progenitor cells. FASEB J. 24 (2): 514-25. Ohyama, M. <i>et al.</i> (2006) Characterization and isolation of stem cell-enriched human hair follicle bulge cells. J Clin Invest. 116:249-60. Kanderová, V. <i>et al.</i> (2010) Aberrantly expressed CEACAM6 is involved in the signaling 		

leading to apoptosis of acute lymphoblastic leukemia cells. <u>Exp Hematol. 38: 653-660.e1.</u> 6. Kap, Y.S. *et al.* (2009) A monoclonal antibody selection for immunohistochemical examination of lymphoid tissues from non-human primates. <u>J Histochem Cytochem. 57</u> (12): 1159-67.

7. Franz, C. *et al.* (2016) Extracellular vesicles in human follicular fluid do not promote coagulation. Reprod Biomed Online. Aug 22. pii: S1472-6483(16)30453-9. [Epub ahead of print]

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1379 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP
Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight@488, DyLight@550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M395809:220519'

Printed on 18 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint