

# Datasheet: MCA1379PE BATCH NUMBER INN0711R

| Description:  | MOUSE ANTI HUMAN CD24:RPE |
|---------------|---------------------------|
| Specificity:  | CD24                      |
| Format:       | RPE                       |
| Product Type: | Monoclonal Antibody       |
| Clone:        | SN3                       |
| Isotype:      | lgG1                      |
| Quantity:     | 100 TESTS                 |

# **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry |     |    |                | Neat               |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Human                            |                           |  |      |
|----------------|----------------------------------|---------------------------|--|------|
| Species Cross  | Reacts with: Chimp               | anzee                     |  |      |
| Reactivity     | reactivity is derived            | from testing within our I | ons may vary between species. Cross aboratories, peer-reviewed publications. Please refer to references indicate | าร ต |
| Product Form   | Purified IgG conjuga             | ated to R. Phycoerythrin  | (RPE) - lyophilized  |      |
| Reconstitution | Reconstitute with 1              | ml distilled water        |  |      |
| Max Ex/Em      | Fluorophore                      | Excitation Max (nm)       | Emission Max (nm)  |      |
|                | RPE 488nm laser                  | 496                       | 578  |      |
| Preparation    | Purified IgG prepare supernatant | ed by affinity chromatog  | raphy on Protein G from tissue culture   | ;    |

| Buffer Solution             | Phosphate buffered saline  |  |
|-----------------------------|--|--|
| Preservative<br>Stabilisers | 0.09% Sodium Azide 1% Bovine Serum Albumin 5% Sucrose  |  |
| Immunogen                   | Glycoproteins purified from human NALM-1 cell line   |  |
| External Database<br>Links  | UniProt: P25063 Related reagents   |  |
|                             | Entrez Gene:  100133941 CD24 Related reagents  |  |
| Synonyms                    | CD24A  |  |
| RRID                        | AB_321527  |  |
| Fusion Partners             | Spleen cells from immunized BALB/c mice were fuzed with cells of a mouse myeloma cell line   |  |
| Specificity                 | <b>Mouse anti Human CD24 antibody, clone SN3</b> recognizes the human CD24 cell surface antigen, a heavily glycosylated molecule of ~35-45 kDa. CD24 is expressed by granulocytes and B lymphocytes, and by some activated T cells and T cell malignancies.  |  |
| Flow Cytometry              | Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells or 100ul whole blood   |  |
| References                  | 1. Barcos, M. <i>et al.</i> (1986) Follicular mantle zone cell subpopulations detected by monoclonal antibody SN3. Hematol Oncol. 4 (4): 251-9.  2. Fukukawa, T. <i>et al.</i> (1986) New monoclonal antibodies SN3, SN3a, and SN3b directed to sialic acid of glycoprotein on human non-T leukemia cells. Exp Hematol. 14 (9): 850-5.  3. Sallustio, F. <i>et al.</i> (2010) TLR2 plays a role in the activation of human resident renal stem/progenitor cells. FASEB J. 24 (2): 514-25.  4. Ohyama, M. <i>et al.</i> (2006) Characterization and isolation of stem cell-enriched human hair follicle bulge cells. J Clin Invest. 116:249-60.  5. Kanderová, V. <i>et al.</i> (2010) Aberrantly expressed CEACAM6 is involved in the signaling leading to apoptosis of acute lymphoblastic leukemia cells. Exp Hematol. 38: 653-660.e1.  6. Kap, Y.S. <i>et al.</i> (2009) A monoclonal antibody selection for immunohistochemical examination of lymphoid tissues from non-human primates. J Histochem Cytochem. 57 (12): 1159-67.  7. Franz, C. <i>et al.</i> (2016) Extracellular vesicles in human follicular fluid do not promote coagulation. Reprod Biomed Online. Aug 22. pii: S1472-6483(16)30453-9. [Epub ahead of print] |  |
| Storage                     | Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.   |  |
|                             | DO NOT FREEZE.   |  |

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

| Guarantee                        | 12 months from date of despatch  |
|----------------------------------|--|
| Health And Safety<br>Information | Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1379PE">https://www.bio-rad-antibodies.com/SDS/MCA1379PE</a> 20487 |
| Regulatory                       | For research purposes only   |

# **Related Products**

# **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

## **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375317:210104'

### Printed on 09 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint