

Datasheet: MCA1416PE

BATCH NUMBER 159355

Description:	MOUSE ANTI HUMAN CD103:RPE		
Specificity:	CD103		
Format:	RPE		
Product Type:	Monoclonal Antibody		
Clone:	LF61		
Isotype:	lgG1		
Quantity:	100 TESTS		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human					
Product Form	Purified IgG conjugate	Purified IgG conjugated to R. Phycoerythrin (RPE) - Iyophilized				
Reconstitution	Reconstitute with 1 m	Reconstitute with 1 ml distilled water				
Max Ex/Em	Fluorophore RPE 488nm laser	Excitation Max (nm) 496	Emission Max (nm)			
Preparation	Purified IgG prepared	Purified IgG prepared by affinity chromatography on Protein A				
Buffer Solution	Phosphate buffered s	aline				
Preservative Stabilisers	0.09% Sodium Azide1% Bovine Serum5% Sucrose	Albumin				

Immunogen	Hairy cell leukemia cells
External Database Links	UniProt: P38570 Related reagents Entrez Gene: 3682 ITGAE Related reagents
RRID	AB_321983
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS0 myeloma cell line
Specificity	Mouse anti Human CD103 antibody, clone LF61 recognizes the human CD103 cell surface antigen, a glycoprotein expressed by approximately 1% of peripheral blood lymphocytes, activated T lymphocytes and by hairy cell leukemia cells. The antigen is also expressed by intraepithelial lymphocytes. It has recently been shown to be identical to the alpha E integrin.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	 Falini, B. et al. (1990) Selection of a panel of monoclonal antibodies for monitoring residual disease in peripheral blood and bone marrow of interferon-treated hairy cell leukaemia patients. Br J Haematol. 76 (4): 460-8. Ling, K.L. et al. (2007) Modulation of CD103 expression on human colon carcinomaspecific CTL. J Immunol. 178: 2908-15. Hadley, G.A. et al. (2001) CD103+ CTL accumulate within the graft epithelium during clinical renal allograft rejection. Transplantation. 72 (9): 1548-55.
Storage	Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. DO NOT FREEZE.
	This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA1416PE 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375320:210104'

Printed on 29 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint