

Datasheet: MCA1416PET

Description:	MOUSE ANTI HUMAN CD103:RPE
Specificity:	CD103
Other names:	ALPHA E, INTEGRIN
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	LF61
lsotype:	lgG1
Quantity:	25 TESTS

Product Details

Applications	from testing within our	This information is derived sonal communications from ation. For general protocol					
	recommendations, please visit www.bio-rad-antibodies.com/protocols.						
	Elow Outomotry	Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry Neat Where this antibody has not been tested for use in a particular technique this does not necessarily						
	•	•	•				
	exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate						
	negative/positive controls.						
Target Species	Human						
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - Iyophilized						
Reconstitution	Reconstitute in 0.25 ml disilled water						
Max Ex/Em	Fluorophore	Excitation Max (nm) Emi	ssion Max (nm)			
	RPE 488nm laser	496		578			
Preparation	Purified IgG prepared by affinity chromatography on Protein A						
Buffer Solution	Phosphate buffered saline						
Preservative	0.09% Sodium Azide						
Stabilisers	1% Bovine Serum Albumin						
	5% Sucrose						
Immunogen	Hairy cell leukaemia cells.						
External Database Links	UniProt: P38570 Related	reagents					

	Entrez Gene: <u>3682</u> ITGAE <u>Related reagents</u>				
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS0 myeloma cell line.				
Specificity	Mouse anti Human CD103 antibody, clone LF61 recognizes the human CD103 cell surface antigen, a glycoprotein expressed by approximately 1% of peripheral blood lymphocytes, activated T lymphocytes and by hairy cell leukaemia cells. The antigen is also expressed by intraepithelial lymphocytes. It has recently been shown to be identical to the alpha E integrin.				
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.				
References	 Falini, B. <i>et al.</i> (1990) Selection of a panel of monoclonal antibodies for monitoring residual disease in peripheral blood and bone marrow of interferon-treated hairy cell leukaemia patients. Br J Haematol. 76 (4): 460-8. Ling, K.L. <i>et al.</i> (2007) Modulation of CD103 expression on human colon carcinoma-specific CTL. J Immunol. 178: 2908-15. Hadley, G.A. <i>et al.</i> (2001) CD103+ CTL accumulate within the graft epithelium during clinical renal allograft rejection. Transplantation. 72 (9): 1548-55. 				
Storage	Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. DO NOT FREEZE.				
	This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.				
Shelf Life	12 months from date of reconstitution.				
Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf</u>				
Regulatory	For research purposes only				

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265
America	Fax: +1 919 878
	Empile antihody

Worldwide 7376 8 3751 Email: antibody_sales_us@bio-rad.com

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M322736:180727'

Printed on 06 Dec 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint