

Datasheet: MCA1416SBB700

Description:	n: MOUSE ANTI HUMAN CD103:StarBright Blue 700		
Specificity:	CD103		
Format:	StarBright Blue 700		
Product Type:	Monoclonal Antibody		
Clone:	LF61		
Isotype:	IgG1		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Form	Purified IgG conjuga	Purified IgG conjugated to StarBright Blue 700 - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm		
	StarBright Blue 700	473	703		
eparation	Purified IgG prepare	d by affinity chromatog	raphy on Protein A t		
	supernatant				
fer Solution	supernatant Phosphate buffered	saline			
	·				
reservative	Phosphate buffered	e (NaN ₃)			
eservative	Phosphate buffered s	e (NaN ₃)			
Buffer Solution Preservative Stabilisers	Phosphate buffered solution of the control of the c	e (NaN ₃)			

Immunogen	Hairy cell leukemia cells.			
External Database Links	UniProt: P38570 Related reagents Entrez Gene: 3682 ITGAE Related reagents			
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS0 myeloma cell line.			
Specificity	Mouse anti Human CD103 antibody, clone LF61 recognizes the human CD103 cell surface antigen, a glycoprotein expressed by approximately 1% of peripheral blood lymphocytes, activated T lymphocytes and by hairy cell leukemia cells. The antigen is also expressed by intraepithelial lymphocytes. It has recently been shown to be identical to the alpha E integrin.			
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.			
References	 Falini, B. <i>et al.</i> (1990) Selection of a panel of monoclonal antibodies for monitoring residual disease in peripheral blood and bone marrow of interferon-treated hairy cell leukaemia patients. Br J Haematol. 76 (4): 460-8. Ling, K.L. <i>et al.</i> (2007) Modulation of CD103 expression on human colon carcinomaspecific CTL. J Immunol. 178: 2908-15. Hadley, G.A. <i>et al.</i> (2001) CD103+ CTL accumulate within the graft epithelium during clinical renal allograft rejection. Transplantation. 72 (9): 1548-55. 			
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.			
Guarantee	12 months from date of despatch			
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts			
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1416SBB700 20471			
Regulatory	For research purposes only			

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B) North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 America

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.comd a Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421928:230815'

Printed on 29 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint